



THE LAB SHOP

PP16524/07/2013(033299)

MEDICINE

HEALTH

TREATMENT

DOCTOR

SURVEY

RECEIPE



PROMOTION VALIDITY
1ST SEP TO 31ST DEC 2025

Dear Valued Customer

We thank you for your continued patronage and support. Being a trusted laboratory solutions provider, we strive to exceed your expectations by offering premium quality products and unsurpassed level of services that enrich your purchasing experience. As our valued customer for The Lab Shop, we hope you appreciate the highly valuable and fabulous free gifts that we are offering this year, which express the unique characteristic of The Lab Shop. Please feel free to speak to our representatives and discover the right combination of products and services which will meet your laboratory needs. Thanks again for allowing us to serve you better.

Interscience Sdn Bhd

A FREE GIFT for every purchase.

For purchase of **RM 30,000** and above in a single order

Insta360 X3
– Waterproof
360 Action
Camera



OR



Harman Kardon
Aura Studio
3 Wireless
Bluetooth
Speaker

OR

Apple iPad
(11th gen, A16
chip, 128GB,
wifi version)



For purchase of **RM 15,000** and above in a single order

AND
Compact
Balance
(EK300i)



OR



Morse
Bravochef
Steam Oven
i7 (15L)

OR

Kobo Clara
eReader 6-Inch
Glare-Free
Reading Tablet



For purchase of **RM 5,000** and above in a single order

Brand
Transferpette
S (200ul/1ml)



OR



Tefal Toast N' Egg
Bread Toaster
TT5528

OR

SonicGear
IOX K600
Bluetooth
Portable
Speaker



For purchase of **RM 2,500** and above in a single order

Targus
15.6" Urban
Convertible™
Backpack
(TBB595)



OR



Protech XP
GEO Pickleball
Combo Set

OR

Montigo Ace
Bottle Mega
(950ml)



Images for illustration purposes only

For enquiries or placing of orders, please contact :

Shah Alam Office :

Tel : +60 3 7802 9060

Fax : +60 3 7802 9061

Email : info@its-interscience.com

www.its-interscience.com

www.its-labshop.com.my

Johor Bahru Office :

Tel : +60 7 332 6277

Fax : +60 7 331 9357

Email : jbe@its-interscience.com

Note:

1) Interscience Sdn Bhd reserves the right to replace gift items of similar value in the event of unavailability of stock. One order entitles for one gift only.

2) Prices quoted are valid from 1st September 2025 to 31st December 2025. Interscience Sdn Bhd reserves the right to change the price without prior notice, e.g. in the event of exchange rates fluctuate more than 5% from 2nd September 2025.

CONTENTS

General Equipment

A&D	03	Lovibond	23
Balances, Moisture Analyzer, Viscometer		Spectrophotometer, Colorimeters, Comparators	
Atago	06	Memmert	26
Refractometers		Universal Ovens, Incubators, Humidity Chambers, Water Baths	
Airtech	07	Merck Milipore	27
Biosafety & Laminar Flow Cabinet, Air Purifier		Water Purification System	
Brand	07	Retsch	27
Pipettes, Bottle Top Burettes, Bottle Top Dispensers, Plasticware, Pipette Tips		Sieve Shakers, Rotor Mills, Ball Mills	
Brema	10	Silverson	27
Ice Maker		High Shear Lab Mixer	
Delfin	10	Thermo Scientific	28
Industrial Vacuum		Chromatography Consumables	
Carbolite	11	Vacuubrand	28
Furnaces, High Temperature Oven		Vacuum Pumps	
Durr	11	WLD-TEC	29
Nitrogen Generator, Air Compressor		Gas Burners, Loop Sterilizer	
Elma	12		
Ultrasonic Baths			
Evoqua	13	Lifescience Instrument	
Ultrapure Water Systems			
Funke Gerber	13	AirClean Systems	30
Colony Counter		Ductless Fume Hoods, PCR Workstation, Laminar Flow	
Hamilton	14	Envigo	30
Microliter and Gastight Syringes, Diluter Sensor		Diet, Beddings	
Hirayama	16	Gonotec	31
Autoclaves		Osmometer	
Huber	16	Haier Biomedical	31
Cooling and Heating Baths, Minichiller		Liquid Nitrogen Tank, O ₂ Concentrator	
ika	16	Hamilton	32
Digital Overhead Stirrer, Hotplate Stirrer, Vortex Mixer, Orbital Shaker, Rotary Evaporator, Viscometer		Tips for Robotic Systems	
JASCO	17	Human	32
UV Spectrophotometer		Microplate Washer and Reader	
KEM	17	Labnet	32
Density Meter, Karl Fischer Titrators, Potentiometric Titrator		Digital Dry Bath, Mini Centrifuge	
Kubota	18	Molecular Devices	33
Centrifuges		Spectrophotometer	
Labplant	20	QSonica	33
Spray Dryer		Sonicators	
Liebherr	21	Scientific Industries	33
Laboratory Freezer, Laboratory Refrigerator		Disruptors	
Lancer	23	Taconic	34
Glassware Washer		Mouse Model	
		Tecniplast	34
		Animal Caging Systems	

CONTENTS

Thermo Scientific	34
Thermal Cycler, Flow Cytometer, GCMS, HPLC, ICP	
Ugo Basile	36
Bee Hive Conditioning Cage Manager	

Lifescience Consumables

Azure Biosystems	37
Real-time PCR	
Autobio	37
Automated Culture System	
Biocare Medical	37
Deloacking Chamber	
Citotest	38
Filtered Tips	
Copan	38
Rapid DNA Test	
Cytiva-Hyclone	39
Cell Culture Media	
Cytiva-Pall	40
Filtration Set, Microbiology Pump, Sample Prep, Membrane Filtration	
Enzo	41
Elisa Kits	
Fujifilm	42
Test Kits	
Genemind	42
Next Gene Sequencing	
Promega	43
Cell Health Assay & Equipments	
Sansure	44
Portable Molecular Workstation	
Still	44
Digital PCR	
Sorenson	45
Low Binding Tips	
Syngene	45
Transilluminators	
Takara	46
Electrophoresis Set, Cloning Kit, CRISPR/Cas 9 Gene Editing & Next Generation Sequencing	
WIX	47
Electrophoresis Package	

Education

Adam,Rouilly	48
Injection, Venepuncture, Cannulation and Infusion Arm, Digital Eye Examination/Retinopathy Trainer	

Environmental

Bactiquant	48
Analysis Equipment	
Lovibond	49
BOD & COD, Photometer, Turbidity Meter, Thermostatically Controlled Incubators	
MembranePure	49
MiniTOC	

Food & Pharma

Cytiva	51
Upstream Process & Biomanufacturing	
Interscience	53
Bag Mixers, Bags	
Marchesini	53
Automatic Filling Machine	
Novasina	54
Water Activity Meters	
Pharmag Instruments	54
Tablet Testing	

Monitoring System

JRI	55
Temperature Monitor	

Medical

Medicom	55
Mask, Gown	
Melag	56
Table-Top Autoclave	
Linet	56
Intensive Care Bed, Premium Transport Stretcher, Gynaecological Examination Chair	

Model	Description	Price (RM)
BM-252 with internal calibration and built-in ionizer	Semi micro/Analytical balance, resolution 0.1/0.01mg, capacity 250g/101g	23,020.00
GX-224A with internal calibration	Analytical balance, resolution 0.1mg, capacity 210g	6,455.00
HR-250AZ with internal calibration	Analytical balance, resolution 0.1mg, capacity 252g	3,955.00

Best Seller!



BM-252



GF-3000

Model	Description	Price (RM)
GF-300 with external calibration	Precision Balance with square pan, resolution 0.001g, capacity 310g	2,830.00
GF-3000 with external calibration	Precision Balance with square pan, resolution 0.01g, capacity 3,100g	2,830.00
GF-6100 with external calibration	Precision Balance with square pan, resolution 0.01g, capacity 6,100g	4,560.00

Model	Description	Price (RM)
FX-300i	Precision Balance with round pan, resolution 0.001g, capacity 320g	2,410.00
FX-500i	Precision Balance with round pan, resolution 0.001g, capacity 520g	2,930.00
FX-3000i	Precision Balance with round pan, resolution 0.01g, capacity 3,200g	2,410.00
FX-5000i	Precision Balance with round pan, resolution 0.01g, capacity 5,200g	2,930.00
FZ-5000i with internal calibration	Precision Balance with round pan, resolution 0.01g, capacity 5,200g	3,390.00



FX-3000i



EK-300i

Model	Description	Price (RM)
EK-300i	Compact Balance, resolution 0.01g, capacity 300g	1,360.00
EK-600i	Compact Balance, resolution 0.1g, capacity 600g	1,165.00
EK-3000i	Compact Balance, resolution 0.1g, capacity 3,000g	1,430.00
EK-6100i	Compact Balance, resolution 0.1g, capacity 6,000g	1,530.00

Model	Description	Price (RM)
HT-500	Compact Scales, resolution 0.1g, capacity 510g	365.00
HT-5000	Compact Scales, resolution 1g, capacity 5,100g	365.00



HT-500

Premium-Level Micro/Semi-Micro Balances

A&D Borealis

BA-T Series



Peak performance assured with :

- On-screen levelling assistance
- Automatic sensitivity adjustment
- Internal repeatability test
- Impact Shock Detection (ISD)
- Smart Routine Check History information
- Communication interfaces such as USB, RS232 and Ethernet

Specialized application function

- Formulation mode
- HPLC mode

Model	Description	Price (RM)
BA-6TE	Microbalance 6.2g x 0.001mg Included with Breeze Break and External Ionizer	61,300.00
BA-6DTE	Dual range Microbalance 2.1g x 0.001mg / 6.2g x 0.01mg Included with Breeze Break and External Ionizer	55,730.00

For more model, feel free to contact us

Advanced-Level Analytical Balances/Precision Balances

A&D Apollo GX-A(E/WP) & GF-A(WP) Series

Built-in ionizer

Remove unstable measurement due to static charges


Smart Super Hybrid Sensor
for fast stabilisation, long-term durability and low cost of

Electronically controlled load (ECL) to automatically self-check the balance precision without external weight

Picture shown is GX-324AE

External IR switch

Impact Shock Detection (ISD)
provide real-time feedback to prevent weighing sensor damage



Dia-Check (Quick Diagnosis)



Standard Deviation on (Quick assess of repeatability in environment)



Minimum Weight based on standard deviation



More selection available...

Model	Description	Price (RM)
GX-324AE	Analytical Balance with capacity of 320g and readability of 0.1mg, internal calibration, with built-in ionizer	10,500.00
GF-303A	Precision Balance with capacity of 320g and readability of 0.001g, external calibration	3,900.00
GF-3002A	Precision Balance with capacity of 3200g and readability of 0.01g, external calibration	3,900.00



For more model, feel free to contact us

Model	Description	Price (RM)
MX-50	Moisture Balance, resolution 0.001g, capacity 51g	6,240.00
SV-10	Viscometer, 0.3-10,000mPa.s	13,875.00



Master Series

Model	Description	Price (RM)
MASTER-53α	Handheld Refractometer, Brix 0 to 53%, ATC & IP65	790.00
MASTER-53T	Handheld Refractometer, Brix 0 to 53%, ATC	605.00
MASTER-53M	Handheld Refractometer, Brix 0 to 53%	540.00
MASTER-50H	Handheld Refractometer, Brix 0 to 50%, Heat resistant	945.00
MASTER-80H	Handheld Refractometer, Brix 30 to 80%, Heat resistant	945.00
MASTER-93H	Handheld Refractometer, Brix 0 to 53%, ATC	945.00
MASTER-S/Mill-α	Handheld Refractometer, Seawater Salinity Refractometer, 0-100%, ATC & IP65	855.00

Model	Description	Price (RM)
PR-32α	Digital Refractometer, 0.0-32.0% Brix, ATC & IP65	2,360.00

PR-32α Digital Refractometer



PAL Series


Model	Description	Price (RM)
PAL-1	Digital Handheld Refractometer, 0.0-53.0% Brix, ATC & IP65	1,210.00
PAL-2	Digital Handheld Refractometer, 45.0-93.0% Brix, ATC & IP65	1,325.00
PAL-3	Digital Handheld Refractometer, 0.0-93.0% Brix, ATC & IP65	3,210.00
PAL-α	Digital Handheld Refractometer, 0.0-85.0% Brix, ATC & IP65	1,810.00

Model	Description	Price (RM)
Pen-Pro	Pen Refractometer, 0.0-85.0% Brix, Continuous Reading, ATC & IP65	1,940.00



Pen-Pro Refractometer

Model	Description	Price (RM)
BSC-1304IIA2	Biosafety cabinet Class II A2 (4 ft), with USA U15 ULPA Filter, ECM DC brushless motor, Colour LCD display, ECO Mode, Filter life indication in %, UV light & timer, TÜV/CE Certificated	23,100.00
HVS-1300-U	Vertical laminar flow cabinet (4 ft), with USA H14 HEPA Filter, Front window adopts hanging lifting system which imported from Japan. (Patent:97235425.5), Colour LCD display air velocity, time&temperature, Filter life indication in %, UV light & timer, TÜV/CE Certificated	15,750.00
AC-894A/B/C/D	Air Purifier (Clean Air Partition), Extra Large HEPA filter, Gear Setting: High-speed/Standard/Super Quiet, Air Volume: 640/470/250 m3/h; Differential pressure gauge, Sterilization effect: killing rate of Staphylococcus albicans >=99.9%; PM2.5 filtration	9,975.00


HandyStep


Repetitive Pipette	Description	Price (RM)
705110	HandyStep S + shelf/rack mount, with 3 PD-Tips (0.1, 1 and 10 ml)	1,390.00
705200	Repetitive pipettes HandyStep® touch, with performance certificate, operating manual, quick reference guide, wall/shelf mount, lithium-ion battery, universal power adapter and USB type C cable.	6,385.00
705702	Dispenser-Tips PD-Tips II, bulk, non-sterile, 0.5ml, 100pcs	567.00
705706	Dispenser-Tips PD-Tips II, bulk, non-sterile, 1.25ml, 100pcs	567.00
705708	Dispenser-Tips PD-Tips II, bulk, non-sterile, 2.5ml, 100pcs	567.00
705710	Dispenser-Tips PD-Tips II, bulk, non-sterile, 5ml, 100pcs	567.00
705714	Dispenser-Tips PD-Tips II, bulk, non-sterile, 12.5ml, 100pcs	567.00
705716	Dispenser-Tips PD-Tips II, bulk, non-sterile, 25ml, 50pcs	320.00
705718	Dispenser-Tips PD-Tips II, bulk, non-sterile, 50ml, 25pcs	178.00

732002	Pipette tips, bulk, PP, 0.1 - 20 µl, non-sterile, 2000 pcs	362.00
732008	Pipette tips, bulk, PP, 2 - 200 µl, non-sterile, 1000 pcs	115.00
732012	Pipette tips, bulk, PP, 50 - 1000 µl, non-sterile, 1000 pcs	126.00
702595	Pipette tips bulk PP non-sterile, 0.5 - 5 ml, 200 pcs	183.00
702603	Pipette tips bulk PP non-sterile, 1 - 10 ml, 2 bags of 100 pcs	340.00





Transferette S



Transferette® S-8



Transferette® S-12

Micropipettes	Description	Price (RM)
705868	Transferette® S Var., DE-M, 0.1-1µl f. tips 0.1-20µl	1,080.00
705869	Transferette® S Var., DE-M, 0.1-2,5µl f. tips 0.5-20µl	1,080.00
705870	Transferette® S Var., DE-M, 0.5-10µl f. tips 0.5-20µl	1,080.00
705872	Transferette® S Var., DE-M, 2.0-20µl f. tips 2-200µl	1,080.00
705873	Transferette® S Var. DE-M, 5-50µl f. tips 2-200µl	1,080.00
705874	Transferette® S Var., DE-M, 10-100µl f. tips 2-200µl	1,080.00
705878	Transferette® S Var., DE-M, 20-200µl f. tips 2-200µl	1,080.00
705880	Transferette® S Var., DE-M, 100-1000µl, for tips 50-1000µl	1,080.00
705882	Transferette® S Var., DE-M, 500-5000µl f. tips 0.5-5ml	1,080.00
705884	Transferette® S Var., DE-M, 1000-10000µl f. tips 1-10ml	1,080.00
705900	Transferette S-8 Variable type, 0.5-10µl, with accessory	3,875.00
705906	Transferette S-8 Variable type, 5-50µl, with accessory	3,875.00
705908	Transferette S-8 Variable type, 10-100µl, with accessory	3,875.00
705910	Transferette S-8 Variable type, 20-200µl, with accessory	3,875.00
705912	Transferette S-8 Variable type, 30-300µl, with accessory	3,875.00
705920	Transferette S-12 Digital type, 0.5-10µl, with accessory	4,440.00
705926	Transferette S-12 Digital type, 5-50µl, with accessory	4,440.00
705928	Transferette S-12 Digital type, 10-100µl, with accessory	4,440.00
705930	Transferette S-12 Digital type, 20-200 µl, with accessory	4,440.00
705932	Transferette S-12 Digital type, 30-300 µl, with accessory	4,440.00
704807	Bench-top rack for Transferette® S+S-8/12	480.00
704969	Transferette® Alpha, 0.1-2.5µl	550.00
704970	Transferette® Alpha, 0.5-10µl	550.00
704972	Transferette® Alpha, 2.0-20µl	550.00
704974	Transferette® Alpha, 10-100µl	550.00
704978	Transferette® Alpha, 20-200µl	550.00
704980	Transferette® Alpha, 100-1000µl	550.00
704982	Transferette® Alpha, 500-5000µl	550.00
704984	Transferette® Alpha, 1000-10000µl	550.00
704806	Bench-top rack for Transferette® Alpha, for 6 instruments	290.00

**Microcentrifuge
Tubes &
UV-Cuvette**

	Description	Price (RM)
780420	Microcentrifuge tubes, PP, 1.5ml, with attached cap, transparent, pack of 500pcs	155.00
780422	Microcentrifuge tubes, PP, 1.5ml, with attached cap, blue, pack of 500pcs	205.00
780550	Microcentrifuge tube, PP, with lid, 2ml, clear, pack of 500	240.00
759150	UV-Cuvette, semi-micro, pack of 100, filling vol. 1.5ml	340.00
759170	UV-Cuvette, macro, pack of 100, filling vol. 2.5ml	305.00



26202


 accu-jet® S,
26350

Pipetting Aids	Description	Package complete with	Price (RM)
26202	Macro pipette controller f. pip. 0.1 - 200ml		378.00
26350	accu-jet® S, anthracite, for 0.1 - 200ml pipettes	include AC adapter universal (240V; 50/60Hz), wall support and 2 spare membrane filters 0.2µm	2,785.00

Digital Burette	Description	Price (RM)
4760151	Titrette, DE-M, 25 ml with recirculation valve	4,720.00
4760161	Titrette, DE-M, 50 ml with recirculation valve	4,720.00
4760251	Titrette, DE-M, 25 ml, with interface RS 232	6,595.00
4760261	Titrette, DE-M, 25 ml, with interface RS 232	6,595.00



Dispensette

Bottle-top Dispenser	Description	Price (RM)
4600140	Dispensette® S, Analog, DE-M, 1-10ml, without recirculation valve	2,095.00
4600141	Dispensette® S, Analog, DE-M, 1-10ml, with recirculation valve	2,415.00
4600150	Dispensette® S, Analog, DE-M, 2.5-25ml, without recirculation valve	2,740.00
4600151	Dispensette® S, Analog, DE-M, 2.5-25ml, with recirculation valve	3,066.00
4600160	Dispensette® S, Analog, DE-M, 5-50ml, without recirculation valve	3,015.00
4600161	Dispensette® S, Analog, DE-M, 5-50ml, with recirculation valve	3,265.00
4600170	Dispensette® S, Analog, DE-M, 10-100ml, without recirculation valve	4,045.00
4600171	Dispensette® S, Analog, DE-M, 10-100ml, with recirculation valve	4,340.00
4600340	Dispensette® S, Digital, DE-M, 1-10ml, without recirculation valve	2,420.00
4600341	Dispensette® S, Digital, DE-M, 1-10ml, with recirculation valve	2,725.00
4600350	Dispensette® S, Digital, DE-M, 2.5-25ml, without recirculation valve	3,085.00
4600351	Dispensette® S, Digital, DE-M, 2.5-25ml, with recirculation valve	3,380.00
4600360	Dispensette® S, Digital, DE-M, 5-50ml, without recirculation valve	3,330.00
4600361	Dispensette® S, Digital, DE-M, 5-50ml, with recirculation valve	3,628.00

Bottle-top Dispenser (Organic)	Description	Price (RM)
4630140	Dispensette® S Organic, Analog, DE-M, 1-10ml, without recirculation valve	2,095.00
4630141	Dispensette® S Organic, Analog, DE-M, 1-10ml, with recirculation valve	2,415.00
4630150	Dispensette® S Organic, Analog, DE-M, 2.5-25ml, without recirculation valve	2,740.00
4630151	Dispensette® S Organic, Analog, DE-M, 2.5-25ml, with recirculation valve	3,066.00
4630160	Dispensette® S Organic, Analog, DE-M, 5-50ml, without recirculation valve	3,015.00
4630161	Dispensette® S Organic, Analog, DE-M, 5-50ml, with recirculation valve	3,265.00
4630170	Dispensette® S Organic, Analog, DE-M, 10-100ml, without recirculation valve	4,045.00
4630171	Dispensette® S Organic, Analog, DE-M, 10-100ml, with recirculation valve	4,340.00
4630340	Dispensette® S Organic, Digital, DE-M, 1-10ml, without recirculation valve	2,420.00
4630341	Dispensette® S Organic, Digital, DE-M, 1-10ml, with recirculation valve	2,725.00
4630350	Dispensette® S Organic, Digital, DE-M, 2.5-25ml, without recirculation valve	3,085.00
4630351	Dispensette® S Organic, Digital, DE-M, 2.5-25ml, with recirculation valve	3,380.00
4630360	Dispensette® S Organic, Digital, DE-M, 5-50ml, without recirculation valve	3,330.00
4630361	Dispensette® S Organic, Digital, DE-M, 5-50ml, with recirculation valve	3,628.00



GB 903A HC

Ice Flaker	Description	Price with Import Duty and SST (RM)
GB 903A HC	Self-Contained Granular Ice Flaker, Production 113kg/24hr, Storage 30kg	23,265.00
GB 601A HC	Self-contained Granular Ice Flaker, Production 67kg/24hr, Storage 9kg	21,210.00

Model	Description	Price (RM)
201 DS BL	Industrial vacuum for dust, solids and liquids	Contact us for price
TECH420E	Electro-pneumatic conveyor for transporting powders and grains over large distances	Contact us for price
EV AP 560 PN	Industrial chips and dust collector with automatic filter cleaning system	Contact us for price
Centralized vacuum system	Centralized vacuum systems for: <ul style="list-style-type: none"> • Cleaning and Maintenance • Dust Control • Integration on production lines • Improve of efficiency 	Contact us for price



201 DS BL



TECH420E



EV AP 560 PN



Centralized vacuum system



ELF CWF



AAF

Model	Description	Price (RM)
ELF11/6	Laboratory Chamber Furnace, 6L Capacity, Drop-Down Door, 1100°C Max. Temperature Remark: 23L model is available. Contact us for pricings.	13,219.50
ELF11/14	Laboratory Chamber Furnace, 14L Capacity, Drop-Down Door, 1100°C Max. Temperature Remark: 23L model is available. Contact us for pricings.	15,267.00
CWF12/5	Laboratory Chamber Furnace, 5L Capacity, Slide-Up Door, 1200°C Max. Temperature Remark: 5, 23, 36, 65L models; 1100°C and 1300°C versions of all CWF models are available. Contact us for pricings.	19,635.00
CWF12/13	Laboratory Chamber Furnace, 13L Capacity, Slide-Up Door, 1200°C Max. Temperature Remark: 5, 23, 36, 65L models; 1100°C and 1300°C versions of all CWF models are available. Contact us for pricings.	23,761.50
AAF11/7	Ashing Furnace, 7L Capacity, 1100°C Max. Temperature Remark: 3L model is available. Contact us for pricings. Inclusive of Steel Tray Loading	25,893.00
AAF11/18	Ashing Furnace, 18L Capacity, 1100°C Max. Temperature Remark: 32L model and 1200°C versions of 18L and 32L models are available. Contact us for pricings. Inclusive of Two-Tier Rack System	37,611.00

* All furnaces come with 301 PID Controller

Model	Description	Price (RM)
LHT 6/30	High Temperature Laboratory Oven, Fan-Assisted, Chemical-Resistant Interior, 30L Capacity, 600°C Max. Temperature Remark: 400°C and 500°C models are available. Contact us for pricings.	37,548.00
LHT 6/60	High Temperature Laboratory Oven, Fan-Assisted, Chemical-Resistant Interior, 60L Capacity, 600°C Max. Temperature Remark: 400°C and 500°C models are available. Contact us for pricings.	43,575.00
LHT 6/120	High Temperature Laboratory Oven, Fan-Assisted, Chemical-Resistant Interior, 120L Capacity, 600°C Max. Temperature Remark: 400°C and 500°C models are available. Contact us for pricings.	51,754.50



LHT

* All ovens come with R38 PID Controller & Shelves (2 units)

Model	Description	Price (RM)
HF30N	Nitrogen generator Chromalytic HF30N without compressor, 230V 50/60Hz, for LC-MS analysis. With pressure gauge + illuminated status display (*).	Contact us for price
ZA4	Zero Air generator Chromalytic ZA4 without compressor, 230V 50/60Hz, for GC FID, FDP, AES and NPD detectors. With illuminated status display (*).	Contact us for price
SICOLAB 062	Soundproofed compressor station SICOLAB 062, 230 V 1~ AC 50 Hz	Contact us for price



Ultrasonic Cleaner (Multi-frequency)	Description	Price (RM)
P30H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 2.75L (comes with heating cover & basket)	6,110.00
P60H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 5.75L (comes with heating cover & basket)	8,415.00
P70H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 6.90L (comes with heating cover & basket)	9,530.00
P120H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 12.75L (comes with heating cover & basket)	12,905.00
P180H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 18.00L (comes with heating cover & basket)	14,045.00
P300H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 28.00L (comes with heating cover & basket)	16,510.00


Elma P Series

Elma Elmasonic Select Series

Ultrasonic Cleaner (37 kHz)	Description	Price (RM)
Select 30	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 2.7L (comes with heating cover & basket)	4,070.00
Select 60	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 5.9L (comes with heating cover & basket)	7,060.00
Select 80	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 9.3L (comes with heating cover & basket)	8,485.00
Select 100	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 9.5L (comes with heating cover & basket)	8,770.00
Select 180	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 17.8L (comes with heating cover & basket)	12,150.00
Select 300	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 27.5L (comes with heating cover & basket)	14,995.00

**Ultrasonic
Cleaner
(37 kHz)**
Description
Price (RM)

EASY30H	Ultrasonic bath, 37 kHz, electronic timer, 2.7L (comes with heating cover & basket)	2,965.00
EASY60H	Ultrasonic bath, 37 kHz, electronic timer, 5.9L (comes with heating cover & basket)	5,010.00
EASY100H	Ultrasonic bath, 37 kHz, electronic timer, 9.5L (comes with heating cover & basket)	6,380.00
EASY120H	Ultrasonic bath, 37 kHz, electronic timer, 12.9L (comes with heating cover & basket)	8,030.00
EASY180H	Ultrasonic bath, 37 kHz, electronic timer, 17.8L (comes with heating cover & basket)	8,795.00
EASY300H	Ultrasonic bath, 37 kHz, electronic timer, 27.5L (comes with heating cover & basket)	10,900.00



Elma EASY Series


LaboStar

Model	Description	Price (RM)
LaboStar® 10 RO DI (W3T324493)	LaboStar® 10 RO DI with 7L tank and product water pump 1.2L/min	29,900.00

**Price while stock last*

Model	Catridges for Labostar PRO TWF / TWF UV / RO DI (price valid when purchase with main equipment; excludes labour charges)	Price (RM)
W3T197613	Pretreatment modeule AMB	1,060.00
W3T197621	Deionization module DTO for low organic application (activated carbon, mixed bed resin)	1,815.00
W3T197618	Deionization module VMD for low inorganic application (mixed bed resin)	1,100.00
W3T197694	Polishing Module MFIIID for low organic application (activated carbon, mixed bed resin)	3,880.00
W3T199853	Polishing Module ILT for low inorganic application (mixed bed resin)	3,250.00
W3T197620	RO replacement Module 10 l/h	3,810.00
W2T558521	UV Replacement Lamp	1,960.00
W3T199880	Vent Filter for tank (pack of 3)	2,900.00
W3T199279	Sterile filter 0.2 µm with endotoxin retention (pack of 3)	4,725.00


*Colony Star
8500*

Model	Description	Price (RM)
Colony Star 8500	Colony counter with colored illumination	4,095.00

Model	Description	Price (RM)
80300	10 µL, Model 701 N SYR, Cemented NDL 26s ga, 2 in, point style 2	195.00
80366	10 µL, Model 701 N SYR, 6 Pack, Cemented NDL, 26s ga, 2 in, point style 2	1,065.00
80400	25 µL, Model 702 N SYR, Cemented NDL, 22s ga, 2 in, point style 2	285.00
80665	100 µL, Model 710 N SYR, Cemented NDL, 22s ga, 2 in, point style 3	405.00
80900	50 µL, Model 1705 N SYR, Cemented NDL, 22s ga, 2 in, point style 2	290.00
81217	500 µL, Model 1750 LTN SYR, Cemented NDL, 22 ga, 2 in, point style 2	320.00
81417	2.5 mL, Model 1002 LTN SYR, Cemented NDL, 22 ga, 2 in, point style 2	395.00
81317	1 mL, Model 1001 LTN SYR, Cemented NDL, 22 ga, 2 in, point style 2	375.00
87900	5 µL, Model 75 N SYR, Cemented NDL, 26s ga, 2 in, point style 2	285.00
81000	100 µL Gastight Syringe Model 1710 N, Cemented Needle, 22s gauge, 2 in, point style 2	290.00
80765	250 µL Microliter Syringe Model 725 N, Cemented Needle, 22 gauge, 2 in, point style 3	470.00
84853	10 µL Microliter Syringe Model 801 RN, Small Removable Needle, 26s gauge, 2 in, point style 2	675.00
ML610-DIS	Microlab 600 Basic Single Syringe Dispenser - Includes 1 user selected syringe (10 µL - 50 mL)	26,145.00
ML615-DIS	Microlab 600 Basic Dual Syringe Dispenser - Includes 2 user selected syringes (10 µL - 50 mL)	31,320.00
ML615-CNT	Microlab 600 Basic Continuous Dispenser - Includes 2 user selected syringes (10 µL - 50 mL)	31,320.00
ML615-DIL	Microlab 600 Basic Dual Syringe Diluter - Includes 2 user selected syringes (10 µL - 50 mL)	30,175.00



ML610-DIS



ML615-DIL



Tri pH Buffer



Conductivity Standard

Model	Description	Price (RM)
238217	DuraCal pH Buffer Set	1,400.00
238218	Comes with:	
238223	- Buffers pH 4.01, 7.00 & 10.01 - Convenient 500 mL bottle with built-in calibration compartment - Certified pH value from a DAkkS laboratory accredited for pH measurement - provides pH stability up to 2-5 years	
238973	1.3 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 12 months	1,320.00
238926	5 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 36 months	1,225.00
238934	100 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 36 months	1,055.00
238929	706 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 36 months	1,055.00
238928	1413 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 36 months	1,140.00

Model	Description	Price (RM)
238633-1112	EasyFerm Plus PHI VP 120 PT1000 - Measuring range: 0-14 pH - Pressure range: 0-6 bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP6 - Sensor Output: Traditional; mV	2,835.00
238633-1313	EasyFerm Plus PHI ARC 120 - Measuring range: 0-14 pH - Pressure range: 0-6 bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP8 - Sensor Output: Arc; Modbus, 4 to 20 mA	3,780.00
237540	OxyFerm FDA VP 120, Polarographic DO Sensor - Measuring range: 10 ppb - 40 ppm (DO) - Process temperature: 0-130 °C - Pressure range: 0-4bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP6 - a-length: 120 mm - Electrolyte: Oxylyte	8,925.00
10070760-1111	VisiFerm mA 120 H3, Optical DO Sensor - For use in explosive environment - Measuring range: 4 ppb to 25 ppm (in liquid) - 100 ppm to 600'000 ppm (in gas) - Process temperature: -20 to 85°C - Pressure range: -1 to 12bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: M12 - Sensor Output: 4-20 mA standard or digital HART signal output - Electrolyte: No electrolyte needed	14,070.00
10118255-1111	VisiFerm RS485 ECS 120MM H0, Optical DO Sensor - Measuring range: 4 ppb to 25 ppm (in liquid) - 100 ppm to 600'000 ppm (in gas) - Process temperature: -20 to 85°C - Pressure range: -1 to 12bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP8 - Sensor Output: Arc: Modbus, 4-20 mA (only via Arc Wi 2G Adapter), ECS - Electrolyte: No electrolyte needed	Price upon request
243666-111	VisiFerm DO ARC 120 H0, Optical DO Sensor - Measuring range: 4 ppb to 25 ppm - Process temperature: -20 to 85°C - Pressure range: -1 to 12bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP8 - Sensor Output: Arc: Modbus, 4 to 20 mA - Electrolyte: No electrolyte needed	Price upon request

EasyFerm Plus



OxyFerm FDA VP



VisiFerm mA



VisiFerm ECS



VisiFerm ARC



*Please consult salesperson for configuration and information for compatibility of current system for sensors


HVE-50

HG-50 II

Model	Description	Price (RM)
HVE 50	50 liters, Economical Autoclave	22,470.00
HV 110	110 liters, Autoclave	61,270.00
HG 50 II	50 liters, Automatic Lid, PT-100 ohm build-in sensor	45,045.00

* Power supply required: HVE 50 / HG 50 II, 15 amp.
HV 110, 20 amps single phase isolator

Model	Description	Price (RM)
KISS K6	Cooling and heating thermostat bath, Temperature range: -25 to 200°C, Bath volume: 4.5 L KISS temperature controller: OLED display, RS232, USB	25,000.00
Minichiller 300 OLÉ	Compact Benchtop Chiller Temperature range: -20 to 40°C Min. filling volume: 1.4L OLÉ temperature controller: OLED display, RS232, USB	28,200.00
Piccolo 280	Ultra-compact laboratory chiller with peltier technology Temperature range: 4 to 70°C Min. filling volume: 0.1L OLÉ temperature controller: RS232, USB	20,650.00



Model	Description	Price (RM)
RW 20 Digital Package	Mechanical Overhead Stirrer with accessories, 60-2,000rpm (Come with RW20, R1826, R182 and R1342)	5,490.00
T25 Digital Ultra-Turrax Package	High Speed Disperser 3,000-25,000rpm with accessories (Come with T25, S25N-18G, R1826 and R182)	19,380.00
C-Mag HS 7	Hotplate Magnetic Stirrer, 50-500°C, 180mm x 180mm plate	3,230.00
C-Mag HS 7 Package	Hotplate Magnetic Stirrer, 50-500°C, 180mmx180mm plate with accessories (Come with HS7, ETS-D5, H16V, H44 and H38)	4,970.00

Model	Description	Price (RM)
KS 260 Basic	Orbital Shaker, 20-500rpm	13,040.00
Vortex 1	Compact Vortex Mixer, 1,000-2,800rpm	1,300.00
RV 10 digital pro V Complete Package	Rotary Evaporator, motor lift, with VACSTAR digital vacuum pump with VC 10 lite vacuum controller and the RC 2 lite recirculating chiller	54,630.00
ROTAVISC lo-vi Complete	Rotational viscometer, 1 - 6,000,000 mPas with SP set-1 and rotastand	19,715.00



Model	Description	Price (RM)
V-730iRM	UV-VIS Spectrophotometer Double beam, 190 to 1100 nm, Compact colour LCD touch panel control interface, FREE! A pair of Quartz 10 mm pathlength cuvette and iRM stand	35,000.00

Model	Description	Price (RM)
DA-130N	Portable Density Meter	9,000.00



Model	Description	Price (RM)
MKC-710S	Karl Fischer Coulometric Titrator	33,000.00
MKV-710S	Karl Fischer Volumetric Titrator	31,500.00
AT-710S	Automatic Potentiometric Titrator	39,000.00
DA-840	Bench Top Density/Specific Gravity Meter	49,500.00

* Please contact us for the product configuration

Multipurpose Centrifuge S500 Series

S500 Series

unified design,
innovation and
user-oriented



Model	Description	Price (RM)
S500T 50ml Conical Tube Package	Benchtop Centrifuge S500T (comes with swing rotor, 4,800 rpm ST-2504MS, sealing caps and tube rack 055-1170 for 4 x 50ml conical tube) ** FOC 25 x 50ml conical tubes from Citotest	20,370.00
S500T 15ml Conical Tube Package	Benchtop Centrifuge S500T (comes with swing rotor, 4,800 rpm ST-2504MS, sealing caps and tube rack 055-1160 for 16 x 15ml conical tube) ** FOC 50 x 15ml conical tubes from Citotest	20,895.00
S500T Blood Tube Package	Benchtop Centrifuge S500T (comes with ST-724M swing rotor, 3,500 rpm, stainless steel bucket and tube rack 055-0880 for 48 x 15ml / 5 - 10ml blood collecting tube)	19,375.00
S500T 50ml Conical Tube Package	Benchtop Centrifuge S500T (comes with AT-508C fixed angle rotor, 6,000 rpm for 8 x 50ml conical tube) ** FOC 25 x 50ml conical tubes from Citotest	17,790.00
055-1280	Optional adaptors for 8 x 15ml conical tube for S500T package 50ml Conical Tube Package (as above) ** FOC 50 x 15ml conical tubes from Citotest	1,315.00

Model	Description	Price (RM)
PlateSpin3	Benchtop Centrifuge (comes with 3,700 rpm plate rotor for 2 x 9-PCR plates / 6 x microplates / 2 x deep-well plates)	10,825.00
S300T	Tabletop Centrifuge (comes with RS-240 swing rotor 4,000 rpm and bucket for 16 x 5-10ml blood collection tube/15ml glass tube)	9,185.00
S300TR	Tabletop Refrigerated Centrifuge range -10 to +40°C (comes with RS-240 swing rotor 4,000 rpm and bucket for 16 x 5-10ml blood collection tube/15ml glass tube)	19,790.00



Benchtop High Speed Refrigerated Centrifuge

M500TR

A centrifuge required for all types of experiments and research. The thinking was focused on providing centrifugation results to researchers as soon as possible. For this purpose, two features were incorporated.

The first was the use of a knob to change centrifugation conditions. This was to allow intuitive operations and to allow quick adjustments to get the desired rotational speed/centrifugal force and time.

The second was a rotor that can be used with laboratory tubes containing volumes of 2 mL or less without needing to change the rotor. This was to reduce the laborious effort of replacing rotors and to eliminate the time taken for replacements.

The M500TR instrument is a centrifuge packed with KUBOTA's sentiments towards researchers.



Benchtop High Speed Refrigerated Centrifuge

M500TR Refrigerated IEC61010-2-2020

* F-gas free models use the same rotor, bucket and other accessories and offer the same maximum speed, RCF and capacity as conventional models.

Intuitive
Operational
Design



Model	Description	Price (RM)
M500TR 50ml Conical Tube Package	Benchtop High Speed Refrigerated Centrifuge M500TR (comes with fixed angle rotor, max 13,000rpm AF-5006C, for 6 x 50ml conical tube)	43,328.00
055-1250	Optional adaptors for 6 x 15ml conical tube for M500TR package 50ml Conical Tube Package (as above)	1,890.00
M500TR Micro Tube Package	Benchtop High Speed Refrigerated Centrifuge M500TR (comes with bio-shield fixed angle rotor, max 14,000rpm AF-2730, for 30 x 1.5ml/ 2.0ml micro tube) ** FOC 500 x 1.5ml micro tubes from Citotest	43,423.00

Model	Description	Price (RM)
SD-Basic	SD-Basic Spray Dryer Package - manual de-blocking device - require external compressor pump Package complete with Full system consists glassware & fittings as below: 1. GTC Main spray dryer chamber 500mm 2. GTC Cyclone 3. GTC Sample bottle 500ml 4. GTC Waste collection tube 5. Silicone tubing 1.5 wall x 4.8mm I/D (2Mtr) 6. Nylon tubing (2Mtr) 7. Manual Atomiser fitted with 0.5mm nozzle. 8. Red screw cap (x2) 9. Retaining clip (x2) 10. O-ring (x2) 11. Glassware clamp 12. Thermoplastic exhaust ducting (2Mtr) 13. Bambi PT5 oil free compressor 14. Wooden shipping case	Contact us for price
SD-06	SD-06 Spray Dryer Package - automatic de-blocker - with integral compressor pump Package complete with Full system consists glassware & fittings as below: 1. GTC Main spray dryer chamber 500mm 2. GTC Cyclone 3. GTC Sample bottle 500ml 4. GTC Waste collection tube 5. PTFE connection tube 6. Silicone tubing 1.5 wall x 4.8mm I/D (2Mtr) 7. Auto Atomiser fitted with 0.5mm nozzle 8. Red screw cap (x2) 9. Retaining clip (x2) 10. O-ring (x2) 11. Glassware clamp (x2) 12. Thermoplastic exhaust ducting (2Mtr) 13. Wooden shipping case	Contact us for price





SRFvg 4011

SRFvh 5501

Scientific Refrigerator	Description	Price with Import Duty and SST (RM)
SRFvg 4011	SRFvg 4011 Performance, +3°C to +16°C, 420L Gross Capacity, Glass Door, Laboratory Refrigerator w/ Fan-assisted Cooling	12,560.00
SRFvh 5501	MediLine Lab Undercounter Refrigerator, Single-door, Gross capacity: 141L, Temperature: +3°C to +16°C, Door: Glass	15,330.00
SRPvg 1412	SRPvg 1412 Performance, 0 °C to +16 °C, 1,447L Gross Capacity, Glass Door, Heavy Duty Refrigerator	40,141.50



SFFsg 4001

SFFvh 5501

Scientific Freezer	Description	Price with Import Duty and SST (RM)
SFFvh 5501	FFvh 5501 Perfection, -9°C to -35°C, 472L Gross Capacity, Laboratory Freezer w/ Fan-assisted Cooling	19,260.00
SFFsg 4001	SFFsg 4001 Performance, -9 °C to -30 °C, 316L Gross Capacity, Laboratory Freezer w/ Static Cooling	12,752.25
SFPvg 1402	SFPvg 1402 Performance, -9 °C to -30 °C, 1,391L Gross Capacity, Heavy Duty Freezer	38,802.75



SCFfg 4002

Combi Series	Description	Price with Import Duty and SST (RM)
SCFfg 4002	SCFfg 4002 Performance, +3°C to +16°C / -9°C to -30°C, 267L/110L Gross Capacity, Laboratory Fridge-freezer with spark-free interior	18,265.00



HMFvh 4011

Pharmacy Appliances, DIN 13277 Compliant	Description	Price with Import Duty and SST (RM)
HMFvh 4011	HMFvh 4011 Perfection, +5°C, 420L Gross Capacity, Glass Door, Pharmaceutical Fridge w/ Fan-assisted Cooling	14,690.00



SRFfg 4001

SFFfg 5501

Spark Free Series	Description	Price with Import Duty and SST (RM)
SRFFG 4001	SRFfg 4001 Performance, +3 °C to +16 °C, 394L Gross Capacity, Laboratory Refrigerator w/ Fan-assisted Cooling & Spark-free Interior	13,088.25
SFFFG 5501	SFFfg 5501 Performance, -9 °C to -30 °C, 499L Gross Capacity, Laboratory Freezer w/ Spark-free Interior	16,191.00



For the very best in safety.

The new Scientific Uprights

Liebherr has developed an array of professional cooling solutions for the medical and scientific sectors. The latest series of free-standing refrigerators and freezers. They maximize your safety when storing temperature-sensitive substances.

[home.liebherr.com/
ScientificHealthcare](http://home.liebherr.com/ScientificHealthcare)



LIEBHERR

Refrigeration and freezing:
Scientific and Healthcare





Model	Description	Price (RM)
810LX ULTIMA	Glassware washer 810LX ULTIMA (Without drying function) - 1 x basic basket, 1 x 27 short and long jets (PS/27IXLC)	59,850.00
815LX ULTIMA	Glassware washer 815LX ULTIMA (With drying function) - 1 x basic basket, 1 x 27 short and long jets (PS/27IXLC)	66,150.00

**Detergent not included*



PS/27IXLC

Please prepare a three-phase isolator 20A per phase.

Water inlet requirement is

- Cold and Deionised Water
- Pressure: 200 to 600 kPa / 29 to 87 psi
- Flow: 20 L/min (5.25 gpm)
- Temperature: Ambient up to 25°C (77°F)
- Connection: Male threaded: $\frac{3}{4}$ " (20/27)

Water outlet/drain :

- Fixed standpipe and plumbing trap. Height above floor: from 31" (800 mm) to 35" (900 mm)
- Connection pipe inner diameter: $1\frac{1}{2}$ " (40 mm)
- Need to withstand 10.5 gpm (40 L/min) and max temp 95°C (203°F)

**Site utilities required prior installation*



UNITED KINGDOM

Model	Description	Price (RM)
Model F	Visual Calorimeter for Lovibond RYBN (AOCS Cc 13e, AOCS Cc 13j, ISO 15305, MS 252: Part 16, IP17 Method A)	48,825.00
Model Fx	Automatic colorimeter for Lovibond RYBN with temp. control (AOCS Cc 13e, AOCS Cc 13j, ISO 15305, MS 252: Part 16, IP17 Method A, BS 684)	55,125.00
AF650	Petroleum Oil Comparator (ASTM D1500)	33,075.00
EC 3000 ASTM	Electronic comparator ASTM	26,880.00
PFXi-195/1	Automatic colorimeter (Pt-Co, Gadner, Iodine, etc)	51,975.00
LC100 + SV100	Hand-held imaging spectrophotometer (CIE Lab; suitable for both solids & liquids sample)	24,360.00
TRA500	Hand-held imaging spectrophotometer (suitable for both solids & liquids sample)	48,300.00



Model F



Model Fx



AF650



TRA 500



LC 100



EC 3000 ASTM





PFXi-195

The winner in technology comparison: the HPP750eco

memmert

The Advanced Peltier Technology saves 85% more energy than conventional products.



Annual consumption in kWh

■ Memmert HPP750eco

■ Binder KBF-S720

Superior efficiency with unmatched performance

An independent technology comparison, by Testo International Services AG, confirms the extraordinary efficiency and performance of the Memmert Advanced Peltier Technology. As opposed to the KBF-S720 compressor climate chamber from Binder, the Memmert HPP750eco is seven times more energy efficient in common tests per ICH guideline Q1A (R2).

www.memmert.com/technology-comparison

Certified performance of HPP750eco

	10°C / 40% rH	21°C / 45% rH	25°C / 60% rH	30°C / 65% rH	40°C / 75% rH
Spatial temperature deviation	0,42 K	0,28 K	0,42 K	0,3 K	0,36 K
Spatial humidity deviation	1,14% rH	0,76% rH	1,48% rH	1,11% rH	1,46% rH
Temporal temperature fluctuation	0,02 K	0,02 K	0,01 K	0,01 K	0,02 K
Temporal humidity fluctuation	0,14% rH	0,31% rH	1,14% rH	1,14% rH	1,14% rH

¹ Specifications of measured values in \pm

² Certified measurement according to the guideline DKD-R 5-7 Method A

“Memmert’s climate chamber saves more than a laptop!”



* Climatic point 25 ° C / 40% rH



Advanced Peltier Technology - efficient, sustainable and powerful

With the minimal energy requirements of the innovative Memmert Advanced Peltier Technology, users not only save considerable operation costs, but also work sustainably without compromising performance.

Incidentally, Memmert has its own department for regular performance analyzes. The focus is on the real performance of the series devices and their continuous further development.



The detailed performance data sheet for the HPP750eco can be viewed at:
www.memmert.com/technology-comparison

ADVANCED PELTIER TECHNOLOGY

save
resources

save
energy

use unique
technology

save
money



Memmert: Quality and performance with tradition

The long-established German company, Memmert has been an expert in the field of controlled atmospheres for 80 years. The brand has introduced innovative Peltier climate chambers to great success for over 20 years.

With the current HPPeco series, the unique Advanced Peltier Technology has been greatly expanded into the 110 liter to 2140 liter model lineup, thus guaranteeing the right solution for all requirements.

Are you looking for a new climate chamber for stability tests?

Contact us at

► info@its-interscience.com

its | **memmert**

Model	Description	Price (RM)
UN30	32L Oven without fan (ambient to 300°C) - Single display (comes with 1 Stainless steel grid)	6,480.00
UF55	53L Oven with fan (ambient to 300°C) - Single display (comes with 1 Stainless steel grid)	9,020.00
UF110	108L Oven with fan (ambient to 300°C) - Single display (comes with 2 Stainless steel grid)	12,230.00
UF160	161L Oven with fan (ambient to 300°C) - Single display (comes with 2 Stainless steel grid), single-phase isolator required	16,885.00
UF260	256L Oven with fan (ambient to 300°C) - Single display (comes with 2 Stainless steel grid), single-phase isolator required	21,522.00
UF450 Plus	449L Oven with fan (ambient to 300°C) - Twin display (comes with 2 Stainless steel grid), 3-phase isolator required	32,395.00
UF750 Plus	749L Oven with fan (ambient to 300°C) - Twin display (comes with 2 Stainless steel grid), 3-phase isolator required	41,640.00


Oven

Incubator

Model	Description	Price (RM)
IN30	32L Incubator (ambient to 80°C) - Single display (comes with 1 Stainless steel grid)	6,670.00
IN55	53L Incubator (ambient to 80°C) - Single display (comes with 1 Stainless steel grid)	8,220.00
IN110	108L Incubator (ambient to 80°C) - Single display (comes with 2 Stainless steel grid)	11,480.00
IN160	161L Incubator (ambient to 80°C) - Single display (comes with 2 Stainless steel grid)	15,290.00
IN260	256L Incubator (ambient to 80°C) - Single display (comes with 2 Stainless steel grid)	20,195.00
IN450	449L Incubator (ambient to 80°C) - Single display (comes with 2 Stainless steel grid)	26,900.00
ICO240	CO ₂ incubator, 240L, Twin Display, 5°C above ambient temperature up to +50°C, 0 to 20% CO ₂ , Free CO ₂ regulator	50,140.00

Model	Description	Price (RM)
IPP55	53L Cooled Incubator IPP (+5 to +70°C) - Single display (comes with 1 Stainless steel grid)	18,995.00
IPP110 eco	108L Cooled Incubator IPP (+5 to +70°C) - Single display (comes with 2 Stainless steel grid)	28,315.00
IPP260 eco	256L Incubator (+5 to +70°C) - Single display (comes with 2 Stainless steel grid)	39,600.00
HCP50	56L Humidity Chamber (Above ambient up to +90°C, humidity 20% - 95% rh) (comes with 1 Stainless steel grid)	42,410.00


Cooled Incubator IPP110 eco

WTB11 with gable cover

Model	Description	Price (RM)
WTB6	7L waterbath (comes with gable and flat cover)	5,270.00
WTB11	10L waterbath (comes with gable and flat cover)	5,620.00
WTB15	17L waterbath (comes with gable and flat cover)	6,515.00
WTB24	23L waterbath (comes with gable and flat cover)	7,065.00
WTB35	37L waterbath (comes with gable and flat cover)	9,465.00
WTB50	51L waterbath (comes with gable and flat cover)	10,860.00



Model	Description	Price (RM)
Milli-Q® SQ 240 (ZSQ240R0TK)	Compact Milli-Q® SQ 2Series Type 1 & RO water systems, composed of the Milli-Q® SR 240 and the Milli-Q® SQ 200 water purification systems; 18.2 MΩ·cm resistivity ultrapure (Type 1) water quality is indicated at a glance by a colored LED; ≤1.6 L/min distribution flow rate (Ultrapure water from Handset Dispenser); ≤42 L/hr make-up flow rate (Pure RO water); ≤6 L/min distribution flow rate (Pure RO water from SQ Gravity valve (tap water feed, pressure 2-3 barg required) (suitable for small team water usage)	40,425.00

Model	Description	Price (RM)
AS 200 basic	Sieve Shaker AS 200 basic, 230 V, 50 Hz Standard clamping device RETSCH sieve stack ISO 3310/1, 200x50 mm stainless steel, with compliance certificate acc. EN 10204 2.1, 45 µm, 63 µm, 125 µm, 250 µm, 500 µm, 1 mm, 2 mm, 4 mm, collecting pan	22,050.00
AS 200 control	Sieve Shaker AS 200 control, 100-240 V, 50/60 Hz incl. test report acc. EN 10204 2.2 Clamping device "comfort", for test sieves 200/203 mm ø RETSCH sieve stack ISO 3310/1, 200x50 mm stainless steel, with compliance certificate acc. EN 10204 2.1, 45 µm, 63 µm, 125 µm, 250 µm, 500 µm, 1 mm, 2 mm, 4 mm, collecting pan	31,500.00
ZM 300	Ultra Centrifugal Mill ZM 300, 200-240 V, 50/60 Hz Push fit rotor with 12 teeth for ZM 300 & stainless steel ring sieve	63,525.00
PM300	Planetary Ball Mill PM300, 200-240V 50/60Hz two grinding stations, Speed ratio: 1 : -2	Price upon request

AS 200 basic

AS 200 control

ZM 300

PM 300

Model	Description	Price (RM)
L5M-A	High Shear Lab Mixer Package complete with General Purpose Disintegrating Head, Square Hole High Shear Screen, Standard Emulsor Screen.	32,000.00



Model	Description	Price (RM)
25005-254630	HYPERSIL GOLD C18 5UM 250X4.6MM HPLC COLUMN	2,370.00
11 09 0519	Thermo Scientific 2 ML (1.5ML) 9mm Opening HPLC/GC Clear Glass Vials, 32 X 11.6 mm, 1ST Hydrolytic Class glass, with label and filling lines, 100/pack	42.00
09 15 0838	THERMO SCIENTIFIC ULTRACLEAN CLOSURE: 9MM PP SHORT THREAD CAP, BLUE, CENTRE HOLE; SILICONE WHITE/PTFE RED, 55° SHORE A, 1.0MM, 100/pack FOR ANY BRAND 9MM OPENING 2ML HPLC/GV VIALS	86.00
CH2225-NN	THERMO SCIENTIFIC CHOICE NYLON SYRINGE FILTER 25MM 0.2UM , 100/pk	265.00
CH4525-NN	THERMO SCIENTIFIC CHOICE NYLON SYRINGE FILTER 25MM 0.45UM , 100/pk	265.00



Technology for Vacuum Systems



Model	Description	Price (RM)
ME1C #20721102	100 mbar ultimate vacuum, 0.7 m ³ /h Pumping speed, for filtration and fluid aspiration	4,200.00

Model	Description	Price (RM)
MZ2CNT #20732302	7 mbar ultimate vacuum, 2.0 m ³ /h pumping speed, for vacuum oven and rotary evaporator	9,200.00



MZ 1C Vario

Model	Description	Price (RM)
MZ 1C Vario	12 mbar ultimate vacuum, 1.0 m ³ /h pumping speed. Precise vacuum control by adaptation of the diaphragm pump's motor speed.	17,230.00
VACUU·PURE® 10C	Screw Pump. 5 x 10 ⁻³ mbar ultimate vacuum, 9 m ³ /h pumping speed. Chemical resistant.	54,140.00



VACUU·PURE® 10C

Model	Description	Price (RM)
Fuego SCS basic # 8.201.000	The Fuego SCS basic can be safely operated by means of the supplied foot pedal or the button function. (Includes with stainless steel foot pedal, holding device for 3 inoculation loop holders, nozzles for natural, propane/butane gas, Turbo flame Wrench 17mm for gas connection, screwdriver for burner head and cover of burner shaft, tubing connector with swivel nut)	4,490.00
SteriMax smart # 4.001.000	Infrared Loop Sterilizer - using IR-HotSpot Technology. High-Speed Annealing and Sterilizing the Smart Way. (Infrared light technology and quartz glass annealing tube, 1 inoculation loop holder with inoculation loop Ø 3 mm, Holding device for 3 WLD-TEC inoculation loop holders)	8,495.00



Model	Description	Price (RM)
AC648A220	48" wide ductless chemical workstation fitted with AirSafe automatic safety controller. Requires two filters for operation, not included in price. UL, CSA & CE approved. 220V AC.	25,725.00
AC632LFUVC220	32" wide combination PCR workstation with UVTect microprocessor controller. Price includes HEPA filter, initial prefilter, fluorescent light, UV shelf with pipette holder, safety switch and slip hatch.	18,375.00



Model	Description	Price (RM)
T2014S.15	15 kg/bag; 14% protein and 4% of diet; Limited estrogen and suitable for imaging studies; For prolonged maintenance, oncology, aging, toxicity	2,040.00
T2016.15	15 kg/bag; 14% protein and 4% of diet; Limited estrogen and suitable for imaging studies; For growth, maintenance, oncology, toxicity	2,100.00
T7092	Made of 100% corncob; Size: 1/8"; Packaging size: 18 kg/5 bags	7,380.00
T7089	Soft and promote nesting; Highly absorbent and control ammonia; High biosecurity; Excellent contact bedding choice for GLP toxicology studies, when alternatives to wire bottom cages are desired; Packaging size:18 kg/5 bags	7,380.00
T7087	Sepecial blend of Teklad Corncob Bedding (1/4 inch) and Daimond Soft cellulose bedding; Provide excellent absorbency, superior odor control and environmental enrichment; Promote nesting; Specifically engineered for superior performance when used in ventilated caging systems and isolators; Packaging size:18 kg/5 bags	7,380.00



Model	Description	Price (RM)
32.00000	Cryoscopic Osmometer OSMOMAT® 3000 Configuration: 5,7" LCD-Touchscreen, 50 µl sample volume, PC-connectivity via USB and RS232. Barcode reader connectivity via RS232. Scope of delivery: Standard accessories, 1 RS232-cable, 1 USB cable, Qualification documents (IQ/OQ/PQ)	48,150.00
32.10000	Cryoscopic Osmometer OSMOMAT® 3000 D Configuration: Special type of OSMOMAT 3000 with built-in dot matrix printer, Scope of delivery: Standard accessories, 1 RS232-cable, 1 USB cable, 1 roll of printer paper, 1 endless ink ribbon cassette (integrated), Qualification documents (IQ/OQ/PQ)	54,000.00

Haier Biomedical
Intelligent Protection of Life Science

CHINA

Model	Description	Price (RM)
YDS-2-30-YS	2L liquid nitrogen tank. Includes 3 canisters, lockable cap and PU bag	1,071.00
YDS-10-125-FH	10L liquid nitrogen tank with 125mm opening. Include 1 square rack with 4 layers , 5*5 cryobox, lockable cap and PU bag.	231.00
YDS-30-125-FH	30L liquid nitrogen tank. Includes 6 racks with 4 layers, 5*5 cryoboxes, lockable cap and PU bag, roller base is optional.	2,992.50



Model	Description	Price (RM)
JAY-5BW	Medical Oxygen Concentrator JAY-5BW Complete with Air intake filtering net, air intake filtering cloth, power cord, user manual & nasal cannula Features: <ul style="list-style-type: none"> Supply of medical oxygen by concentrator Beneficial for respiratory, heart, cardiovascular and chronic pulmonary diseases, as well as other diseases requiring concentrated oxygen as key examples. Higher outlet pressure to ensure proper flow delivery Low maintenance, easy to care and portable Easy to change filter Clear LCD display Power failure alarm Pulse oximeter and nebulizer available as optional add on Flow Rate of 0-5 LPM Up to 93% ($\pm 3\%$) purity 	3,000.00

*** this model does not come with MDA approval*

Model	Description	Price (RM)
235949	Conductive 10ul CORE Tips in Stacked Racks (Case of 11,520 tips)	5,985.00
235947	Conductive 50ul CORE Tips in Stacked Racks (Case of 11,520 tips)	5,775.00
235950	Conductive 300ul CORE Tips in Stacked Racks (Case of 11,520 tips)	5,880.00



Model	Description	Price (RM)
18460	CombiWash - Automatic Microtiter Plate Washer, Shaker and Incubator	39,600.00
16670	HumaReader HS Microtiter Plate Reader	29,100.00
16190	HumaNex A1c Variant - an HPLC system offering small and medium-scale measurement of glycated hemoglobin HbA1c for diagnosing and monitoring the treatment of diabetes patients. Its detection capabilities for common Hb variants help provide a comprehensive picture and prevent common pitfalls when interpreting HbA1c results.	Please enquire for price



Digital Dry Bath for dual blocks



Mini Centrifuge

Model	Description	Price (RM)
D1301-230V	Digital Dry Bath for 1 blocks Ambient +5° to 150°C Price does not inclusive of heating block.	2,640.00
D1302-230V	Digital Dry Bath for dual blocks Ambient +5° to 150°C Price does not inclusive of heating block.	3,330.00
Block Heater Choice:		
D1102A	Block, 24 x 2.0mL tubes	685.00
D1105	Block, 24 x 0.5mL tubes	685.00
D1105A	Block, 24 x 1.5mL tubes	685.00
D1106	Block, 35 x 6mm tubes	695.00
D1110	Block, 20 x 10mm tubes	650.00
D1112	Block, 20 x 12mm tubes	640.00
D1113	Block, 20 x 13mm tubes	650.00
C1601-B	Labnet Mini Microcentrifuge, Blue lid, 100-240V	1,465.00

Model	Description	Price (RM)
Quickdrop	Quickdrop Micro volume Spectrophotometer	76,970.00



Model	Description	Price (RM)
Q700A-220	700 watt Sonicator, 220V, includes 1/2" probe	46,950.00
4418	1/8" microtip (0.5 - 15ml)	included
432B2	Sound Enclosure (30.5" H x 13.5" W x 13" D)	included


Model	Description	Price (RM)
Q500A-220	500 watt Sonicator, 220V, includes 1/2" probe	41,685.00
4418	1/8" microtip (0.5 - 15ml)	included
432B2	Sound Enclosure (30.5" H x 13.5" W x 13" D)	included



Model	Description	Price (RM)
Digital Disruptor Genie, SI-DD68	Digital cell disruptor with complete control of speed and time. Ideal for releasing biological molecules from inside a cell. More than vortexing alone, patented multi-directional action simultaneously agitates and vortexes at high-speed producing greater yields in less time. Supplied with Universal Microtube Holder (tubes not included) and Pop-off Cup.	4,900.00
SI-BG01	Disruptor Beads, 0.1mm, 8 oz. Bottle. Spherical lead free soda lime glass beads are available for use with the Disruptor Genie. Size for use with bacteria - 0.1mm diameter beads.	Included
SI-BG05	Disruptor Beads, 0.5mm, 8 oz. Bottle. Spherical lead free soda lime glass beads are available for use with the Disruptor Genie. Size for use with bacteria - 0.1mm diameter beads.	Included


Digital Disruptor Genie

Mouse Model	Description	Price (RM)
CrTac:NCr-Foxn1 ^{nu}	NCR nude, 5-6 weeks, SPF, MOQ = 10	630.00
NTac:SD	Sprague Dawley, 5-6 weeks, SPF, MOQ = 10	399.00
BALB/cAnNTac	Balbc, 5-6 weeks, SPF, MOQ = 10	399.00
IcrTac:ICR	ICR, 5-6 weeks, SPF, MOQ = 10	315.00
NOD.Cg-Prkdc ^{scid} /I2rg ^{tm1Sug} / JicTac	NOD.Cg-Prkdc ^{scid} /I2rg ^{tm1Sug} / JicTac, Opportunistic Free, 5-24 weeks, MOQ = 10	10,500.00



* Remarks: For any other quantity orders, please contact info@its-interscience.com

Model	Description	Price (RM)
1284L	Conventional Polycarbonate Mice Cages (30 Cages) with High grade Stainless Steel Rack (comes with 30 Polycarbonate Cages, 30 S/S inner fitting lid with hinged divider, 30 260 ml Polycarbonate Bottle with Silicone Ring, 30 S/S cap - mm 25 extension - hole Ø mm 1,8, 30 H-Temp filter top, 30 S/S label holder - vertical with hook - mm 75 x 105 and 1 High Grade Stainless Steel Rack with Bumper)	29,400.00
1500U	Conventional Polycarbonate Rat Cages (20 Cages) with High grade Stainless Steel Rack (comes with 20 Polycarbonate Cages, 20 S/S inner fitting lid with hinged divider, 20 700 ml Polycarbonate Bottle with Silicone Ring, 20 S/S cap - mm 25 extension - hole Ø mm 1,8, 20 S/S label holder - vertical with hook - mm 75 x 105 and 1 High Grade Stainless Steel Rack with Bumper)	30,000.00
3600M021	Selfstanding METABOLIC CAGE for single mouse, all included, with single chamber feeder. Single-cage stand not required. 240 x 320 x 370 mm	3,560.00
3700M061	METABOLIC CAGE, all included, with feeder for rats. 290 x 400 x 380 mm. Comes with METABOLIC CAGE, all included, with feeder for rats (1 unit) and single cage stand (1 unit)	4,815.00
ECHILLER	E-Chiller, Electronic Collection Chiller 100/110V - 220/240V, 50/60Hz. Tubes and sleeves for single mouse, grouped mice and rats metabolic cages included. Comes with ECHILLER (1 unit) and Single-cage E-chiller stand, with E-chiller support. (1 unit)	10,250.00

Model	Description	Price (RM)
A37835	MiniAmp Plus Thermal Cycler	18,900.00



Model	Description	Package complete with	Price (RM)
ISQ 7610 GCMS	 <p>To stay ahead, analytical testing laboratories need the ultimate confidence of a GC-MS system that easily and reliably produces trusted results, day after day. For this, you can count on the Thermo Scientific™ ISQ™ 7610 Single Quadrupole GC-MS System. Simplified operation, automated workflows, and extended dynamic range deliver consistent results from system to system in every laboratory.</p>	<ol style="list-style-type: none"> 1. ISQ 7610 GCMS 2. TRACE 1610 MAINFRAME MS 230V 3. TRACE 1300/1600 SSL INJECTOR MODULE 4. HeSaver/H2Safer injector upgrade option 5. GC/GCMS Start-up Kit TRC1300/1600 6. Liquid/Headspace Autosampler 7. Chromatography Data System Software and PC 8. Consumables Kit 9. GC Column 10. NIST 2023 MS LIBRARY WITH RI & MS/MS 11. GFM PRO GAS FLOWMETER 	Contact us for price
Vanquish HPLC/UHPLC	 <p>Eliminate disruptions to your routine analytical work with the Thermo Scientific Vanquish Core HPLC system. No matter which systems you currently use, switching to Vanquish Core is simple and seamless. A full suite of method transfer tools, including tunable gradient delay volume, makes adoption easy. Like all members of our Vanquish product line, Vanquish Core HPLC systems offer hardware precision, detector sensitivity, and simplicity of operation.</p>	<ol style="list-style-type: none"> 1. System Base 2. Quaternary/Binary/Isocratic/Dual Pump 3. Autosampler 4. Column Compartment 5. DAD, UV/VIS, CAD, FLD, RI Detectors 6. Solvent Monitor 7. Chromatography Data System Software and PC 7. HPLC/UHPLC Columns 8. Vials/Caps/Septas 	Contact us for price
ICP-OES	 <p>Analyze high-matrix trace elemental samples with sensitive multi-element detection and meet your data requirements with the optimal performance of the Thermo Scientific™ iCAP™ PRO XP ICP-OES. Rugged on all fronts, this system needs surprisingly little bench space or user maintenance.</p> <p>A bench top simultaneous ICP spectrometer with a vertical torch, a purged echelle polychromator and Charge Injection Device (CID) array detector.</p>	<ol style="list-style-type: none"> 1. iCAP PRO XP Duo/Radial ICP-OES 2. Qtegra ISDS Software for iCAP PRO 3. Organics Kit 4. Air Cooled Chiller/Water Recirculator 5. Internal Standards Kit 6. Autosampler 7. Auto-Dilutor 	Contact us for price

Model	Flow Cytometer	Price (RM)
-------	----------------	------------


A24863	Advanced, high throughput, acoustic focusing, benchtop flow cytometer with up to 14 color / 16 parameter flow cytometry analysis.	Contact us for price
--------	-----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------



A48658	The Attune CytPix Flow Cytometer combines bright-field images with high sensitivity and precision flow cytometry in a small footprint and is simple to use at any experience level. Advanced, high throughput, acoustic focusing, benchtop flow cytometer with up to 14 color / 16 parameter flow cytometry analysis.	Contact us for price
--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------



Model	Consumables / Reagents / Kits	Price (RM)
	Cell Cycle Analysis by Flow Cytometry with Optimized Vybrant DyeCycle Stains	
V35004	Vybrant™ DyeCycle™ Green Stain 400 UL (200 reactions)	3,780.00
	Dead Cell Apoptosis Kits with Annexin V for Flow Cytometry	
V13242	FITC ANNEXIN V/DEAD CELL APOPT 1 KIT Contains 1 vial of annexin V, FITC conjugate (250 μ L), 1 vial of propidium iodide (PI, 100 μ L), and 1 bottle of annexin binding buffer (5X solution, 15 mL).	2,520.00
	Wide selections of antibodies and fluorophores for immunophenotyping	
12-0088-42	CD8a Monoclonal Antibody (RPA-T8), PE, eBioscience (100 Tests)	1,785.00
11-0459-42	CD45 Monoclonal Antibody (HI30), FITC, eBioscience (100 Tests)	1,470.00
17-0567-42	CD56 (NCAM) Monoclonal Antibody (CMSSB), APC, eBioscience (100 Tests)	2,205.00



Model	Description	Price (RM)
47750	New Rat Rota-Rod Next Generation, speed adjustable in the range 5-80 RPM, in steps of 1 RPM, 4.3" Touch-Screen Brand New Software. The "Rota-Rod" technique is essential in screening drugs potentially active, or having side effects, on motor coordination. UGO BASILE DESIGNED THE FIRST INDUSTRIAL ROTA-ROD IN THE 1960S, based on the 1957 paper by N.W Dunham and T.S Miya	44,100.00
35150	New Hot/Cold Plate wide temperature range, presetable in the range -5°C to 65°C, can be used as a conventional HOT PLATE, to carry out a rapid precise screening of narcotic type analgesic drugs according to the well known Hot Plate Test devised by B.B. Eddy and D. Leinbach, or as a COLD PLATE to study cold receptors and cold allodynia.	39,900.00
37360	New Tail Flick Unit designed to measure accurately the nociceptive threshold to infrared heat stimulus on the rat or mouse tail. The operator starts the stimulus: when the animal feels pain and flicks its tail, a sensor detects it, stops the timer and switches off the bulb. The reaction time of the animal is thus determined and automatically recorded.	33,600.00




Hot/Cold Plate Next Generation



Tail Flick Unit Next Generation

Model	Description	Price (RM)	
AIQ060	Azure Cielo 6 Real-Time PCR • 96-well Real-Time PCR instrument with touchscreen interface, 6 dye channel filters, USB cable, ethernet cable, Sample Plate Kit (5 units 96-Well plates and Seals). • Standard 1 year warranty included	Please enquire for price	

**Individual well scanning (16 wells simultaneously) and special optical design eliminates the need for passive dye*

Model	Description	Price (RM)	
05111	BC60 - a compact automated culture system clinically used for detecting the microorganisms in human blood, sputum or other sterile body fluids qualitatively under normal conditions through in vitro culture.	Please enquire for price	
05041	AutoStreak S1800 - an automated microbial sample pretreatment system designed to automate and standardize the processing of various clinical specimens, including sputum, urine, cerebrospinal fluid, bronchoalveolar/lavage fluid etc. Its primary function is to streamline and standardize the preparation of samples for culture, enhancing laboratory efficiency and biosafety.	Please enquire for price	
01105	Autof MS1600 - a Matrix-Associated Laser Desorption/Ionization Time of Flight (MALDI-TOF) Mass Spectrometry (MS) offering automated, high-speed and high-reliable identification and taxonomical classification of bacteria, yeasts and filamentous fungi based on proteomic fingerprinting.	Please enquire for price	
11092	Autof TX-8 - a compact, next-generation MALDI-TOF (Matrix-Assisted Laser Desorption/Ionization Time-of-Flight) mass spectrometry system designed for rapid and accurate identification of bacteria, yeasts and filamentous fungi based on proteomic fingerprinting.	Please enquire for price	
05021	AutoMic-i600 -an automated microorganism identification (ID) and antimicrobial susceptibility testing (AST) analyzer that can obtain the type of bacteria infected by the patient or the sensitivity to antibacterial drugs through the biochemical reaction and antibiotic sensitivity detection of clinical isolates.	Please enquire for price	

Model	Description	Price (RM)
DC2012220V	Decloaking Chamber™ NxGen - Heat-Induced epitope retrieval machine	39,900.00

Decloaking Chamber™ NxGen



Model	Description	Price (RM)
CITYY-43307162-PC	Pipette tips with filter, vol. 10ul extra, universal fit. Sterile, 96 tips/rack, 10 racks/box	199.50
CITYY-43307141-PC	Pipette tips with filter, vol. 100ul/10-100ul, universal fit. Sterile, 96 tips/rack, 10 racks/box	199.50
CITYY-43307144-PC	Pipette tips with filter, vol 200ul/10-200ul, universal fit. Sterile, 96 tips/rack, 10 racks/box	199.50
CITYY-43307155-PC	Pipette tips with filter, vol.1000ul extra, universal fit. Sterile, 96 tips/rack, 8 racks/box	189.00
CITYY-43309139-PC	Pipette tips with filter, low-retention, vol. 20ul/1.0-20ul, universal fit. Sterile, 96 tips/rack, 10 racks/box	220.50

Model	Description	Price (RM)
CITYY-2121005702-PC	Inoculation loop 10uL loop + needle, sterile, 20 pcs/pack, 50 packs/box	189.00
CITYY-21210053-PC	Inoculation loop 1uL loop + needle, sterile, 20 pcs/pack, 50 packs/box	189.00
CITYY-46101941-PC	Centrifuge tube, conical bottom, 50ml, graduation from 5ml to 50ml-grey cap-assembled-gamma sterile-25pcs/zip-pack 25pcs/bg	21.00
CITYY-43200513-PC	3 mL Pasteur pipette, Individual peel-pack, E.O. sterile, 100pcs/box	21.00
CITYY-46101842-PC	Micro-centrifuge tube, vol.1.5ml, with hinged-lid & special safe-lock cap, non-sterile, 500pcs/bag	21.00
CITYY-43300024-PC	Pipette tips, gilson type, 10 ul, natural color, 1,000 pcs/bg	36.75
CITYY-4330001317-PC	Yellow tips vol.200ul gilson/universal type 1000pcs/bag	31.50
CITYY-4330000702-PC	Blue tips vol.1000ul gilson/universal type 500pcs/bag	29.40



Pasteur pipette



Non-filtered pipette tips



Centrifuge tube



Inoculation loop

Model	Description	Price (RM)
microFLOQ®	<ul style="list-style-type: none"> Rapid DNA testing made portable. Direct PCR Forensic DNA grade 	Contact us for price
NUCLEIC-CARD™	<ul style="list-style-type: none"> Specifically designed to collect, transport, and store human DNA (from buccal cells, saliva, blood, etc.) for human identification purposes. Pink color for buccal cells and saliva sample. Preserves DNA for 20 years at room temperature. Prevent degradation as microorganisms are inactivated by the special formulation. 	Contact us for price



microFLOQ®



NUCLEIC-CARD™

Model	Description	Price (RM)
COPCL-480CE-PC	ESwab - regular FLOQSWABS® with 1 ml liquid amies, sterile kit, 50 pcs/box (For bacterial culture)	210.00
COPCL-470CE-PC	Fecal swab - regular FLOQSWABS® with 2ml modified Cary Blair medium, 50 pcs/box (For stool samples)	231.00
COPCL-552C80-PC	Regular FLOQSWABS®, breakpoint at 80 mm, sterile, in dry tube, 100pcs/box (For vaginal self-collection swab)	630.00
COPCL-552C-PC	Regular FLOQSWABS®, breakpoint at 80 mm, sterile, in dry tube, 100pcs/box (For general use: Buccal, throat, rectal, wound, groin, surface and etc)	273.00
COPCL-519CS01-PC	Regular FLOQSWABS®, molded breakpoint at 100 mm, sterile, individually wrapped, 100 pcs/box	245.00
COPCL-321C-PC	UTM - 3ml solution + 1 regular FLOQSWABS® + 1 flexible nasopharyngeal FLOQSWABS®, sterile kit, 50 pcs/box (For respiratory samples)	388.00
COPCL-305C-PC	UTM - 3ml solution + 1 flexible nasopharyngeal FLOQSWABS®, sterile kit, 50 pcs/box (For respiratory samples)	336.00



Floqswabs



Fecal Swab



UTM Solution



E Swab

Cell Culture Media

Model	Description	Price (RM)
SH30027.01	RPMI 1640 Media, 500 mL	152.25
SH30022.01	Dulbecco's High Glucose Modified Eagles Medium, 500 mL	168.00
SH30256.01/	Phosphate Buffered Saline (PBS), 500 mL	189.00
SH30028.02	0R Dulbecco's Phosphate Buffered Saline, 500 mL	
SH30042.01	Trypsin Protease, 100 mL	215.25
SV30010	Penicillin Streptomycin 100X Solution, 100 mL	252.00
SV30160.03	Fetal Bovine Serum, South America Origin, 500 mL	1,932.00
SH30080.02	FC-Fetal Clone I, 100 ML	1,575.00
SH30066.02	FC-Fetal Clone II, 100ML	1,575.00
SH30109.02	FC-Fetal Clone III, 100 ML	1,575.00
SH30865.02	CELL BOOST™ 5 POWDER 500G	Please enquire for price
SH30866.02	CELL BOOST™ 6 POWDER 500G	Please enquire for price



TFF Capsule or Cassette ¹	Membrane Area	Typical Filtrate Flow Rate ² at 50 LMH (20 °C)	Recommended Retentate Flow Rate (Screen Channel)	Starting Sample Volume Range	Minimum Concentrated Volume ³
Lab Scale / Scale-up Devices					
Minimate	50 cm ²	4 mL/min	30 - 40 mL/min	25 - 500 mL	< 10 mL
LV Centramate	0.01 m ² (0.1 ft ²)	8 mL/min	60 - 80 mL/min	40 - 2000 mL	10 mL
LV Centramate	0.02 m ² (0.2 ft ²)	15 mL/min	120 - 160 mL/min	60 - 4000 mL	15 mL
Process Development and Small Scale Production					
Centramate	0.093 m ² (1.0 ft ²)	4.6 L/hr	600 - 800 mL/min	0.2 - 20 L	100 mL

TFF System Selection Considerations

Cytiva provides customers with the guidance in shortlisting the most appropriate TFF Systems based on customers applications. However, steps 1 to 3 summarise an approach to TFF system selection.

- Step 1: Define the purpose of the TFF process, i.e. separation goals – concentration, diafiltration, or fractionation. Customer to consider the process volumes to work with and any future scale up requirements.
- Step 2: Choose the membrane molecular weight cut-off (MWCO).
- Step 3: Determine the required membrane area for the application.

Minimate™ Tangential Flow Filtration

Model	Description	Price (RM)
OAPMPUNV	Pall Minimate EVO system 1pk	Contact us for price
OA100C12	Pall Minimate TFF capsule 100k OMEGA 1pk	Inclusive
OA300C12	Pall Minimate TFF capsule 300k OMEGA 1pk	Inclusive
SC050PDH4 (0.5-15um retention rating)	Pall Supracap™ 50 depth filter capsule with dual-layer media grade PDH4 (0.5-15 µm retention rating) and luer-lock connections	Inclusive

Note: Supracap 50 depth filter capsule can be used for prefiltration of turbid samples, different part number will be suggested based on sample type and application.

Primary Application

- Protein purification
- Concentration
- Diafiltration (desalting and buffer exchange)
- Fractionation of large from small biomolecules
- Clarification and removal of cells
- Cellular debris from fermentation or cell culture broths.



OAPMPUNV

Microbiology Consumables for Pharmaceutical and F&B Customers

Microbiology 3-Way Manifold Bundle

Model	Description	Price (RM)
4889	Pall Lab Manifold; 3 Places Includes: 4892 Lab Manifold Standard adapter 3pk 3 units x 4247 Mag Funnel 47mm 150ml pps 1/pk Pall GN6 grid .45um 47mm gam bulk 200pk 4402 Vacushield Vent 50mm PTFE .2um 3pk Filter Flask 1L Glass Arm, Neck ID: 60mm Stopper Rubber Solid 57X64mm, Orange Rubber Vacuum Tubing, DN 8	25,725.00

Manifold System

- 3 places Manifold System
- With coupling device, system can upgrade to 6 places manifold
- Disposable funnels package available
- with only changing the adaptors
- Economical and easy to use



Magnetic Funnel

Model	Description	Price (RM)
4247	Pall Magfun 47mm w/o lid 150ml Polphnslph 1pk	630.00

*While stock last

Magnetic Funnel



Life Science Consumables


Model	Description	Price (RM)
66191ME	ME25 0.45UM 47MM GR S-PK 2000/PK GAMMA	2,310.00

2,310.00



Life Science Consumables

Model	Description	Price (RM)
ALX-850-039-0100	Cell Counting Kit-8, 100 tests	730.80
ALX-850-039-KI01	Cell Counting Kit-8, 500 tests	1,570.80
ADI-900-166	Comet SCGE assay kit, 50 tests	2,410.80
ADI-900-097	Corticosterone ELISA kit, 96 wells	3,250.80
ADI-900-071	Cortisol ELISA kit, 96 wells	4,090.80
ENZ-KIT175-0050	CYTO-ID® Autophagy detection kit 2.0, 50 tests	4,930.80
ENZ-KIT175-0200	CYTO-ID® Autophagy detection kit 2.0, 200 tests	5,770.80
ENZ-KIT188-0001	Dopamine ELISA Kit, 96 wells	6,610.80
ADI-900-153A-0001	Oxytocin ELISA kit, 96 wells	7,450.80
ENZ-51011	ROS-ID® Total ROS detection kit	8,290.80
ADI-900-065	Testosterone ELISA kit, 96 wells	9,130.80




Model	Description	Price (RM)
FUJYY-16791704	FUJIFILM SILVAMP TB-LAM II, 10 Tests/Kit	Contact us for price



Model	Description	Price (RM)
GEEYY-SQ00021	FASTASEQ 300 Next Generation Sequencing System, Output: from 5GB up to 60GB, multilane flow cell design	Please enquire for price
GEEYY-SQ00011	GENOLAB M DX Next Generation Sequencing System, Output: from 18GB up to 150GB, dual flow cell compartment	Please enquire for price
GEEYY-SQ00023	SURFSEQ 5000 Next Generation Sequencing System, Output: 50 GB up to 1.08 TB, dual flow cell compartment with multilane flow cell design	Please enquire for price
GEEYY-M000004	MrLH-96 system - All in one instrument including extraction, library quantification, hybrid capture, pooling, library normalization and Library prep preparation	Please enquire for price



FASTASEQ 300 NGS SYSTEM



GENOLAB M NGS SYSTEM



SURFSEQ 5000 NGS SYSTEM



MrLH-96 AUTOMATION SYSTEM

Cell Health Assay

Model	Description	Price (RM)
G9711	RealTime-Glo™ MT Cell Viability Assay, 100 RXN	1,167.00
G9242	CellTiter-Glo® 2.0 Assay, 100mL	3,528.00
G8081	CellTiter-Blue® Cell Viability Assay, 100mL	2,546.25
G8201	Caspase-Glo® 8 Assay, 10ml	2,831.85
G8211	Caspase-Glo® 9 Assay, 10ml	2,831.85
G9290	CytoTox-Glo™ Cytotoxicity Assay, 10ml	861.00
J2380	LDH-Glo™ Cytotoxicity Assay, 10ml	2,100.00
JA1011	RealTime-Glo™ Annexin V Apoptosis and Necrosis Assay, 100 assays	3,864.00
G8091	Caspase-Glo® 3/7 Assay, 10ml	2,758.35


Equipments

Model	Description	Price (RM)
CE1304	Spectrum Compact CE System, sequencing, and Fragment Analysis Applications	Please enquire for price
AS4500	Maxwell® RSC System	Please enquire for price
AS8500	Maxwell® RSC 48 System	Please enquire for price
E5150	Quantus™ NGS Starter Package	Please enquire for price
GM2000	GloMax® Navigator System	Please enquire for price
GM3500	GloMax® Explorer System	Please enquire for price
GM3000	GloMax® Discover System	Please enquire for price
MG1010	MyGlo™ Reagent Reader	Please enquire for price


MG1010

GloMax

E5150

Model	Description	Price (RM)
SASYY-S-Q36A	iPonatic III – Portable Molecular Workstation	Please enquire for price
SASYY-S3066E	6RP – Six Respiratory Pathogens Nucleic Acid Diagnostic Kit (FluA/B/RSV/Adenovirus/ Mycoplasma pneumonia/Rhinovirus)	Please enquire for price
SASYY-S3050E	CT/NG/UU - Chlamydia Trachomatis/Ureaplasma Urealyticum/Neisseria Gonorrhoeae DNA Diagnostic Kit	Please enquire for price
SASYY-S3057E	HPV 13+2 - Human Papillomavirus DNA Diagnostic Kit	Please enquire for price



iPonatic III – Portable Molecular Workstation

Nio® Series Digital PCR System

- All-in-One digital PCR system
- Highest multiplexing capabilities, 7-colors detection
- Remote access
- Simplest dPCR workflow with minimum hands-on time
- Seamless assay transfer from across the Nio® Digital PCR range
- Dimension: W 560mm x H 521mm x D 671,5mm
- 21,5 inch touch display
- 3 models of low, medium and high throughputs



Model	Description	Price (RM)
Nio® E Essential dPCR (for low throughput)	<ul style="list-style-type: none"> • 1 Thermocycler • Single plate loading • Up to 48 samples / run • 3 PCR programs / run • Sequential access 	Please enquire for price
Nio® Flexible dPCR (for medium throughput)	<ul style="list-style-type: none"> • 1 Thermocycler • 1-4 plate loading • Up to 192 samples / run • 12 PCR programs / run • Random access 	Please enquire for price
Nio®+ Ultimate dPCR (for high throughput)	<ul style="list-style-type: none"> • 2 Thermocyclers • 1-8 plate loading • Up to 384 samples / run • 24 PCR programs / run • Random access 	Please enquire for price

Model	Description	Price (RM)
SORYY-37650T-BG	10µl Longreach 0.1-10µl low binding natural non-sterile 1000 tips/bag 1000/bag	120.00
SORYY-14210T-PK	20µl Multiguard barrier tips 1-20µl low binding 10 racks/pk sterile filter 960 Tips/pack (96 tips/rack)	285.00
SORYY-36060T-PK	MLT GRD 100 ST LR (96 tips/rack) 10 racks/pk sterile filter no graduations 960/bag	285.00
SORYY-30550T-PK	MLT GRD 200 NX ST LR (96 tips/rack) 10 Racks/pk	285.00

* Price valid while stock last



Model	Description	Price (RM)
BT-ULTRA-BRIGHT-LED	Blue LED Transilluminator, Stand-alone use, Viewing area 20 x 16cm. Produces uniform and bright excitation at 470nm, suitable for a wide range of dyes.	9,795.00



InGenius 5

IG5 2025 New Product Launch!	InGenius 5 Gel Documentation System (PC not included) Features: 1. 5MP 12/16bit system 2. With epi LED white lights & UV filter pre-attached to camera. 3. Supplied with dedicated Ingenius capture & editing software and GeneTools analysis software (unlimited). 4. Max image size 20 x 24cm. 5. Included with transilluminator & converter <i>*3 years' warranty</i>	53,200.00
----------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------


NuGeniusXE


NuGeniusXE	NuGenius-XE Gel Documentation System (PC not included) Features: 1. 5 million pixels CCD camera 2. Built in 7 inch touch screen interface 3. UV transilluminator, 20 x 24cm viewing area 4. Visible light converter 5. Blue light converter 6. GeneTools analysis software <i>*Comes with stain free imaging capability, and Windows PC connectivity</i> <i>*3 years' warranty</i>	Please enquire for price
------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------

Model	Description	Price (RM)
AD140	Mupid®-exU (Direct Only) (comes with Gel electrophoresis equipment tank (1 unit), Power supply (1 unit), exU Gel Maker Set L (1 set))	6,345.00
638945	In-Fusion Snap Assembly Starter Bundle (for 10 reactions) Package complete with • In-Fusion Snap Assembly Master Mix (pUC19 Control Vector and Control Insert) • PrimeSTAR Max DNA Polymerase • Stellar Competent Cells • Gel and PCR Clean-Up kit	2,207.00



CRISPR/Cas9 Gene Editing

Model	Description	Price (RM)
632636	Guide-it™ Complete sgRNA Screening System	6,930.00
632666	Guide-it™ Long ssDNA Production System v2	4,067.00
632601	Guide-it™ CRISPR/Cas9 System (Green)	1,200.00
632602	Guide-it™ CRISPR/Cas9 System (Red)	1,200.00
631448	Guide-it™ Mutation Detection Kit	1,880.00



Next Generation Sequencing

Model	Description	Price (RM)
634443	SMART-Seq® Stranded Kit (48 reactions)	Please enquire for price
634486	SMARTer® Stranded Total RNA-Seq Kit v3 - Pico Input Mammalian (48 reactions)	Please enquire for price
634412	SMARTer® Stranded Total RNA-Seq Kit v2 - Pico Input Mammalian (48 reactions)	Please enquire for price
R400675	ThruPLEX® DNA-Seq Kit (48 reactions)	Please enquire for price
R300669	PicoPLEX® Gold Single Cell DNA-seq Kit (24 reactions)	Please enquire for price





EP300 Power Supply



Mini/Midi Horizontal Gel Electrophoresis



10103001 Mini Pro 4



10110001 easy-PRO4

Model	Description	Price (RM)
10105001	Basic Electrophoresis Power Supply, 300V, 400mA, 75W, as standard	3,135.00
10101001	WIX-midiDNA Multipurpose Horizontal Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	1,685.00
10102001	WIX-miniDNA Mini Horizontal Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	1,285.00
10103001	WIX-miniPRO4 Mini Vertical electrophoresis cell, comes complete with standard lid/bottom/cable/accessory	4,465.00
10103002	WIX-miniPRO2 Mini Vertical electrophoresis cell, comes complete with standard lid/bottom/cable/accessory	2,910.00
10110001	WIX-easyPRO4 Mini Easy Vertical Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	4,710.00
10110002	WIX-easyPRO2 Mini Easy Vertical Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	3,100.00
10111001	WIX-multiPRO4 Precast Gel Vertical Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	3,500.00
10111002	WIX-multiPRO2 Precast Gel Vertical Electrophoresis Cell	2,500.00
10104001	WIX-miniBLOT Mini Vertical Blot, Full Set (including standard accessory)	2,330.00
10119001	WIX-miniBLOT4 Mini Vertical Blot, Full Set (including standard accessory)	4,895.00
10112001	WIX-fastBLOT Fast Semi-Dry Blot, Full Set (including standard accessory)	24,480.00



10104001 Mini Vertical Blot

Model	Description	Price (RM)
AR251	Injection, Venepuncture, Cannulation and Infusion Arm, White: • Administering IV injections and infusions • Intravenous cannulation - on the back of the hand or forearm • Setting up and monitoring infusions including application of dressings to secure cannula in place • Withdrawal of blood using syringe or vacutainer	7,350.00
AR403	Digital Eye Examination/Retinopathy Trainer, White: use the latest in high resolution digital screen technology - enhancing realism and the training experience.	18,270.00

Education



Model	Description	Price (RM)
11000 Mobile Lab Basic	Water Analysis Equipment Kit includes: • Battery-powered Fluorometer • Thermometer • (2) sample racks • Timer • Travel case • User certification training flash drive • Scale • Flask for ethanol • Adapters for direct sampling from outlet	39,900.00
	Portable equipment exclusively for use with water outlet adapters or manual syringe driven sampling. Suitable for field use even under rugged conditions. Case is waterproof, shock resistant (IP67, ATA 300) Includes basic software. Baseline and calculation. APP - supported analysis	
BactiQuant All-Round 50 assays	Equipment supports the use of: Bactiquant® - Water Bactiquant® - Acid Bactiquant® - FungiCount	Included
	Applications include but are not limited to: Drinking water Oil & Gas Industrial water Aquaculture Cooling systems Wastewater	


MD200 COD Vario Setup

BD 600 BOD Meter

TC 135S Incubator

MD 610 Photometer

TB 211IR Turbidity Meter

SensoDirect pH110

TB350 IR

Model	Description	Price (RM)
MD200 COD Vario Setup	COD Determination Set	10,920.00
BD600	BOD Measurement System	14,910.00
TC 135S	Thermostatically Controlled Incubator, 135L, Solid Door	14,175.00
TC 140G	Thermostatically Controlled Incubator, 140L, Glass Door	16,380.00
MD 600	Multi parameters photometer for water testing (Reagents not included)	7,825.00
MD 610	Multi parameters photometer for water testing with Bluetooth® interface (Reagents not included)	8,085.00
TB 211IR	Turbidity Photometer with infra-red light source (EN ISO 7027)	5,620.00
TB 350IR	Turbidimeter with new Multipath 90° BLAC® sensor technology, 0.01 – 4,000 NTU	12,495.00
SensoDirect pH110	Portable, battery operated pH meter	1,285.00
SensoDirect Con110	Portable, battery operated conductivity meter	1,285.00

Model	Description	Price (RM)
MEBTO-2780001	MINITOC2 BASIC MODEL CONFIGURATION TOC analyser online & offline mode TOC range 0.5 – 1500 ppb conductivity measurement *autosampler available as option	Please enquire for price





Lovibond® Water Testing

Tintometer® Group



MD 200 COD VARIO

- ST-COD sealed tubes ready for use
- Suppression of chloride interference up to 1000 mg/l (LR & MR)
up to 10000 mg/l (HR)
- Mercury free tube tests,
in absence of chloride interference
- 3 ranges:
Low range:
0 - 150 mg/l, meets ISO 15705:2002
Middle range:
0 - 1500 mg/l, meets ISO 15705:2002
High range:
0 - 15000 mg/l

www.lovibond.com



Upstream Process & Biomanufacturing

Model	Description	Price (RM)
28988000	<p>ReadyToProcess™ WAVE 25 Rocker</p> <ul style="list-style-type: none"> - Integrated temperature sensors and load cells, designed for convenient handling and control of cell cultures up to 25 L - Minimal footprint facilitates placement when space is limited - Operation in single or dual culture mode - Adjustable rocking parameters are speed, angle, and motion 	Please enquire for price
29722350	<p>Xcellerex™ X-platform bioreactor</p> <ul style="list-style-type: none"> - Available in two vessel sizes: 50L or 200L maximum working volume or 10L or 40L minimum working volume - Both are designed with a 5:1 turndown ratio - Runs on Figurate™ automation - Application-ready bag designs for easier process optimization 	Please enquire for price
Allegro	<p>Allegro™ single-use mixer</p> <ul style="list-style-type: none"> - Designed for high performance, ease of use, and manual to fully automated solution preparation - Standard/Jacketed option - Low-volume mixing down to 2 L and up to 50 L - Bigger sizes available - Can incorporate sensors (pH, conductivity and temperature) for on-line monitoring and control 	Please enquire for price
Wand Mixer	<p>Wand Mixer small scale mixing system</p> <ul style="list-style-type: none"> - Choice of floor-based or bench-top - Simplest and most affordable single-use mixing systems - Fits into product development and cGMP environments - Scalable from 5 - 200 L - Application includes suspension / re-suspension, final formulation, media and buffer preparation 	Please enquire for price
LevMixer	<p>LevMixer™ single-use mixer</p> <ul style="list-style-type: none"> - For shear-sensitive, scalable mixing with automation and data tracking - Tank sizes from 50 to 1600 L - Utilizes a proprietary levitating impeller that gently mixes shear-sensitive products 	Please enquire for price


ReadyToProcess™ Wave 25

Xcellerex™ X-platform bioreactor

Allegro™ 50L standard mixer & weight platform

Wand Mixer

LevMixer™ Single-Use Mixer
Filter Integrity Test

Model	Description	Price (RM)
FFS05	<p>Palltronic® Flowstar V Integrity Test Instrument</p> <ul style="list-style-type: none"> - Comes with eIQOQ Protocol, eIQOQ execution - Direct flow measurement technology - Faster testing, high accuracy of test results, calibration based on traceable flow references - Reduced test time under stable test conditions - Robust and easy to clean 	Please enquire for price
FFS-TC	Optional: Transportation Case with Wheels	Please enquire for price
FFS-PRNT	Optional: Flowstar V Thermal Printer	Please enquire for price


Palltronic® Flowstar V FIT


Bioprocess Sterile Filters

Model	Description	Price (RM)
KA1PFRP1	Emflon™ PFR membrane in Kleenpak™ capsule, 0.2 µm, 400 cm ² EFA, 1½ inch	893.00
KA2PFRP1	Emflon™ PFR membrane in Kleenpak™ capsule, 0.2 µm, 800 cm ² EFA, 1½ inch	1,260.00
MCY4440P-FRH4	Junior Emflon™ PFR membrane filter cartridge, 4.2-inch	1,523.00
C3PFRP1A	Emflon™ PFR membrane in Novasip™ capsule, 0.2 µm, 2300 cm ² EFA	2,100.00
AB05PFR2PVH4	Emflon PFR membrane filter cartridge, 0.2 µm, 5-inch	2,258.00
AB1PFR7PVH4	Emflon PFR membrane filter cartridge, 0.2 µm, 10-inch	1,995.00
AB1DFL7PH4	Fluorodyne™ II DFL membrane filter cartridge, 0.2 µm removal rating, 10-in. length,	2,310.00




Tangential Flow Filtration

Model	Description	Price (RM)
29038438	ÄKTA™ Flux tangential flow filtration system - Semi-automated tangential flow filtration/cross flow filtration system for concentration and diafiltration as well as cell harvest and clarification.	Please enquire for price
29151000	ÄKTA Readyflux™ automated tangential flow filtration system - Single-use filtration at multiple scales	Please enquire for price
28906261	ÄKTA Ready™ or ÄKTA Ready™ variable UV chromatography system - Isocratic or gradient configuration - Typical applications: mAbs and recombinant protein purifications - UV system has three-wavelength variable UV sensor (206-700 nm) for separation of full and empty adeno-associated virus (AAV) capsids, and nucleic acids such as plasmids and mRNA.	Please enquire for price
29726519	ÄKTA Ready™ 450 single-use chromatography system - For low flow rate and hold-up volume. Purify small quantities efficiently in a GMP environment. - Supports closed processing to reduce contamination risk - Pair the system with ReadyToProcess™ chromatography columns and a tangential flow filtration system for a successful purification using single-use strategy - Up to 5 to 450mL/min	Please enquire for price
29274325	ÄKTA pilot™ 600 chromatography system - Compact bench-top chromatography system intended for both non-GMP and GMP environments - Up to 600mL/min on one pump and up to 1.2L/min on two pumps	Please enquire for price
29729595	ÄKTA process™ automated liquid chromatography system - Designed for process scale-up and large-scale biopharmaceutical manufacturing - Choose from over a million possible configurations and add pumps, sensors, or inline dilution functionality as your process needs evolve - Up to 4 to 2000L/hr	Please enquire for price



Model	Description	Price (RM)
Bagmixer 400P	Lab blender for 50ml and 400ml bags (stainless steel door)	10,450.00
Bagmixer 400W	Lab blender for 50ml and 400ml bags (window door)	14,595.00
BagFilter 400P	Bag filter for 400ml, 190x300mm (pk of 25) (500 per box), 111425	1,575.00
Baglight 400	Plain sterile bags. Sterile packs of 25, 400ml 175x300mm (500 per box), 132025	440.00
BagPage Plus400	400ml Bags with full-page filter sterile packs of 25 (500 per box), 122025	1,575.00



Manufactured under ISO 9001-2008, all Interscience bags are food compatible, radio-sterilized and compatible with any blender.



DEPYR601



STERY-LC



FSP05



RS1-LAB

Model	Description	Price (RM)
DEPYR601	Depyrogenation Tunnels for ampoules and vials for Small Volume Parenteral (SVP).	Please enquire for price
STERY-LC	Filling and stoppering machines for liquid or lyo products, suitable for filling vials for Small Volume Parenteral (SVP) in an aseptic process with complete or partial closure using rubber stoppers.	Please enquire for price
FSP05	Automatic machines for filling and stoppering of RTU Syringes (glass/plastic), Cartridges and Vials in nest.	Please enquire for price
RS1-LAB	Inspection & leak test. RS-LAB Series were designed to combine CMP's know-how and experience in camera visual inspection with HVLD (High Voltage Leak Detection) system.	Please enquire for price



LabTouch with CM-3 sensor



LabMaster neo with ELS sensor

Model	Description	Price (RM)
LabTouch-aw with CM-3 Sensor	A high-precision water activity (aw) meter designed for accurate measurements across a variety of sample types Measurement Range: 0.030 to 1.000 aw, accommodating a wide spectrum of sample types. Temperature Control: Programmable measuring temperature ranging from 15°C to 30°C	35,122.50
LabMaster neo with ELS sensor	A high-precision water activity (aw) meter specifically designed to handle samples containing volatile compounds. Measurement Range: 0.0300 – 1.0000 aw Temperature Control: Programmable from 0 to 60°C Accuracy: ±0.0030 aw	60,165.00

Model	Description	Price (RM)
TABTEST-101	Tablet Hardness Tester- Handheld, Instruments inclusive of battery charger , safety cover and waste tablet collector	8,610.00
FTV-201	Tablet Friability Tester, Inclusive of 2 Roche Drums with build in mini dot matrix printer	14,175.00
BCT-201	Bottle Cap Torque Tester, with build in printer	15,750.00
TD-101	Tap Density Meter, Cylinder 100 & 250ml [1each], Cylinder Holders for 100 & 250ml+B86l [1 each]	14,175.00
LT-201	LEAK TESTER - LT 201 - 12 inch desiccator, Printer attachment facility	17,325.00
PI - TT3PD - 500 - E	ezTab - 300 Hardness Tester with 500N Capacity, Built in mini dot matrix printer	28,350.00





Model	Description	Price (RM)
	Wireless Temperature Monitoring System Package price (two recorders)	
11711	Nano SPY LINK Ethernet VDC	6,300.00
12090	JRI MySirius Initial up to 10 recorders (1 year subscription fee - yearly payment to be made after 1 st year)	
11567 Ex	Nano SPY T1 Ambient temperature sensor (-40+85°C) (2 pcs)	

For other temperature range, please request for more information



Monitoring System

Safe+Mask® Premier Earloop Mask

Description	Pcs pack	Carton pack	Price per carton (RM)
Safe+Mask® Premier Ear Loop Mask, Blue (ASTM F2100 Level 1)	50 pcs/box	10 boxes/carton	16.00
Safe+Mask® Premier Ear Loop Mask, Blue (ASTM F2100 Level 1)	50 pcs/box	1 box	18.00



Isolation Gown

Description	Pcs pack	Price per pack (RM)
30g Isolation Gown, Blue	10 pcs/pack	65.00

Model	Description	Price (RM)
Vacuclave 123	Class B, Table-Top Autoclave. 23L chamber volume and Ø 250mm x 450mm chamber dimensions. Manual filling, complete with Mounting Rack and Trays.	35,700.00
Vacuclave 118	Class B, Table-Top Autoclave. 17L chamber volume and Ø 250mm x 350mm chamber dimensions. Manual filling, complete with Mounting Rack and Trays.	30,450.00



Mount A (long)



Vacuclave 123



Vacuclave 118



Mount A (short)



ELEGANZA 4

Model	Description	Price (RM)
ELEGANZA 4 (Ex Stock)	Intensive care bed with integrated weigh scale	37,800.00
SPRINT 100	Premium Transport Stretcher with X-ray translucent mattress platform, complete with oxygen cylinder holder, passive mattress	29,400.00
Graciela	Gynaecological examination chair complete with Leg support - electric positioning	33,600.00



SPRINT 100



Graciela

- Register for exciting news and promotion
- Earn reward points
- Flexible payment option
- Create a formal quote without waiting
- And more.....



www.its-labshop.com.my



Go ONLINE
for 24/7
e-labshop!

ENQUIRY FORM

CUSTOMER DETAILS

Name : _____
 Company : _____
 Designation : _____ Department : _____
 Address : _____

 Tel. No. : _____ Fax. No. : _____
 Email : _____

ENQUIRY

For request of catalogues, demonstrations or quotation, please tick (√) at the appropriate columns.

Brand	Model	Product Description	Cat.	Demo	Quote

INTERSCIENCE SDN BHD

2, Jalan Sg. Kayu Ara 32/38, Berjaya Industrial Park, 40460 Shah Alam, Selangor, Malaysia.
 Shah Alam Office - Tel: +60 3 7802 9060 Fax: +60 3 7802 9061 Email: info@its-interscience.com
 Johor Bahru Office - Tel: +60 7 332 6277 Fax: +60 7 331 9357 Email: jbe@its-interscience.com



INTERSCIENCE SDN BHD
(Company No. 040880U)

2, Jalan Sungai Kayu Ara 32/38,
Berjaya Industrial Park,
40460 Shah Alam,
Selangor, Malaysia.

Tel : +60 3 7802 9060
Fax : +60 3 7802 9061
Email : info@its-interscience.com
www.its-interscience.com



Go ONLINE for 24/7 e-labshop!