

The LabShop

Promotion Validity
3 August - 31 December 2026



Global Solutions.
Local confidence.

OUR REGIONAL FOOTPRINT

ITS Science & Medical Group operates across seven Southeast Asian markets through a unified platform that connects global technologies with deep local expertise. Each country team brings strong local capabilities in sales, application support, service engineering, and operations, with established customer relationships and in-depth knowledge of local market conditions, within a single coordinated regional framework.



SEVEN MARKETS. ONE INTEGRATED PLATFORM.

SINGAPORE (HQ)

Info@its-sciencemedical.com
its-sciencemedical.com

MALAYSIA

Info@its-interscience.com
its-interscience.com

THAILAND

info@its-thailand.com
its-thailand.com

VIETNAM

info@its-vn.com
its-vietnam.com

INDONESIA

info@its-indonesia.com
its-indonesia.com

CAMBODIA

info@its-cambodia.com
its-cambodia.com

PHILIPPINES

info@its-sciencephils.com
its-sciencephils.com

Complimentary Gift with Every Purchase

Thank you for your continued patronage and support.

Being a trusted laboratory solutions provider, we strive to exceed your expectations by offering premium quality products and unsurpassed level of services that enrich your purchasing experience.

As our valued customer for The Lab Shop, we hope you appreciate the highly valuable and fabulous free gifts that we are offering this year, which express the unique characteristic of The Lab Shop. Please feel free to speak to our representatives and discover the right combination of products and services which will meet your laboratory needs. Thanks again for allowing us to serve you better.

For purchase of **RM30,000** above



Insta360 X4 Air
Lightweight 8K 360
Camera, Standard
bundle



DJI Neo 2 Fly
More Combo



Apple iPad 11th
generation (Wi-Fi)
128GB

For purchase of **RM15,000** above



HUAWEI Watch Fit
5 Series Smartwatch,
Black



AND Compact
Balance (EK300i)



Dreame PT60
Tasti Air Fryer

For purchase of **RM5,000** above



TP-Link AX1500
Whole Home AI-
Driven WiFi 6 Mesh
Router Deco X10
(1 pack)



70mai A410
Dashcam 2.5K
+ HDR



Brand
Transferpette
S (200ul/1ml)



Baseus Super
Energy Alpha
Jump Starter
600A



Simplus Air
Circulation Fan,
XHSH002



Aji 16Inch Laptop
Backpack Waterproof
Travel Backpack

*Images for illustration purposes only.

1. INTERSCIENCE SDN. BHD. reserves the right to substitute gift items of similar value subject to stock availability. Limit of one gift per order.
2. Prices quoted are valid from 1 August 2026 to 31 December 2026. INTERSCIENCE SDN. BHD. reserves the right to change prices without prior notice, e.g., if exchange rates fluctuate by more than 5% compared to the rate on 1 August 2026.

www.its-interscience.com www.its-labshop.com.my

For enquiries or placing of order, please contact :

Shah Alam Office:
Tel : +60 3 7802 9060
Fax : +60 3 7802 9061
Email : info@its-interscience.com

Johor Bahru Office:
Tel : +60 7 332 6277
Fax : +60 7 331 9357
Email : jbe@its-interscience.com

CONTENTS

General Equipment

A&D	06
Balances, Moisture Analyzer	
Atago	09
Refractometers	
Airtech	10
Biosafety & Laminar Flow Cabinet, Air Purifier	
Brand	10
Pipettes, Bottle Top Burettes, Bottle Top Dispensers, Plasticware, Pipette Tips	
Brema	13
Ice Maker	
Delfin	13
Industrial Vacuum	
Carbolite	14
Furnaces, High Temperature Oven	
Durr	14
Nitrogen Generator, Air Compressor	
Elma	15
Ultrasonic Baths	
Funke Gerber	16
Colony Counter	
Hamilton	16
Microliter and Gastight Syringes, Diluter, Sensor	
Hirayama	19
Autoclaves	
Huber	19
Cooling and Heating Baths, Minichiller	
IKA	19
Digital Overhead Stirrer, Hotplate Stirrer, Vortex Mixer, Orbital Shaker, Rotary Evaporator, Viscometer	
JASCO	20
UV Spectrophotometer	
KEM	20
Density Meter, Karl Fischer Titrators, Potentiometric Titrator	
Kubota	21
Centrifuges	
Labplant	23
Spray Dryer	
Liebherr	24
Laboratory Freezer, Laboratory Refrigerator	
Lancer	26
Glassware Washer	
Tintometer	26
Spectrocolorimeter, Colorimeters, Comparators	

Memmert	27
Universal Ovens, Incubators, Humidity Chambers, Water Baths	
Merck Milipore	30
Water Purification System	
QAMT	30
Grinder, polisher, Hot Mounting Press Machine	
Retsch	30
Sieve Shakers, Rotor Mills, Ball Mills	
Silverson	31
High Shear Lab Mixer	
Thermo Scientific	31
Chromatography Consumables	
Vacuubrand	31
Vacuum Pumps.	
WLD-TEC	32
Gas Burners, Loop Sterilizer.	

Lifescience Instrument

AirClean Systems	33
Ductless Fume Hoods, PCR Workstation, Laminar Flow	
Calibre Scientific	33
Electroporator, Microcapillaries, Microinjectors, Micromanipulators	
Martin Christ (Freeze Dryer)	33
Freeze Dryer and Rotary Vacuum Concentrator	
Hamilton	34
Tube, rack, Handheld Decapper	
Human	34
Microplate Washer and Reader	
IC Biomedical (Liquid Nitrogen Tank)	34
Cryogenic storage and transport equipment (Liquid Nitrogen Freezers, Refrigerators, Dewars, Shippers)	
Labnet	35
Digital Dry Bath, Mini Centrifuge	
Molecular Devices	34
Spectrophotometer	
Nano Entek	34
Automated Cell Cultures	
QSonica	35
Sonicators	
Ohaus	36
Disruptors	
Taconic	36
Mouse Model	
Tecniplast	36
Animal Caging Systems	

Thermo Scientific	37
Thermal Cycler, Flow Cytometer, GCMS, HPLC, ICP	

Ugo Basile	38
Bee Hive Conditioning Cage Manager	

Lifescience Consumables

Azure Biosystems	39
Real-time PCR	

Autobio	39
Automated Culture System	

Biocare Medical	39
Deloacking Chamber	

Citotest	40
Filtered Tips	

Copan	40
Rapid DNA Test	

Cytiva-Hyclone	41
Cell Culture Media	

Cytiva-Pall	41
Filtration Set, Microbiology Pump, Sample Prep, Membrane Filtration	

Enzo	43
Elisa Kits	

Fujifilm	43
Test Kits	

Genemind	43
Next Gene Sequencing	

Orient Filtr	44
Lab filtration	

Promega	45
Cell Health Assay & Equipment	

Sansure	45
Portable Molecular Workstation	

Biorad	46
Digital PCR System	

Syngene	46
Transilluminators	

WIX	47
Electrophoresis Package	

Education

Adam,Rouilly	48
Injection, Venepuncture, Cannulation and Infusion Arm, Digital Eye Examination/Retinopathy Trainer, Digital Ear ExaminationTrainer	

Environmental

Bactiquant	48
Analysis Equipment	

Lovibond	49
BOD & COD, Photometer, Turbidity Meter, Thermostatically Controlled Incubators	

MembraPure	49
MiniTOC	

Food & Pharma

Cytiva	51
Upstream Process & Biomanufacturing	

Interscience	53
Bag Mixers, Bags	

Marchesini	53
Automatic Filling Machine	

Novasina	54
Water Activity Meters	

Pharmag Instruments	54
Tablet Testing	

Monitoring System

JRI	55
Monitoring system, eg. measures temperature, humidity, and other parameters	

Medical

Medicom	55
Mask	

Melag	56
Table-Top Autoclave	

Linet	56
Intensive Car Bed, Premium Transport Stretcher, Gynaecological Examination Chair	

NEW

Model	Description	Price (RM)
BM-252 with internal calibration and built-in ionizer	Semi-microbalance resolution 0.01mg, capacity 252g	17,790.00
GX-224A with internal calibration	Analytical balance, resolution 0.1mg, capacity 220g	5,890.00
FZ254with internal calibration	Analytical balance, resolution 0.1mg, capacity 252g	4,000.00



BM-252

Model	Description	Price (RM)
GF-303A with external calibration	Precision Balance with square pan, resolution 0.001g, capacity 320g	2,810.00
GF-3002A with external calibration	Precision Balance with square pan, resolution 0.01g, capacity 3,200g	2,810.00



GF-303A

Model	Description	Price (RM)
FX-323	Precision Balance with round pan, resolution 0.001g, capacity 320g	2,410.00
FX-3202	Precision Balance with round pan, resolution 0.01g, capacity 3,200g	2,410.00



FX-3202

Model	Description	Price (RM)
EK-300i	Compact Balance, resolution 0.01g, capacity 300g	1,245.00
EK-600i	Compact Balance, resolution 0.1g, capacity 600g	1,060.00
EK-3000i	Compact Balance, resolution 0.1g, capacity 3,000g	1,300.00
EK-6000i	Compact Balance, resolution 0.1g, capacity 6,000g	1,060.00




EK-300i

Premium - Level Micro / Semi-Micro Balances

A&D Borealis

BA-T series



Peak performance assured with :

- On-screen levelling assistance
- Automatic sensitivity adjustment
- Internal repeatability test
- Impact Shock Detection (ISD)
- Smart Routine Check History information
- Communication interfaces such as USB, RS232 and Ethernet

Specialized application function

- Formulation mode
- HPLC mode

Model	Description	Price (RM)
BA-6TE	Microbalance 6.2g x 0.001mg Included with Breeze break and External ionizer and AD-1671 Antivibration table	59,305.00
BA-6DTE	Dual range Microbalance 2.1g x 0.001mg / 6.2g x 0.01mg Included with Breeze Break and External ionizer and AD-1671 Antivibration table	54,220.00

For more model, feel free to contact us

Advanced-Level Analytical Balances/Precision Balances

A&D Apollo GX-A(E/WP) & GF-A(WP) Series

Built-in ionizer
Remove unstable measurement
due to static charges

Smart Super Hybrid Sensor
for fast stabilisation, long-term
durability and low cost of

Electronically controlled load
(ECL) to automatically self-check
the balance precision without
external weight



Product: GX-324AE




External IR switch

Impact Shock Detection (ISD)
provide real-time feedback to
prevent weighing sensor damage



Dia-Check (Quick Diagnosis)



Standard Deviation on (Quick assess
of repeatability in environment)



Minimum Weight based on
standard deviation



No impact shock

Level 1

Level 2

Level 3

Level 4

Model	Description	Price (RM)
GX-324AE	Analytical Balance with capacity of 320g and readability of 0.1mg, internal calibration, with built-in ionizer	9,550.00

For more model, feel free to contact us

Model	Description	Price (RM)
MX-50	Moisture Balance, resolution 0.001g, capacity 51g	5,945.00



Master Series

Model	Description	Price (RM)
MASTER - 20a	Handheld refractometer, 0-20% Brix, ATC, IP65, Accuracy: $\pm 0.2\%$	760.00
MASTER - 20M	Handheld refractometer, 0-20% Brix, Accuracy: $\pm 0.2\%$	540.00
MASTER - 53a	Handheld refractometer, 0-53% Brix, ATC, IP65, Accuracy: $\pm 0.5\%$	760.00
MASTER- 53M	Handheld refractometer, 0-53% Brix, Accuracy: $\pm 0.5\%$	540.00

Model	Description	Price (RM)
PAL-1	Digital Handheld refractometer, 0.0-53.0% Brix, ATC & IP65	1,030.00
PAL-2	Digital Handheld refractometer, 45.0-93.0% Brix, ATC & IP65	1,150.00
PAL-3	Digital Handheld refractometer, 0.0-93.0% Brix, ATC & IP65	2,730.00
PAL-a	Digital Handheld refractometer, 0.0-85.0% Brix, ATC & IP65	1,540.00




PAL Series

Model	Description	Price (RM)
Pen-Pro	Pen refractometer, 0.0-85% Brix, Continuous Reading, ATC & IP65	1,660.00



Pen-Pro Refractometer

Model	Description	Price (RM)
BSC-1304IIA2	Biosafety cabinet Class II A2 (4 ft), with USA U15 ULPA Filter, ECM DC brushless motor, Colour LCD display, ECO Mode, Filter life indication in %, UV light & timer, TÜV/CE Certified	24,675.00
HVS-1300-U	Vertical laminar flow cabinet (4 ft), with USA H14 HEPA Filter, Front window adopts hanging lifting system which imported from Japan. (Patent:97235425.5), , Colour LCD display air velocity, time&temperature, Filter life indication in %, UV light & timer, TÜV/CE Certified	17,325.00
AC-894A/B/C/D	Air Purifier (Clean Air Partition), Extra Large HEPA filter, Gear Setting: High-speed/Standard/Super Quiet, Air Volume: 640/470/250 m3/h; Differential pressure gauge, Sterilization effect: killing rate of Staphylococcus albicans >=99.9%; PM2.5 filtration	11,025.00



Model	Description	Price (RM)
705110	HandyStep S + shelf/rack mount, with 3 PD-Tips (0.1, 1 and 10 ml)	1,365.00
705200	Repetitive pipettes HandyStep® touch, with performance certificate, operating manual, quick reference guide, wall/shelf mount, lithium-ion battery, universal power adapter and USB type C cable.	6,237.00
705702	Dispenser-Tips PD-Tips II, bulk, non-sterile, 0.5ml, 100pcs	555.00
705706	Dispenser-Tips PD-Tips II, bulk, non-sterile, 1.25ml, 100pcs	555.00
705708	Dispenser-Tips PD-Tips II, bulk, non-sterile, 2.5ml, 100pcs	555.00
705710	Dispenser-Tips PD-Tips II, bulk, non-sterile, 5ml, 100pcs	555.00
705714	Dispenser-Tips PD-Tips II, bulk, non-sterile, 12.5ml, 100pcs	555.00
705716	Dispenser-Tips PD-Tips II, bulk, non-sterile, 25ml, 50pcs	315.00
705718	Dispenser-Tips PD-Tips II, bulk, non-sterile, 50ml, 25pcs	168.00

Model	Description	Price (RM)
732002	Pipette tips, bulk, PP, 0.1 - 20 µl, non-sterile, 2000 pcs	357.00
732008	Pipette tips, bulk, PP, 2 - 200 µl, non-sterile, 1000 pcs	110.00
732012	Pipette tips, bulk, PP, 50 - 1000 µl, non-sterile, 1000 pcs	126.00
702595	Pipette tips, bulk, PP, non-sterile, 0.5-5ml, 200 pcs	178.00
702603	Pipette tips, bulk, PP, non-sterile, 1-10ml, 2 bags of 100 pcs	336.00





Transferpette S



Transferpette® S-8



Transferpette® S-12

Micropipettes	Description	Price (RM)
705868	Transferpette® S Var., DE-M, 0.1-1µl f. tips 0.1-20µl	1040.00
705869	Transferpette® S Var., DE-M, 0.1-2,5µl f. tips 0.5-20µl	
705870	Transferpette® S Var., DE-M, 0.5-10µl f. tips 0.5-20µl	
705872	Transferpette® S Var., DE-M, 2.0-20µl f. tips 2-200µl	
705873	Transferpette® S Var. DE-M, 5-50µl f. tips 2-200µl	
705874	Transferpette® S Var., DE-M, 10-100µl f. tips 2-200µl	
705878	Transferpette® S Var., DE-M, 20-200µl f. tips 2-200µl	
705880	Transferpette® S Var., DE-M, 100-1000µl, for tips 50-1000µl	
705882	Transferpette® S Var., DE-M, 500-5000µl f. tips 0.5-5ml	3,755.00
705884	Transferpette® S Var., DE-M, 1000-10000µl f. tips 1-10ml	
705900	Transferpette S-8 Variable type, 0.5-10µl, with accessory	
705906	Transferpette S-8 Variable type, 5-50µl, with accessory	
705908	Transferpette S-8 Variable type, 10-100µl, with accessory	
705910	Transferpette S-8 Variable type, 20-200µl, with accessory	
705912	Transferpette S-8 Variable type, 30-300µl, with accessory	
705920	Transferpette S-12 Digital type, 0.5-10µl, with accessory	4,305.00
705926	Transferpette S-12 Digital type, 5-50µl, with accessory	
705928	Transferpette S-12 Digital type, 10-100µl, with accessory	
705930	Transferpette S-12 Digital type, 20-200 µl, with accessory	
705932	Transferpette S-12 Digital type, 30-300 µl, with accessory	
704807	Bench-top rack for Transferpette® S+S-8/12	560.00
704969	Transferpette® Alpha, 0.1-2.5µl	550.00
704970	Transferpette® Alpha, 0.5-10µl	
704972	Transferpette® Alpha, 2.0-20µl	
704974	Transferpette® Alpha, 10-100µl	
704978	Transferpette® Alpha, 20-200µl	
704980	Transferpette® Alpha, 100-1000µl	
704982	Transferpette® Alpha, 500-5000µl	
704984	Transferpette® Alpha, 1000-10000µl	
704806	Bench-top rack for Transferpette® Alpha, for 6 instruments	352.00

Microcentrifuge
Tubes &
UV-Cuvette

	Description	Price (RM)
780420	Microcentrifuge tubes, PP, 1.5ml, with attached cap, transparent, pack of 500pcs	147.00
780422	Microcentrifuge tubes, PP, 1.5ml, with attached cap, blue, pack of 500pcs	200.00
780550	Microcentrifuge tube, PP, with lid, 2ml, clear, pack of 500	236.00
759150	UV-Cuvette, semi-micro, pack of 100, filling vol. 1.5ml	320.00
759170	UV-Cuvette, macro, pack of 100, filling vol. 2.5ml	294.00



Macro Pipette Controller
26202



accu-jet® S, 26350

Pipetting Aids	Description	Package complete with	Price (RM)
26202	Macro pipette Controller f. pip. 0.1 - 200ml		375.00
26350	accu-jet® S, anthracite, for 0.1 - 200ml pipettes	Include AC adapter universal (240V; 50/60Hz), wall support and 2 spare membrane filters 0.2µm	2,720.00

Digital Burette	Description	Price (RM)
4760151	Titrette, DE-M, 25 ml with recirculation valve	4,785.00
4760161	Titrette, DE-M, 50 ml with recirculation valve	4,785.00
4760251	Titrette, DE-M, 25 ml, with interface RS 232	6,450.00
4760261	Titrette, DE-M, 25 ml, with interface RS 232	6,450.00



Dispensette S

Bottle-top Dispenser	Description	Price (RM)
4600140	Dispensette® S, Analog, DE-M, 1-10ml, without recirculation valve	2,052.00
4600141	Dispensette® S, Analog, DE-M, 1-10ml, with recirculation valve	2,370.00
4600150	Dispensette® S, Analog, DE-M, 2.5-25ml, without recirculation valve	2,682.00
4600151	Dispensette® S, Analog, DE-M, 2.5-25ml, with recirculation valve	3,000.00
4600160	Dispensette® S, Analog, DE-M, 5-50ml, without recirculation valve	2,950.00
4600161	Dispensette® S, Analog, DE-M, 5-50ml, with recirculation valve	3,197.00
4600170	Dispensette® S, Analog, DE-M, 10-100ml, without recirculation valve	3,970.00
4600171	Dispensette® S, Analog, DE-M, 10-100ml, with recirculation valve	4,230.00
4600340	Dispensette® S, Digital, DE-M, 1-10ml, without recirculation valve	2,373.00
4600341	Dispensette® S, Digital, DE-M, 1-10ml, with recirculation valve	2,672.00
4600350	Dispensette® S, Digital, DE-M, 2.5-25ml, without recirculation valve	3,013.00
4600351	Dispensette® S, Digital, DE-M, 2.5-25ml, with recirculation valve	3,315.00
4600360	Dispensette® S, Digital, DE-M, 5-50ml, without recirculation valve	3,255.00
4600361	Dispensette® S, Digital, DE-M, 5-50ml, with recirculation valve	3,550.00

Bottle-top Dispenser (Organic)	Description	Price (RM)
4630140	Dispensette® S Organic, Analog, DE-M, 1-10ml, without recirculation valve	2,055.00
4630141	Dispensette® S Organic, Analog, DE-M, 1-10ml, with recirculation valve	2,367.00
4630150	Dispensette® S Organic, Analog, DE-M, 2.5-25ml, without recirculation valve	2,685.00
4630151	Dispensette® S Organic, Analog, DE-M, 2.5-25ml, with recirculation valve	3,000.00
4630160	Dispensette® S Organic, Analog, DE-M, 5-50ml, without recirculation valve	2,950.00
4630161	Dispensette® S Organic, Analog, DE-M, 5-50ml, with recirculation valve	3,197.00
4630170	Dispensette® S Organic, Analog, DE-M, 10-100ml, without recirculation valve	3,969.00
4630171	Dispensette® S Organic, Analog, DE-M, 10-100ml, with recirculation valve	4,236.00
4630340	Dispensette® S Organic, Digital, DE-M, 1-10ml, without recirculation valve	2,373.00
4630341	Dispensette® S Organic, Digital, DE-M, 1-10ml, with recirculation valve	2,672.00
4630350	Dispensette® S Organic, Digital, DE-M, 2.5-25ml, without recirculation valve	3,013.00
4630351	Dispensette® S Organic, Digital, DE-M, 2.5-25ml, with recirculation valve	3,312.00
4630360	Dispensette® S Organic, Digital, DE-M, 5-50ml, without recirculation valve	3,255.00
4630361	Dispensette® S Organic, Digital, DE-M, 5-50ml, with recirculation valve	3,549.00



GB 903A HC

Ice Flaker	Description	Price with Import Duty and SST (RM)
GB 903A HC	Self-Contained Granular Ice Flaker, Production 113kg/24hr, Storage 30kg	22,270.00
GB 601A HC	Self-contained Granular Ice Flaker, Production 67kg/24hr, Storage 9kg	20,300.00



Model	Description	Price (RM)		
201 DS BL	Industrial vacuum for dust, solids and liquids	Contact us for price		
TECH420E	Electro-pneumatic conveyor for transporting powders and grains over large distances	Contact us for price		
EV AP 560 PN	Industrial chips and dust collector with automatic filter cleaning system	Contact us for price		
Centralized vacuum system	Centralized vacuum systems for: - Cleaning and Maintenance - Dust Control - Integration on production lines - Improve of efficiency	Contact us for price		

EV AP 560 PN

Centralized vacuum system



ELF



AAF



CWF

Model	Description	Price (RM)
ELF11/6	Laboratory Chamber Furnace, 6L Capacity, Drop-Down Door, 1100°C Max. Temperature Remark: 23L model is available. Contact us for pricings.	13,880.00
ELF11/14	Laboratory Chamber Furnace, 14L Capacity, Drop-Down Door, 1100°C Max. Temperature Remark: 23L model is available. Contact us for pricings.	16,030.00
CWF12/5	Laboratory Chamber Furnace, 5L Capacity, Slide-Up Door, 1200°C Max. Temperature Remark: 5, 23, 36, 65L models; 1100°C and 1300°C versions of all CWF models are available. Contact us for pricings.	20,616.00
CWF12/13	Laboratory Chamber Furnace, 13L Capacity, Slide-Up Door, 1200°C Max. Temperature Remark: 5, 23, 36, 65L models; 1100°C and 1300°C versions of all CWF models are available. Contact us for pricings.	24,950.00
AAF11/7	Ashing Furnace, 7L Capacity, 1100°C Max. Temperature Remark: 3L model is available. Contact us for pricings. Inclusive of Steel Tray Loading	27,190.00
AAF11/18	Ashing Furnace, 18L Capacity, 1100°C Max. Temperature Remark: 32L model and 1200°C versions of 18L and 32L models are available. Contact us for pricings. Inclusive of Two-Tier Rack System	39,490.00

* All furnaces come with EPC3016P1 Controller

Model	Description	Price (RM)
LHT 6/30	High Temperature Laboratory Oven, Fan-Assisted, Chemical-Resistant Interior, 30L Capacity, 600°C Max. Temperature Remark: 400°C and 500°C models are available. Contact us for pricings.	39,425.00
LHT 6/60	High Temperature Laboratory Oven, Fan-Assisted, Chemical-Resistant Interior, 60L Capacity, 600°C Max. Temperature Remark: 400°C and 500°C models are available. Contact us for pricings.	45,750.00
LHT 6/120	High Temperature Laboratory Oven, Fan-Assisted, Chemical-Resistant Interior, 120L Capacity, 600°C Max. Temperature Remark: 400°C and 500°C models are available. Contact us for pricings.	54,340.00

* All ovens come with R38 PID Controller & Shelves (2 units)



LHT



Inspiring With Green Air

Model	Description	Price (RM)
HF30N	Nitrogen generator Chromalytic HF30N without compressor, 230V 50/60Hz, for LC-MS analysis. With pressure gauge + illuminated status display.	Contact us for price
ZA4	Zero Air generator Chromalytic ZA4 without compressor, 230V 50/60Hz, for GC FID, FDP, AES and NPD detectors. With illuminated status display.	Contact us for price
SICOLAB 062	Soundproofed compressor station SICOLAB 062, 230 V 1~ AC 50 Hz	Contact us for price



HF30N



ZA4



SICOLAB 062

Ultrasonic Cleaner (Multi-frequency)	Description	Price (RM)
P30H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 2.75L (comes with heating cover & basket)	6,055.00
P60H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 5.75L (comes with heating cover & basket)	8,352.00
P70H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 6.90L (comes with heating cover & basket)	9,435.00
P120H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 12.75L (comes with heating cover & basket)	12,790.00
P180H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 18.00L (comes with heating cover & basket)	14,150.00
P300H	Ultrasonic bath, 37/80 kHz, electronic timer, degas & sweep function, 28.00L (comes with heating cover & basket)	16,400.00



Elmasonic P series




Elmasonic Select series

Ultrasonic Cleaner (37 kHz)	Description	Price (RM)
Select 30	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 2.7L (comes with heating cover & basket)	4,015.00
Select 60	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 5.9L (comes with heating cover & basket)	7,030.00
Select 80	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 9.3L (comes with heating cover & basket)	8,430.00
Select 100	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 9.5L (comes with heating cover & basket)	8,705.00
Select 180	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 17.8L (comes with heating cover & basket)	12,050.00
Select 300	Ultrasonic bath, 37 kHz, electronic timer, degas & sweep function, 27.5L (comes with heating cover & basket)	14,870.00

Ultrasonic Cleaner (37 kHz)	Description	Price (RM)
EASY30H	Ultrasonic bath, 37 kHz, electronic timer, 2.7L (comes with heating cover & basket)	2,940.00
EASY60H	Ultrasonic bath, 37 kHz, electronic timer, 5.9L (comes with heating cover & basket)	4,992.00
EASY100H	Ultrasonic bath, 37 kHz, electronic timer, 5.9L (comes with heating cover & basket)	6,331.50
EASY120H	Ultrasonic bath, 37 kHz, electronic timer, 12.9L (comes with heating cover & basket)	7,985.00
EASY180H	Ultrasonic bath, 37 kHz, electronic timer, 17.8L (comes with heating cover & basket)	8,736.00
EASY300H	Ultrasonic bath, 37 kHz, electronic timer, 27.5L (comes with heating cover & basket)	10,840.00



Elmasonic EASY series



Colony Star 8500

Model	Description	Price (RM)
Colony Star 8500	Colony counter with colored illumination	3,885.00

Model	Description	Price (RM)
80300	10 µL, Model 701 N SYR, Cemented NDL 26s ga, 2 in, point style 2	231.00
80366	10 µL, Model 701 N SYR, 6 Pack, Cemented NDL, 26s ga, 2 in, point style 2	966.00
80400	25 µL, Model 702 N SYR, Cemented NDL, 22s ga, 2 in, point style 2	310.00
80665	100 µL, Model 710 N SYR, Cemented NDL, 22s ga, 2 in, point style 3	410.00
80900	50 µL, Model 1705 N SYR, Cemented NDL, 22s ga, 2 in, point style 2	310.00
81217	500 µL, Model 1750 LTN SYR, Cemented NDL, 22 ga, 2 in, point style 2	341.00
81417	2.5 mL, Model 1002 LTN SYR, Cemented NDL, 22 ga, 2 in, point style 2	404.00
81317	1 mL, Model 1001 LTN SYR, Cemented NDL, 22 ga, 2 in, point style 2	385.00
87900	5 µL, Model 75 N SYR, Cemented NDL, 26s ga, 2 in, point style 2	304.00
81000	100 µL Gastight Syringe Model 1710 N, Cemented Needle, 22s gauge, 2 in, point style 2	310.00
80765	250 µL Microliter Syringe Model 725 N, Cemented Needle, 22 gauge, 2 in, point style 3	462.00
84853	10 µL Microliter Syringe Model 801 RN, Small Removable Needle, 26s gauge, 2 in, point style 2	635.00
ML610-DIS	Microlab 600 Basic Single Syringe Dispenser - Includes 1 user selected syringe (10 µL - 50 mL)	28,770.00
ML615-DIS	Microlab 600 Basic Dual Syringe Dispenser - Includes 2 user selected syringes (10 µL - 50 mL)	34,466.00
ML615-CNT	Microlab 600 Basic Continuous Dispenser - Includes 2 user selected syringes (10 µL - 50 mL)	37,630.00
ML615-DIL	Microlab 600 Basic Dual Syringe Diluter - Includes 2 user selected syringes (10 µL - 50 mL)	33,190.00



ML610-DIS



ML615-DIL



* Free of Charge Syringe colour band
with the purchase of Hamilton Syringe



Tri pH Buffer



Conductivity Standard

Model	Description	Price (RM)
238217	DuraCal pH Buffer Set	1,400.00
238218	Comes with:	
238223	- Buffers pH 4.01 , 7.00 & 10.01 - Convenient 500 mL bottle with built-in calibration compartment - Certified pH value from a DAkkS laboratory accredited for pH measurement - provides pH stability up to 2-5 years	
238973	1.3 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 12 months	1,320.00
238926	5 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 36 months	1,225.00
238934	100 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 36 months	1,055.00
238929	706 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 36 months	1,055.00
238928	1413 µS/cm Conductivity Standard, 250 ml Glass bottle, Stability: 36 months	1,140.00

Model	Description	Price (RM)
76868	Silica-based HxSil C18, 5 µm, 4.6 × 150mm, Stainless steel, 100 Å Pore Size, Reversed-Phase	3,371.00
76869	Silica-based HxSil C18, 5 µm, 4.6 × 250mm, Stainless steel, 100 Å Pore Size, Reversed-Phase	3,528.00
79676	Polymeric-based PRP-C18, 5 µm, 4.6 × 150mm, Stainless steel, 100 Å Pore Size, Reversed-Phase	3,276.00
79677	Polymeric-based PRP-C18, 5 µm, 4.6 × 250mm, Stainless steel, 100 Å Pore Size, Reversed-Phase	3,906.00
79538	Polymeric-based PRP-X100 5 µm, 4.1 × 100 mm, Stainless steel, 100 Å Pore Size, Anion Exchange	3,287.00
79812	Polymeric-based PRP-X100 5 µm, 4.1 × 150 mm, Stainless steel, 100 Å Pore Size, Anion Exchange	3,434.00
79464	Polymeric-based PRP-X300 7 µm, 4.1 × 150 mm, Stainless steel, 100 Å Pore Size, Ion Exclusion	3,003.00
79465	Polymeric-based PRP-X300 7 µm, 4.1 × 250 mm, Stainless steel, 100 Å Pore Size, Ion Exclusion	3,906.00



* Free of Charge Syringe colour band
with the purchase of Hamilton Syringe

Model	Description	Price (RM)	
238633-1112	EasyFerm Plus PHI VP 120 PT1000 - Measuring range: 0-14 pH - Pressure range: 0-6 bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP6 - Sensor Output: Traditional; mV	2,835.00	EasyFerm Plus 
238633-1313	EasyFerm Plus PHI ARC 120 - Measuring range: 0-14 pH - Pressure range: 0-6 bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP8 - Sensor Output: Arc; Modbus, 4 to 20 mA	3,780.00	
237540	OxyFerm FDA VP 120, Polarographic DO Sensor - Measuring range: 10 ppb - 40 ppm (DO) - Process temperature: 0-130 °C - Pressure range: 0-4bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP6 - a-length: 120 mm - Electrolyte: Oxylyte	8,925.00	OxyFerm FDA VP 
10070760-1111	VisiFerm mA 120 H3, Optical DO Sensor - For use in explosive environment - Measuring range: 4 ppb to 25 ppm (in liquid) - 100 ppm to 600'000 ppm (in gas) - Process temperature: -20 to 85°C - Pressure range: -1 to 12bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: M12 - Sensor Output: 4-20 mA standard or digital HART signal output - Electrolyte: No electrolyte needed	14,070.00	VisiFerm mA 
10118255-1111	VisiFerm RS485 ECS 120MM H0, Optical DO Sensor - Measuring range: 4 ppb to 25 ppm (in liquid) - 100 ppm to 600'000 ppm (in gas) - Process temperature: -20 to 85°C - Pressure range: -1 to 12bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP8 - Sensor Output: Arc: Modbus, 4-20 mA (only via Arc Wi 2G Adapter), ECS - Electrolyte: No electrolyte needed	Price upon request	VisiFerm ECS 
243666-111	VisiFerm DO ARC 120 H0, Optical DO Sensor - Measuring range: 4 ppb to 25 ppm - Process temperature: -20 to 85°C - Pressure range: -1 to 12bar - Hygienic aspects: Autoclavable, SIP, CIP - Electrical connector: VP8 - Sensor Output: Arc: Modbus, 4 to 20 mA - Electrolyte: No electrolyte needed	Price upon request	VisiFerm ARC 

*Please consult salesperson for configuration and information for compatibility of current system for sensors



HVE-50



HG-50 II

Model	Description	Price (RM)
HVE 50	50 liters, Economical Autoclave	22,365.00
HV 110	110 liters, Autoclave	55,650.00
HG 50 II	50 liters, Automatic Lid, PT-100 ohm build-in sensor	42,525.00

* Power supply required: HVE 50 / HG 50 II, 15 amp.
HV 110, 20 amps single phase isolator



high precision thermoregulation

Model	Description	Price (RM)
KISS K6	Cooling and heating thermostat bath, Temperature range: -25 to 200°C, Bath volume: 4.5 L KISS temperature controller: OLED display, RS232, USB	27,560.00
Minichiller 300 OLÉ	Compact Benchtop Chiller Temperature range: -20 to 40°C Min. filling volume: 1.4L OLÉ temperature controller: OLED display, RS232, USB	31,000.00
Piccolo 280 OLÉ	Ultra-compact laboratory chiller with peltier technology Temperature range: 4 to 70°C Min. filling volume: 0.1L OLÉ temperature controller: RS232, USB	22,710.00
CC-304B	High temperature heating bath circulation thermostat Temperature range: 28 to 300°C Min. filling volume: 3.5L Pilot One controller: RS232, USB	28,000.00



KISS K6



Minichiller 300 OLÉ



Piccolo 280 OLÉ



CC-304B



RW20



HS7 Package



T25 Digital Package

Model	Description	Price (RM)
RW 20 Digital Package	Mechanical Overhead Stirrer with accessories, 60-2,000rpm (Come with RW20, R1826, R182 and R1342)	5,145.00
T25 Digital Ultra-Turrax Package	High Speed Disperser 3,000-25,000rpm with accessories (Come with T25, S25N-18G, R1826 and R182)	20,265.00
C-Mag HS 7	Hotplate Magnetic Stirrer, 50-500°C, 180mm x 180mm plate	3,140.00
C-Mag HS 7 Package	Hotplate Magnetic Stirrer, 50-500°C, 180mmx180mm plate with accessories (Come with HS7, ETS-D5, H16V, H44 and H38)	4,830.00

Model	Description	Price (RM)
KS 260 Basic	Orbital Shaker, 20-500rpm	12,860.00
Vortex 3	Compact Vortex Mixer, 0-2,500rpm	1,660.00
RV 10 digital pro V-C Complete Package	Rotary Evaporator, motor lift, with VACSTAR digital vacuum pump with VC 10 lite vacuum controller and the RC 2 lite recirculating chiller	58,780.00
ROTAVISC lo-vi Complete	Rotational viscometer, 1 - 6,000,000 mPas with SP set-1 and ROTASTAND	19,025.00



ROTAVISC



RV10 Digital Pro V-C Complete



V-730 iRM

Model	Description	Price (RM)
V-730iRM	UV-VIS Spectrophotometer Double beam, 190 to 1100 nm, Compact colour LCD touch panel control interface, FREE! A pair of Quartz 10 mm pathlength cuvette and iRM stand	28,740.00



Model	Description	Price (RM)
DA-130N	Portable Density Meter	9,000.00



DA-130N



MKC

MKV



AT-710S

Model	Description	Price (RM)
MKC-710S	Karl Fischer Coulometric Titrator	29,400.00
MKV-710S	Karl Fischer Volumetric Titrator	29,400.00
AT-710S	Automatic Potentiometric Titrator	39,000.00

* Please contact us for the product configuration

Multipurpose Centrifuge S500 Series

S500 Series

3 Year Warranty

unified design, innovation
and user-oriented



Model	Description	Price (RM)
S500T 50ml Conical Tube Package	Benchtop Centrifuge S500T (comes with swing rotor, 4,800 rpm ST-2504MS, sealing caps and tube rack 055-1170 for 4 × 50ml conical tube) ** FOC 25 × 50ml conical tubes from Citotest	19,655.00
S500T 15ml Conical Tube Package	Benchtop Centrifuge S500T (comes with swing rotor, 4,800 rpm ST-2504MS, sealing caps and tube rack 055-1160 for 16 × 15ml conical tube) ** FOC 50 × 15ml conical tubes from Citotest	21,175.00
S500T Blood Tube Package	Benchtop Centrifuge S500T (comes with ST-724M swing rotor, 3,500 rpm, stainless steel bucket and tube rack 055-0880 for 48 × 15ml / 5 - 10ml blood collecting tube)	19,940.00
S500T 50ml Conical Tube Package	Benchtop Centrifuge S500T (comes with AT-508C fixed angle rotor, 6,000 rpm for 8 × 50ml conical tube) ** FOC 25 × 50ml conical tubes from Citotest	18,480.00
055-1280	Optional adaptors for 8 × 15ml conical tube for S500T package 50ml Conical Tube Package (as above) ** FOC 50 × 15ml conical tubes from Citotest	12,705.00



S300T

Model	Description	Price (RM)
S300T	Tabletop Centrifuge (comes with RS-240 swing rotor 4,000 rpm and bucket for 16 x 5-10ml blood collection tube/15ml glass tube)	9,185.00

M500TR

A centrifuge required for all types of experiments and research. The thinking was focused on providing centrifugation results to researchers as soon as possible. For this purpose, two features were incorporated.

The first was the use of a knob to change centrifugation conditions. This was to allow intuitive operations and to allow quick adjustments to get the desired rotational speed/centrifugal force and time.

The second was a rotor that can be used with laboratory tubes containing volumes of 2 mL or less without needing to change the rotor. This was to reduce the laborious effort of replacing rotors and to eliminate the time taken for replacements.

The M500TR instrument is a centrifuge packed with KUBOTA's sentiments towards researchers.



Benchtop High Speed Refrigerated Centrifuge

M500TR Refrigerated IEC61010-2-020

*F-gas free models use the same rotor, bucket and other accessories and offer the same maximum speed, RCF and capacity as conventional models.

Intuitive
Operational
Design



Model	Description	Price (RM)
M500TR 50ml Conical Tube Package	Benchtop High Speed Refrigerated Centrifuge M500TR (comes with fixed angle rotor, max 13,000rpm AF-5006C, for 6 × 50ml conical tube)	43,375.00
055-1250	Optional adaptors for 6 × 15ml conical tube for M500TR package 50ml Conical Tube Package (as above)	1,890.00
M500TR Micro Tube Package	Benchtop High Speed Refrigerated Centrifuge M500TR (comes with bio-shield fixed angle rotor, max 14,000rpm AF-2730, for 30 × 1.5ml/ 2.0ml micro tube)	43,215.00



Model	Description	Price (RM)
SD-Basic	SD-Basic Spray Dryer Package - manual de-blocking device - require external compressor pump Package complete with Full system consists glassware & fittings as below: 1. GTC Main spray dryer chamber 500mm 2. GTC Cyclone 3. GTC Sample bottle 500ml 4. GTC Waste collection tube 5. Silicone tubing 1.5 wall x 4.8mm I/D (2Mtr) 6. Nylon tubing (2Mtr) 7. Manual Atomiser fitted with 0.5mm nozzle. 8. Red screw cap (x2) 9. Retaining clip (x2) 10. O-ring (x2) 11. Glassware clamp 12. Thermoplastic exhaust ducting (2Mtr) 13. Bambi PT5 oil free compressor 14. Wooden shipping case	Contact us for price
SD-06	SD-06 Spray Dryer Package - automatic de-blocker - with integral compressor pump Package complete with Full system consists glassware & fittings as below: 1. GTC Main spray dryer chamber 500mm 2. GTC Cyclone 3. GTC Sample bottle 500ml 4. GTC Waste collection tube 5. PTFE connection tube 6. Silicone tubing 1.5 wall x 4.8mm I/D (2Mtr) 7. Auto Atomiser fitted with 0.5mm nozzle 8. Red screw cap (x2) 9. Retaining clip (x2) 10. O-ring (x2) 11. Glassware clamp (x2) 12. Thermoplastic exhaust ducting (2Mtr) 13. Wooden shipping case	Contact us for price



LIEBHERR

Scientific Counter Top Laboratory Fridge / Freezer

*Premium Quality ,
Small Investment*

Liebherr Professional

LABORATORY FRIDGE SRCse 801 | LABORATORY FREEZER SFCse 801



**LABORATORY
SAFETY
STANDARD**

Compliant with
IEC 61010-2-011



**EXCELLENT
TEMPERATURE
STABILITY**

Low fluctuation
for safe storage



**COMPACT
COUNTERTOP
DESIGN**

Ideal for benches
or under counter



**MECHANICAL
DOOR LOCK**

Protect valuable
samples



**SENSOR ACCESS
PORT**

Easy monitoring of
internal conditions



SRFvg 4011

SRFvh 5501

Scientific Refrigerator	Description	Price with Import Duty and SST (RM)
SRFvg 4011	SRFvg 4011 Performance, +3°C to +16°C, 420L Gross Capacity, Glass Door, Laboratory Refrigerator w/ Fan-assisted Cooling	12,990.00
SRFvh 5501	MediLine Lab Undercounter Refrigerator, Single door, Gross capacity: 141L, Temperature: +3°C to +16°C, Door: Glass	15,885.00
SRPvg 1412	SRPvg 1412 Performance, 0 °C to +16 °C, 1,447L Gross Capacity, Glass Door, Heavy Duty Refrigerator	41,560.00



SFFsg 4001

SFFvh 5501

Scientific Freezer	Description	Price with Import Duty and SST (RM)
SFFvh 5501	FFvh 5501 Perfection, -9°C to -35°C, 472L Gross Capacity, Laboratory Freezer w/ Fan-assisted Cooling	19,940.00
SFFsg 4001	SFFsg 4001 Performance, -9 °C to -30 °C, 316L Gross Capacity, Laboratory Freezer w/ Static Cooling	13,200.00
SFPvg 1402	SFPvg 1402 Performance, -9 °C to -30 °C, 1,391L Gross Capacity, Heavy Duty Freezer	40,180.00



SCFfg 4002

Combi Series	Description	Price with Import Duty and SST (RM)
SCFFG 4002	SCFfg 4002 Performance, +3°C to +16°C / -9°C to -30°C, 267L/110L Gross Capacity, Laboratory Fridge-freezer with spark-free interior	18,900.00



HMFvh 4011

Pharmacy Appliances, DIN 13277 Compliant	Description	Price with Import Duty and SST (RM)
HMFvh 4011	HMFvh 4011 Perfection, +5°C, 420L Gross Capacity, Glass Door, Pharmaceutical Fridge w/ Fan-assisted Cooling	15,215.00



SRFfg 4001

SFFfg 5501

Spark Free Series	Description	Price with Import Duty and SST (RM)
SRFFG 4001	SRFfg 4001 Performance, +3 °C to +16 °C, 394L Gross Capacity, Laboratory Refrigerator w/ Fan-assisted Cooling & Spark-free Interior	13,545.00
SFFFG 5501	SFFfg 5501 Performance, -9 °C to -30 °C, 499L Gross Capacity, Laboratory Freezer w/ Spark-free Interior	16,765.00



Model	Description	Price (RM)
810LX ULTIMA	Glassware washer 810LX ULTIMA (Without drying function) - 1 x basic basket, 1 x 27 short and long jets (PS/27IXLC)	59,850.00
815LX ULTIMA	Glassware washer 815LX ULTIMA (With drying function) - 1 x basic basket, 1 x 27 short and long jets (PS/27IXLC)	66,150.00

**Detergent not included*



PS/27IXLC

Please prepare a three-phase isolator 20A per phase.

Water inlet requirement is

- Cold and Deionised Water
- Pressure: 200 to 600 kPa / 29 to 87 psi
- Flow: 20 L/min (5.25 gpm)
- Temperature: Ambient up to 25°C (77°F)
- Connection: Male threaded: ¾" (20/27)

Water outlet/drain :

- Fixed standpipe and plumbing trap. Height above floor: from 31" (800 mm) to 35" (900 mm)
- Connection pipe inner diameter: 1½" (40 mm)
- Need to withstand 10.5 gpm (40 L/min) and max temp 95°C (203°F)

**Site utilities required prior installation*



Model	Description	Price (RM)
Model F	Visual Colorimeter for Lovibon RYBN (AOCS Cc 13e, AOCS Cc 13j, ISO 15305, MS 252: Part 16, IP17 Method A)	48,825.00
Model Fx	Automatic colorimeter for Lovibond RYBN with temp. control (AOCS Cc 13e, AOCS Cc 13j, ISO 15305, MS 252: Part 16, IP17 Method A, BS 684)	54,600.00
AF650	Petroleum Oil Comparator (ASTM D1500)	32,550.00
EC 3000 ASTM	Electronic comparator ASTM	26,775.00
PFXi-195/1	Automatic colorimeter (Pt-Co, Gadner, Iodine, etc)	42,000.00
LC100 + SV100	Hand-held imaging spectrophotometer (CIE Lab; suitable for both solids & liquids sample)	24,150.00
TRA500	Hand-held imaging spectrophotometer (suitable for both solids & liquids sample)	44,625.00



Model F



Model Fx



AF650



TRA 500



LC 100



EC 3000 ASTM



PFXi-195

CO₂ Incubator



The perfect environment for superior cell growth.

Secure, reproducible CO₂ incubation with precise humidity control, intelligent hygiene design and advanced connectivity features.

ULT

Freezer



**ULT Freezer – Maximum protection
for samples that matter.**

Secure ultra-low temperature storage with high thermal stability, integrated safety mechanisms and energy-optimised cooling technology.

Model	Description	Price (RM)
UN30	32L Oven without fan (ambient to 300°C) - Single display (comes with 1 Stainless steel grid)	6,840.00
UF55	53L Oven with fan (ambient to 300°C) - Single display (comes with 1 Stainless steel grid)	9,580.00
UF110	108L Oven with fan (ambient to 300°C) - Single display (comes with 2 Stainless steel grid)	11,600.00
UF160	161L Oven with fan (ambient to 300°C) - Single display (comes with 2 Stainless steel grid), single-phase isolator required	17,800.00
UF260	256L Oven with fan (ambient to 300°C) - Single display (comes with 2 Stainless steel grid), single-phase isolator required	22,700.00
UF450 Plus	449L Oven with fan (ambient to 300°C) - Twin display (comes with 2 Stainless steel grid), 3-phase isolator required	34,160.00
UF750 Plus	749L Oven with fan (ambient to 300°C) - Twin display (comes with 2 Stainless steel grid), 3-phase isolator required	43,910.00



Oven



Incubator

Model	Description	Price (RM)
IN30	32L Incubator (ambient to 80°C) - Single display (comes with 1 Stainless steel grid)	7,040.00
IN55	53L Incubator (ambient to 80°C) - Single display (comes with 1 Stainless steel grid)	8,675.00
IN110	108L Incubator (ambient to 80°C) - Single display (comes with 2 Stainless steel grid)	12,110.00
IN160	161L Incubator (ambient to 80°C) - Single display (comes with 2 Stainless steel grid)	16,120.00
IN260	256L Incubator (ambient to 80°C) - Single display (comes with 2 Stainless steel grid)	21,290.00
IN450	449L Incubator (ambient to 80°C) - Single display (comes with 2 Stainless steel grid)	28,365.00
ICO240	CO ₂ incubator, 240L, Twin Display, 5°C above ambient temperature up to +50°C, 0 to 20% CO ₂ , Free CO ₂ regulator	50,000.00

*Price valid while stock last

Model	Description	Price (RM)
IPP55	53L Cooled Incubator IPP (+5 to +70°C) - Single display (comes with 1 Stainless steel grid)	19,810.00
IPP110 eco	108L Cooled Incubator IPP (+5 to +70°C) - Single display (comes with 2 Stainless steel grid)	29,530.00
IPP260 eco	256L Incubator (+5 to +70°C) - Single display (comes with 2 Stainless steel grid)	41,280.00
HCP50	56L Humidity Chamber (Above ambient up to +90°C, humidity 20% - 95% rh) (comes with 1 Stainless steel grid)	44,200.00



Cooled Incubator IPP110 eco



WTB11 with gable cover

Model	Description	Price (RM)
WTB6	7L waterbath (comes with gable and flat cover)	5,560.00
WTB11	10L waterbath (comes with gable and flat cover)	6,370.00
WTB15	17L waterbath (comes with gable and flat cover)	6,870.00
WTB24	23L waterbath (comes with gable and flat cover)	7,450.00
WTB35	37L waterbath (comes with gable and flat cover)	9,99.00
WTB50	51L waterbath (comes with gable and flat cover)	11,450.00



Model	Description	Price (RM)
Milli-Q® SQ 240 (ZSQ240R0TK)	Compact Milli-Q® SQ 2Series Type 1 & RO water systems, composed of the Milli-Q® SR 240 and the Milli-Q® SQ 200 water purification systems; 18.2 MΩ·cm resistivity ultrapure (Type 1) water quality is indicated at a glance by a colored LED; ≤1.6 L/min distribution flow rate (Ultrapure water from Handset Dispenser); ≤42 L/hr make-up flow rate (Pure RO water); ≤6 L/min distribution flow rate (Pure RO water from SQ Gravity valve (tap water feed, pressure 2-3 barg required) (suitable for small team water usage)	35,700.00



Model	Description	Price (RM)
Qgrind 100	The Qgrind 100 is a stable wet double-belt grinder for deburring and pre-grinding of samples or other materials.	Contact us for price
Qpol M1/M2	The Qpol M1 and M2 are manual, single wheel or twin wheel grinding and polishing machines for the materialographic laboratory and are suitable for working wheels Ø 200, 250 and 300 mm.	
Qpress 40	The Qpress 40 is a robust hot mounting press for exceptionally fast mounting processes.	
Qcut 200 A	The Qcut 200 A is a precision cut-off machine with up to 3 automatic axes for use with cut-off wheels up to 203 mm / 8" in size.	
Consumable	With QPREP, QATM offers a wide range of high-quality consumables for metallographic sample preparation and analysis.	



Qgrind 100



Qpol M1/M2



Model	Description	Price (RM)
Planetary Ball Mill PM300	Planetary Ball Mill PM300, 200-240V 50/60Hz, two grinding stations, Speed ratio: 1 : -2	Price upon request
Air Jet Sieving Machines AS 200 jet pro	AS 200 jet pro 100-240 V, 50/60 Hz incl. test report acc. to EN 10204 2.2 evaluation software installed (no EasySieve required). Include: 1 unit Test Sieve ISO 3310/1 (8" x 2", stainless steel) with a compliance certificate according to EN 10204 2.1. industrial vacuum cleaner ATTIX 33, 230 V, 50/60 Hz	89,250.00
Air Jet Sieving Machines AS 200 jet pharma	AS 200 jet pharma 100-240 V, 50/60 Hz incl. test report acc. to EN 10204 2.2 evaluation software installed incl. AuditTrail & User Management (no EasySieve required). Include: 1 unit Test Sieve ISO 3310/1 (8" x 2", stainless steel) with a compliance certificate according to EN 10204 2.1. industrial vacuum cleaner ATTIX 33, 230 V, 50/60 Hz.	99,750.00
Vibratory Sieve Shaker AS 200 basic	AS 200 basic sieve shaker, 230 V, 50 Hz, with standard clamping device, sieve lid, collecting pan, and a stack of 8 ISO 3310-1 test sieves, 200 mm diameter, 50 mm height, from 45 µm to 4 mm.	28,350.00
Mixer Mill MM 400	Mixer Mill MM 400 with quick release clamp. Include: 2 grinding jars, screw-top design, stainless steel, 25 ml. 2 sets of grinding balls, stainless steel, 5 mm Ø, 200 pieces (approx. 25 ml)	55,650.00
Ultra Centrifugal Mill ZM 300	Ultra Centrifugal Mill ZM 300 with 12 teeth for ZM300 & Stainless steel ring sieve	63,000.00
knife mill GRINDOMIX GM 200	Knife Mill GRINDOMIX GM 200 complete with 1 litre grinding container of autoclavable plastic, standard lid and knife of stainless steel	32,550.00



Planetary Ball Mill PM300



Air Jet Sieving Machines AS 200 jet pro

Model	Description	Price (RM)
L5M-A	High Shear Lab Mixer Package complete with General Purpose Disintegrating Head, Square Hole High Shear Screen, Standard Emulsor Screen.	32,000.00



ThermoFisher SCIENTIFIC

Model	Description	Price (RM)
25005-254630	HYPERSIL GOLD C18 5UM 250X4.6MM HPLC COLUMN	2,615.00
11 09 0519	Thermo Scientific 2 ML (1.5ML) 9mm Opening HPLC/ GC Clear Glass Vials, 32 X 11.6 mm, 1ST Hydrolytic Class glass, with label and filling lines, 100/pack	46.00
09 15 0838	THERMO SCIENTIFIC ULTRACLEAN CLOSURE: 9MM PP SHORT THREAD CAP, BLUE, CENTRE HOLE; SILICONE WHITE/PTFE RED, 55° SHORE A, 1.0MM, 100/pack FOR ANY BRAND 9MM OPENING 2ML HPLC/GV VIALS	95.00
CH2225-NN	THERMO SCIENTIFIC CHOICE NYLON SYRINGE FILTER 25MM 0.2UM , 100/pk	295.00
CH4525-NN	THERMO SCIENTIFIC CHOICE NYLON SYRINGE FILTER 25MM 0.45UM , 100/pk	295.00



VACUUBRAND®



Model	Description	Price (RM)
ME1C #20721102	100 mbar ultimate vacuum, 0.7 m³/h Pumping speed, for filtration and fluid aspiration	4,130.00

Model	Description	Price (RM)
MZ2CNT #20732302	7 mbar ultimate vacuum, 2.0 m³/h pumping speed, for vacuum oven and rotary evaporator	9,020.00



MZ 1C Vario

Model	Description	Price (RM)
MZ 1C Vario	12 mbar ultimate vacuum, 1.0 m³/h pumping speed. Precise vacuum control by adaptation of the diaphragm pump's motor speed.	16,910.00
RZ 2.5 #20798122	Ultimate vacuum = 2×10^{-3} mbar Max. pumping speed 50 Hz = 2.3 m³/h For freeze Dryer. Come with Oil mist filter part number: 20698003	11,550.00

Model	Description	Price (RM)
Fuego SCS basic # 8.201.000	The Fuego SCS basic can be safely operated by means of the supplied foot pedal or the button function. (Includes with stainless steel foot pedal, holding device for 3 inoculation loop holders, nozzles for natural, propane/ butane gas, Turbo flame Wrench 17mm for gas connection, screwdriver for burner head and cover of burner shaft, tubing connector with swivel nut)	4,530.00
SteriMax smart # 4.001.000	Infrared Loop Sterilizer - using IR-HotSpot Technology. High-Speed Annealing and Sterilizing the Smart Way. (Infrared light technology and quartz glass annealing tube, 1 inoculation loop holder with inoculation loop Ø 3 mm, Holding device for 3 WLD-TEC inoculation loop holders)	8,495.00



Model	Description	Price (RM)
AC648A220	48" wide ductless chemical workstation fitted with AirSafe automatic safety controller. Requires two filters for operation, not included in price. UL, CSA & CE approved. 220V AC.	35,700.00
AC632LFUVC220	32" wide combination PCR workstation with UVText microprocessor controller. . Price includes HEPA filter, initial prefilter, fluorescent light, UV shelf with pipette holder, safety switch and slip hatch.	22,575.00



Model	Description	Price (RM)
EPE-5252000030	FemtoJet 4i Microinjector, power plug UK/ Hongkong	Contact us on price
EPE-5242956003	Microloader 2x96ST. Microloader, for loading of microcapillaries, 0.5-20 µL, light grey, length: 100 mm, 2 racks of 96	1,800.00
EPE-5242957000	Femtotip II for injections of aqueous solutions, set of 20	2,100.00



Model	Description	End User Price (RM)
102370	Alpha 1-4 LSCbasic Compact, general-purpose tabletop unit for effective lyophilisation of specimens in your everyday lab activities. The LSCbasic user interface makes the work very easy. You can choose from a wide range of configurations to adapt the freeze dryer optimally to your specific needs. Condenser temperatures of -55 °C for drying aqueous products. Package Includes: • Alpha 1-4 LSCbasic • Vacuum Sensor • Manifold for 8 flasks (valves incl.) • Wide-Neck Filter Bottles • Vacuum Pump • Oilmist Filter • Vacuum Hose	Contact us on price



101225	RVC 2-25 CDplus Compact benchtop midi concentrator for fast and efficient vacuum concentration, at home on every lab bench. Optimal processing without specimen splashing is ensured by modern technology with variable-speed magnetic drive, automatic venting and internal control of vacuum application and release. This midi concentrator ensures optimal and gentle handling of DNA/RNA, proteins and other liquid specimens. Package Includes: • RVC 2-25 CDplus • el. stop valve DN 16 • Vacuum Membrane Pump • Vacuum Hose	Contact us on price
--------	---	---------------------



Model	Description	Price (RM)
EVE-MC2	Automated Cell Counter EVE Plus with Starter Kit - Includes EVS-050 slides, Trypan Blue (1.5 mL), and Calibration beads	23,415.00



HAMILTON

Model	Description	Price (RM)
10098373	Hamilton 2.0 mL, External Thread, Non-sterile, Tube, Bulk (Case of 500 tubes)	4,725.00
10090250	Hamilton 2.0 mL, External Thread, Sterile, Tube, Bulk (Case of 500 tubes)	4,515.00
10162676	Hamilton 2.0 mL, External Thread, Non-sterile, 48-racked (Racked in RackWare Case of 10 racks)	7,350.00
10162677	Hamilton 2.0 mL, External Thread, Sterile, 48-racked (Racked in RackWare Case of 10 racks)	7,560.00
HST-43810	HANDHELD DECAPPER 8-CHANNEL - decapping/ capping of 48-and 96-format labware (Supported Labware includes Hamilton, FluidX, Greiner, LVL, Micronic, Nunc, and others*)	26,040.00



Human


Diagnostics Worldwide



CombiWash



HumaNex



HumaReader

Model	Description	Price (RM)
18460	CombiWash - Automatic Microtiter Plate Washer, Shaker and Incubator	44,100.00
16670	HumaReader HS Microtiter Plate Reader	33,075.00
16190	HumaNex A1c Variant - an HPLC system offering small and medium-scale measurement of glycated hemoglobin HbA1c for diagnosing and monitoring the treatment of diabetes patients. Its detection capabilities for common Hb variants help provide a comprehensive picture and prevent common pitfalls when interpreting HbA1c results.	Contact us on price

ICBiomedical

Model	Description	Price (RM)
Small Cryogenic Storage Freezer (ICB series) ICB24	ICB Series LN2 freezers, 24L capacity, ~210 days static hold time, neck opening ~60mm, with 6 canister (11")	10,038.00
High Capacity Liquid Nitrogen Freezer 38VHC	Liquid Nitrogen Freezer, 38L, canister type, ~120 days static holding, neck opening ~127mm, with 6 canisters (11")	13,545.00





Digital Dry Bath for dual blocks



Mini Centrifuge

Model	Description	Price (RM)
D1301-230V	Digital Dry Bath for 1 blocks Ambient +5° to 150°C Price does not inclusive of heating block.	2,750.00
D1302-230V	Digital Dry Bath for dual blocks Ambient +5° to 150°C Price does not inclusive of heating block.	3,460.00
Block Heater Choice:		
D1102A	Block, 24 × 2.0mL tubes	730.00
D1105	Block, 24 × 0.5mL tubes	730.00
D1105A	Block, 24 × 1.5mL tubes	730.00
D1106	Block, 35 × 6mm tubes	745.00
D1110	Block, 20 × 10mm tubes	698.00
D1112	Block, 20 × 12mm tubes	684.00
D1113	Block, 20 × 13mm tubes	698.00
C1601-B	Labnet Mini Microcentrifuge, Blue lid, 100-240V	1,540.00



Model	Description	Price (RM)
Quickdrop	Quickdrop Micro volume Spectrophotometer	Contact us on price



Model	Description	Price (RM)
Digital Disruptor Genie, SI-DD68	Digital cell disruptor with complete control of speed and time. Ideal for releasing biological molecules from inside a cell. More than vortexing alone, patented multi-directional action simultaneously agitates and vortexes at high-speed producing greater yields in less time. Supplied with Universal Microtube Holder (tubes not included) and Pop-off Cup.	5,700.00
SI-BG01	Disruptor Beads, 0.1mm, 8 oz. Bottle. Spherical lead free soda lime glass beads are available for use with the Disruptor Genie. Size for use with bacteria - 0.1mm diameter beads.	Included
SI-BG05	Disruptor Beads, 0.5mm, 8 oz. Bottle. Spherical lead free soda lime glass beads are available for use with the Disruptor Genie. Size for use with bacteria - 0.1mm diameter beads.	Included



Digital Disruptor Genie



Model	Description	Price (RM)
Q700A-220	700 watt Sonicator, 220V, includes 1/2" probe	42,735.00
4418	1/8" microtip (0.5 - 15ml)	included
432B2	Sound Enclosure (30.5" H x 13.5" W x 13" D)	included

Model	Description	Price (RM)
Q500A-220	500 watt Sonicator, 220V, includes 1/2" probe	38,325.00
4418	1/8" microtip (0.5 - 15ml)	included
432B2	Sound Enclosure (30.5" H x 13.5" W x 13" D)	included




Mouse Model	Description	Price (RM)
CrTac:NCR-Foxn1 ^{nu}	NCR nude, 5-6 weeks, SPF, MOQ = 10	630.00
NTac:SD	Sprague Dawley, 5-6 weeks, SPF, MOQ = 10	399.00
BALB/cAnNTac	Balbc, 5-6 weeks, SPF, MOQ = 10	399.00
IcrTac:ICR	ICR, 5-6 weeks, SPF, MOQ = 10	315.00
NOD.Cg-Prkdc ^{scid} Il2rg ^{tm1Sug} / JicTac	NOD.Cg-Prkdc ^{scid} Il2rg ^{tm1Sug} / JicTac, Opportunistic Free, 5-24 weeksv, MOQ = 10	10,500.00

* Remarks: For any other quantity orders, please contact info@its-interscience.com



Conventional
Polycarbonate
Mice Cages



Conventional
Polycarbonate
Rat Cages




Metabolic Cage
for Mouse

Mouse Model	Description	Price (RM)
1284L	Conventional Polycarbonate Mice Cages (30 Cages) with High grade Stainless Steel Rack (comes with 30 Polycarbonate Cages, 30 S/S inner fitting lid with hinged divider, 30 260 ml Polycarbonate Bottle with Silicone Ring, 30 S/S cap - mm 25 extension - hole Ø mm 1,8, 30 H-Temp filter top, 30 S/S label holder - vertical with hook - mm 75 × 105 and 1 High Grade Stainless Steel Rack with Bumper)	29,400.00
1500U	Conventional Polycarbonate Rat Cages (20 Cages) with High grade Stainless Steel Rack (comes with 20 Polycarbonate Cages, 20 S/S inner fitting lid with hinged divider, 20 700 ml Polycarbonate Bottle with Silicone Ring, 20 S/S cap - mm 25 extension - hole Ø mm 1,8, 20 S/S label holder - vertical with hook - mm 75 × 105 and 1 High Grade Stainless Steel Rack with Bumper)	30,000.00
3600M021	Selfstanding METABOLIC CAGE for single mouse, all included, with single chamber feeder. Single-cage stand not required. 240 × 320 × 370 mm	3,560.00
3600M061	METABOLIC CAGE, all included, with feeder for rats. 290 × 400 × 380 mm. Comes with METABOLIC CAGE, all included, with feeder for rats (1 unit) and single cage stand (1 unit)	4,815.00
E-CHILLER	Electronic Collection Chiller 100/110V - 220/240V, 50/60Hz. Tubes and sleeves for single mouse, grouped mice and rats metabolic cages included. Comes with ECHILLER (1 unit) and Single-cage E-chiller stand, with E-chiller support. (1 unit)	10,250.00

Model	Description	Price (RM)
A37835	MiniAmp Plus Thermal Cycler	19,635.00




Model	Description	Package complete with	Price (RM)
 ISQ 7610 GCMS	To stay ahead, analytical testing laboratories need the ultimate confidence of a GC-MS system that easily and reliably produces trusted results, day after day. For this, you can count on the Thermo Scientific™ ISQ™ 7610 Single Quadrupole GC-MS System. Simplified operation, automated workflows, and extended dynamic range deliver consistent results from system to system in every laboratory.	1. ISQ 7610 GCMS 2. TRACE 1610 MAINFRAME MS 230V 3. TRACE 1300/1600 SSL INJECTOR MODULE 4. HeSaver/H2Safer injector upgrade option 5. GC/GCMS Start-up Kit TRC1300/1600 6. Liquid/Headspace Autosampler 7. Chromatography Data System Software and PC 8. Consumables Kit 9. GC Column 10. NIST 2023 MS LIBRARY WITH RI & MS/MS 11. GFM PRO GAS FLOWMETER	Contact us for price
 Vanquish HPLC/ UHPLC	Eliminate disruptions to your routine analytical work with the Thermo Scientific Vanquish Core HPLC system. No matter which systems you currently use, switching to Vanquish Core is simple and seamless. A full suite of method transfer tools, including tunable gradient delay volume, makes adoption easy. Like all members of our Vanquish product line, Vanquish Core HPLC systems offer hardware precision, detector sensitivity, and simplicity of operation.	1. System Base 2. Quarternary/Binary/Isocratic/Dual Pump 3. Autosampler 4. Column Compartment 5. DAD, UV/VIS, CAD, FLD, RI Detectors 6. Solvent Monitor 7. Chromatography Data System Software and PC 7. HPLC/UHPLC Columns 8. Vials/Caps/Septas	
 ICP-OES	Analyze high-matrix trace elemental samples with sensitive multi-element detection and meet your data requirements with the optimal performance of the Thermo Scientific™ iCAP™ PRO XP ICP-OES. Rugged on all fronts, this system needs surprisingly little bench space or user maintenance. A bench top simultaneous ICP spectrometer with a vertical torch, a purged echelle polychromator and Charge Injection Device (CID) array detector.	1. iCAP PRO XP Duo/Radial ICP-OES 2. Qtegra ISDS Software for iCAP PRO 3. Organics Kit 4. Air Cooled Chiller/Water Recirculator 5. Internal Standards Kit 6. Autosampler 7. Auto-Dilutor	

Model	Flow Cytometer	Price (RM)
A24863	Advanced, high throughput, acoustic focusing, benchtop flow cytometer with up to 14 color / 16 parameter flow cytometry analysis. ATTUNE NXT AFC BR-LASER EACH Laser Features (2 lasers) Blue Excitation Laser (488 nm), Red Excitation Laser (638 nm) Model: Attune NxT Brand: Thermo Fisher Scientific	Contact us for price
A48658	The Attune CytPix Flow Cytometer combines bright-field images with high sensitivity and precision flow cytometry in a small footprint and is simple to use at any experience level. Advanced, high throughput, acoustic focusing, benchtop flow cytometer with up to 14 color / 16 parameter flow cytometry analysis. Attune CytPix Flow Cytometer, BR-LASER Laser Features (2 lasers) Blue Excitation Laser (488 nm), Red Excitation Laser (638 nm) Model: ATTUNE Cypix Brand: Thermo Fisher Scientific	Contact us for price





Model	Consumables/ Reagents/ Kits	Price (RM)
12-0088-42	CD8a Monoclonal Antibody (RPA-T8), PE, eBioscience (100 Tests)	1,785.00
11-0459-42	CD45 Monoclonal Antibody (HI30), FITC, eBioscience (100 Tests)	1,470.00
17-0567-42	CD56 (NCAM) Monoclonal Antibody (CMS-SB), APC, eBioscience (100 Tests)	2,205.00
11-0037-42	CD3 Monoclonal Antibody (OKT3), FITC, eBioscience (100 Tests)	1,470.00



CD8a Antibody



Model	Description	Price (RM)
47750	New Rat Rota-Rod Next Generation, speed adjustable in the range 5-80 RPM, in steps of 1 RPM, 4.3" Touch-Screen Brand New Software. The "Rota-Rod" technique is essential in screening drugs potentially active, or having side effects, on motor coordination. UGO BASILE DESIGNED THE FIRST INDUSTRIAL ROTA-ROD IN THE 1960S, based on the 1957 paper by N.W Dunham and T.S Miya	44,100.00
35150	New Hot/Cold Plate wide temperature range, presetable in the range -5°C to 65°C, can be used as a conventional HOT PLATE, to carry out a rapid precise screening of narcotic type analgesic drugs according to the well known Hot Plate Test devised by B.B. Eddy and D. Leinbach, or as a COLD PLATE to study cold receptors and cold allodynia.	39,900.00
37360	New Tail Flick Unit designed to measure accurately the nociceptive threshold to infrared heat stimulus on the rat or mouse tail. The operator starts the stimulus: when the animal feels pain and flicks its tail, a sensor detects it, stops the timer and switches off the bulb. The reaction time of the animal is thus determined and automatically recorded.	33,600.00


 Rat Rota-Rod
Next Generation


Hot/Cold Plate Next Generation


 Tail Flick
Unit Next
Generation


Model	Description	Price (RM)
-------	-------------	------------


AIQ060	Azure Cielo 6 Real-Time PCR • 96-well Real-Time PCR instrument with touchscreen interface, 6 dye channel filters, USB cable, ethernet cable, Sample Plate Kit (5 units 96-Well plates and Seals). • Standard 1 year warranty included	Contact us for price 
--------	---	--


*Individual well scanning (16 wells simultaneously) and special optical design eliminates the need for passive dye





Model	Description	Price (RM)
-------	-------------	------------

05111	BC60 - a compact automated culture system clinically used for detecting the microorganisms in human blood, sputum or other sterile body fluids qualitatively under normal conditions through in vitro culture.	Contact us for price 
-------	--	---

05121	BC120Plus - an automated culture system with 120-bottle capacity clinically used for detecting the microorganisms in human blood, sputum or other sterile body fluids qualitatively under normal conditions through in vitro culture.	Contact us for price 
-------	---	---

01105	Autof MS1600 - a Matrix-Associated Laser Desorption/Ionization Time of Flight (MALDI-TOF) Mass Spectrometry (MS) offering automated, high-speed and high-reliable identification and taxonomical classification of bacteria, yeasts and filamentous fungi based on proteomic fingerprinting.	Contact us for price 
-------	--	---

11092	Autof TX-8 - a compact, next-generation MALDI-TOF (Matrix-Assisted Laser Desorption/Ionization Time-of-Flight) mass spectrometry system designed for rapid and accurate identification of bacteria, yeasts and filamentous fungi based on proteomic fingerprinting.	Contact us for price 
-------	---	---

05021	AutoMic-i600 - an automated microorganism identification (ID) and antimicrobial susceptibility testing (AST) analyzer that can obtain the type of bacteria infected by the patient or the sensitivity to antibacterial drugs through the biochemical reaction and antibiotic sensitivity detection of clinical isolates.	Contact us for price 
-------	--	---



Model	Description	Price (RM)
-------	-------------	------------


'DCARC0001	Antigen Retrieval Chamber (ARC) - Programmable pressure system for heat-induced epitope retrieval of formalin-fixed paraffin embedded tissue mounted on microscope slides prior to performing IHC or ISH staining tests	Contact us for price 
------------	---	---

Decloaking Chamber™
NxGen



Model	Description	Price (RM)
CITYY-43307162-PC	Pipette tips with filter, vol. 10ul extra, universal fit. Sterile, 96 tips/rack, 10 racks/box	157.50
CITYY-43307141-PC	Pipette tips with filter, vol. 100ul/10-100ul, universal fit. Sterile, 96 tips/rack, 10 racks/box	157.50
CITYY-43307144-PC	Pipette tips with filter, vol 200ul/10-200ul, universal fit. Sterile, 96 tips/rack, 10 racks/box	157.50
CITYY-43307155-PC	Pipette tips with filter, vol.1000ul extra, universal fit. Sterile, 96tips/rack, 8 racks/box	157.50
CITYY-43309139-PC	Pipette tips with filter, low-retention, vol. 20ul/1.0-20ul, universal fit. Sterile, 96 tips/rack, 10 racks/box	157.50

Model	Description	Price (RM)
CITYY-2121005702-PC	Inoculation loop 10uL loop + needle, sterile, 20 pcs/pack, 50 packs/box	198.45
CITYY-21210053-PC	Inoculation loop 1uL loop + needle, sterile, 20 pcs/pack, 50 packs/box	198.45
CITYY-46101941-PC	Centrifuge tube, conical bottom, 50ml, graduation from 5ml to 50ml-grey cap-assembled-gamma sterile-25pcs/zip-pack 25pcs/bg	22.00
CITYY-43200513-PC	3 mL Pasteur pipette, Individual peel-pack, E.O. sterile, 100pcs/box	22.00
CITYY-46101842-PC	Micro-centrifuge tube, vol.1.5ml, with hinged-lid & special safe-lock cap, non- sterile, 500pcs/bag	22.00
CITYY-43300024-PC	Pipette tips, gilson type, 10 ul, natural color, 1,000 pcs/bg	38.60
CITYY-4330001317-PC	Yellow tips vol.200ul gilson/universal type 1000pcs/bag	33.00
CITYY-4330000702-PC	Blue tips vol.1000ul gilson/universal type 500pcs/bag	30.90



Model	Description	Price (RM)
COPCL-606CS01R-PC	ENAT - 2 ML SOLUTION + 1 REGULAR FLOQSWABS®, 80 MM BREAKPOINT, 50 PCS/BOX	Contact us for price
COPCL-480CE-PC	ESWAB - REGULAR FLOQSWABS® WITH 1 ML LIQUID AMIES, STERILE KIT, 50 PCS/BOX	
COPCL-470CE-PC	FECAL SWAB - REGULAR FLOQSWABS® WITH 2ML MODIFIED CARY BLA medium, 50 pcs/box	
COPCL-552C-PC	REGULAR FLOQSWABS®, BREAKPOINT AT 80 MM, STERILE, IN DRY TUBE, 100PCS/BOX	
COPCL-50E010D01-PC	BUCCAL FLOQSWABS®, REGULAR SIZE TIP, IN TUBE WITH ACTIVE DRYING SYSTEM, 50 PCS/BOX	
COPCL-305C-PC	UTM - 3ML SOLUTION + 1 FLEXIBLE NASOPHARYNGEAL FLOQSWABS®, 100 MM BREAKPOINT STERILE KIT, 50 PCS/BOX	



Microbiology consumables for pharmaceutical customers

Model	Description	Price (RM)
4020	FILTER HOLDER SOLVAC 1PK	2,079.00



Life science consumables

Model	Description	Price (RM)
66191ME	ME25 0.45UM 47MM GR S-PK 2000/PK GAMMA	2,310.00



Magnetic funnels

Model	Description	Price (RM)
4247	Pall Magfun 47mm w/o lid 150ml Polphnsiph 1pk *Price valid while stock last BUY 1 FREE 1	630.00

TFF Capsule or Cassette ¹	Membrane Area	Typical Filtrate Flow Rate ² at 50 LMH (20 °C)	Recommended Retentate Flow Rate (Screen Channel)	Starting Sample Volume Range	Minimum Concentrated Volume ³
Lab Scale / Scale-up Devices					
Minimate	50 cm ²	4 mL/min	30 - 40 mL/min	25 - 500 mL	< 10 mL
LV Centramate	0.01 m ² (0.1 ft ²)	8 mL/min	60 - 80 mL/min	40 - 2000 mL	10 mL
LV Centramate	0.02 m ² (0.2 ft ²)	15 mL/min	120 - 160 mL/min	60 - 4000 mL	15 mL
Process Development and Small Scale Production					
Centramate	0.093 m ² (1.0 ft ²)	4.6 L/hr	600 - 800 mL/min	0.2 - 20 L	100 mL

TFF System Selection Considerations

Cytiva provides customers with the guidance in shortlisting the most appropriate TFF Systems based on customers applications. However, steps 1 to 3 summarise an approach to TFF system selection.

- Step 1: Define the purpose of the TFF process, i.e. separation goals – concentration, diafiltration, or fractionation. Customer to consider the process volumes to work with and any future scale up requirements.
- Step 2: Choose the membrane molecular weight cut-off (MWCO).
- Step 3: Determine the required membrane area for the application.

Minimate™ Tangential Flow Filtration

Model	Description	Price (RM)
OAPMPUNV	Pall Minimate EVO system 1pk	Contact us for price
OA100C12	Pall Minimate TFF capsule 100k OMEGA 1pk	Inclusive
OA300C12	Pall Minimate TFF capsule 300k OMEGA 1pk	Inclusive
SC050PDH4 (0.5-15um retention rating)	Pall Supracap™ 50 depth filter capsule with dual-layer media grade PDH4 (0.5-15 µm retention rating) and luer-lock connections	Inclusive

Note: Supracap 50 depth filter capsule can be used for prefiltration of turbid samples, different part number will be suggested based on sample type and application.

Primary Application

- Protein purification
- Concentration
- Diafiltration (desalting and buffer exchange)
- Fractionation of large from small biomolecules
- Clarification and removal of cells
- Cellular debris from fermentation or cell culture broths.



OAPMPUNV



Microbiology Consumables for Pharmaceutical and F&B Customers

Microbiology 3-Way Manifold Bundle

Model	Description	Price (RM)
4889	Pall Lab Manifold; 3 Places Includes: 4892 Lab Manifold Standard adapter 3pk 3 units x 4247 Mag Funnel 47mm 150ml pps 1/pk Pall GN6 grid .45um 47mm gam bulk 200pk 4402 Vacushield Vent 50mm PTFE .2um 3pk Filter Flask 1L Glass Arm, Neck ID: 60mm Stopper Rubber Solid 57X64mm, Orange Rubber Vacuum Tubing, DN 8	25,725.00

Manifold System

- 3 places Manifold System
- With coupling device, system can upgrade to 6 places manifold
- Disposable funnels package available
- with only changing the adaptors
- Economical and easy to use



3 Places Manifold System

Magnetic Funnels

Model	Description	Price (RM)
4247	Pall Magfun 47mm w/o lid 150ml Polphnslph 1pk *While stock last	630.00

Magnetic Funnel



Life Science Consumables

Model	Description	Price (RM)
66191ME	ME25 0.45UM 47MM GR S-PK 2000/PK GAMMA	2,310.00



Life Science Consumables

Model	Description	Price (RM)
ALX-850-039-0100	Cell Counting Kit-8, 100 tests	730.80
ALX-850-039-KI01	Cell Counting Kit-8, 500 tests	1,570.80
ADI-900-166	Comet SCGE assay kit, 50 tests	2,410.80
ADI-900-097	Corticosterone ELISA kit, 96 wells	3,250.80
ADI-900-071	Cortisol ELISA kit, 96 wells	4,090.80
ENZ-KIT175-0050	CYTO-ID® Autophagy detection kit 2.0, 50 tests	4,930.80
ENZ-KIT175-0200	CYTO-ID® Autophagy detection kit 2.0, 200 tests	5,770.80
ENZ-KIT188-0001	Dopamine ELISA Kit, 96 wells	6,610.80
ADI-900-153A-0001	Oxytocin ELISA kit, 96 wells	7,450.80
ENZ-51011	ROS-ID® Total ROS detection kit	8,290.80
ADI-900-065	Testosterone ELISA kit, 96 wells	9,130.80

FUJIFILM

Model	Description	Price (RM)
FUJYY-16791704	FUJIFILM SILVAMP TB-LAM II, 10 Tests/Kit	Contact us for price



GeneMind



Model	Description	Price (RM)
GEEYY-SQ00021	FASTASEQ 300 Next Generation Sequencing System, Output: from 5GB up to 60GB, multilane flow cell design	Please enquire for price
GEEYY-SQ00011	GENOLAB M DX Next Generation Sequencing System, Output: from 18GB up to 150GB, dual flow cell compartment	Please enquire for price
GEEYY-SQ00023	SURFSEQ 5000 Next Generation Sequencing System, Output: 50 GB up to 1.08 TB, dual flow cell compartment with multilane flow cell design	Please enquire for price
GEEYY-M000004	MrLH-96 system - All in one instrument including extraction, library quantification, hybrid capture, pooling, library normalization and Library prep preparation	Please enquire for price

Lab Filtration

Non Sterile Syringe Filters

Model	Description	Price (RM)
INY2522N	NYLON NON-STRL SYR FILTER 25MM 0.22UM 100PCS/PK	115.50
INY2545N	NYLON NON-STRL SYR FILTER 25MM 0.45UM 100PCS/PK	115.50
IPES2522N	PES NON-STRL SYR FILTER 25MM 0.22UM 100PCS/PK	115.50
IPES2545N	PES NON-STRL SYR FILTER 25MM 0.45UM 100PCS/PK	115.50
IPTL2522N	PTFE HYDROPHILIC NON-STRL SYR FILTER 25MM 0.22UM 100PCS/PK	126.00
IPTL2522N	PVDF HYDROPHILIC NON-STRL SYR FILTER 25MM 0.22UM 100PCS/PK	136.50
IPVB2545N	PVDF HYDROPHOBIC NON-STRL SYR FILTER 25MM 0.45UM 100PCS/PK	126.50

Sterile Syringe Filters

Model	Description	Price (RM)
IPES2522S	PES STRL SYR FILTER 25MM 0.22UM GAMMA 100PCS/PK	231.00
IPES2545S	PES STRL SYR FILTER 25MM 0.45UM GAMMA 100PCS/PK	231.00

Gridded Membrane Filter

Model	Description	Price (RM)
GMCE4745WS	MCE WHITE MEMBRANE/BLACK GRID INDIVIDUAL STERILE PACK 47MM 0.45UM 100PCS/PACK	105.00
GMCE4745CWS	MCE WHITE MEMBRANE/BLACK GRID CONTINUOUS STERILE PACK 47MM 0.45UM 150PCS/PACK	157.50

Membrane Filter

Model	Description	Price (RM)
CNY2545	NYLON MEMBRANE FILTER 25MM 0.45UM 200PCS/PK	94.50
CPES2522	PES MEMBRANE FILTER 25MM 0.22UM 200PCS/PK	94.50
CPTB4722	HYDROPHOBIC PTFE MEMBRANE FILTER 47MM 0.22UM 200PCS/PK	210.50

Membrane Dispenser

Model	Description	Price (RM)
I-EXTRACTOR	AUTOMATIC DISPENSER FOR GRIDDED MEMBRANE	5,775.00

Cell Health Assay

Model	Description	Price (RM)
G9711	RealTime-Glo™ MT Cell Viability Assay, 100 RXN	1,167.00
G9242	CellTiter-Glo® 2.0 Assay, 100mL	3,528.00
G8081	CellTiter-Blue® Cell Viability Assay, 100mL	2,546.25
G8201	Caspase-Glo® 8 Assay, 10ml	2,831.85
G8211	Caspase-Glo® 9 Assay, 10ml	2,831.85
G9290	CytoTox-Glo™ Cytotoxicity Assay, 10ml	861.00
J2380	LDH-Glo™ Cytotoxicity Assay, 10ml	2,100.00
JA1011	RealTime-Glo™ Annexin V Apoptosis and Necrosis Assay, 100 assays	3,864.00
G8091	Caspase-Glo® 3/7 Assay, 10ml	2,758.35



Equipments

Model	Description	Price (RM)
CE1304	Spectrum Compact CE System, sequencing, and Fragment Analysis Applications	Please enquire for price
AS4500	Maxwell® RSC System	
AS8500	Maxwell® RSC 48 System	
E5150	Quantus™ NGS Starter Package	
GM2000	GloMax® Navigator System	
GM3500	GloMax® Explorer System	
GM3000	GloMax® Discover System	
MG1010	MyGlo™ Reagent Reader	



GloMax



E5150



Spectrum Compact CE



MG1010

Model	Description	Price (RM)
SASY-S-Q36A	iPonatic III – Portable Molecular Workstation	Please enquire for price
SASY-S3066E	6RP – Six Respiratory Pathogens Nucleic Acid Diagnostic Kit (FluA/B/RSV/Adenovirus/Mycoplasma pneumoniae/Rhinovirus)	
SASY-S3050E	CT/NG/UU – Chlamydia Trachomatis/Ureaplasma Urealyticum/Neisseria Gonorrhoeae DNA Diagnostic Kit	
SASY-S3057E	HPV 13+2 – Human Papillomavirus DNA Diagnostic Kit	



iPonatic III – Portable Molecular Workstation

Model	Description	Price (RM)
QX700™ Series	QX700™ Series Droplet Digital™ PCR System • All-in-One droplet digital PCR system • Highest multiplexing capabilities, 7-colors detection • Remote access • Simplest ddPCR workflow with minimum hands-on time • Seamless assay transfer from across the QX700™ Digital PCR range • Dimension: W 560mm x H 521mm x D 671,5mm • 21,5 inch touch display • 3 models of low, medium and high throughputs	Please enquire for price
QX700™ E Essential dPCR (for low throughput)	• 1 Thermocycler • Single plate loading • Up to 48 samples / run • 3 PCR programs / run • Sequential access	
QX700™ S dPCR (for medium throughput)	• 1 Thermocycler • 1-4 plate loading • Up to 192 samples / run • 12 PCR programs / run • Random access	
QX700™ HT dPCR (for high throughput)	• 2 Thermocyclers • 1-8 plate loading • Up to 384 samples / run • 24 PCR programs / run • Random access	



Model	Description	Price (RM)
BT-ULTRA-BRIGHT-LED	Blue LED Transilluminator, Stand-alone use, Viewing area 20 × 16cm. Produces uniform and bright excitation at 470nm, suitable for a wide range of dyes.	9,795.00
IG5	InGenius 5 Gel Documentation System (PC not included) Features: 1. 5MP 12/16bit system 2. With epi LED white lights & UV filter pre-attached to camera. 3. Supplied with dedicated Ingenius capture & editing software and GeneTools analysis software (unlimited). 4. Max image size 20 × 24cm. 5. Included with transilluminator & converter *3 years' warranty	53,200.00
NuGeniusXE	NuGenius-XE Gel Documentation System (PC not included) Features: 1. 5 million pixels CCD camera 2. Built in 7 inch touch screen interface 3. UV transilluminator, 20 × 24cm viewing area 4. Visible light converter 5. Blue light converter 6. GeneTools analysis software *Comes with stain free imaging capability, and Windows PC connectivity *3 years' warranty	Please enquire for price
Comes with 3 models:		Please enquire for price
NuGenius-XE	NuGeniusXE with 5MP Camera	
NuGenius6-XE	NuGeniusXE with 6MP Camera - NEW!	
NuGenius9-XE	NuGeniusXE with 9MP Camera - NEW!	



New
InGenius 5



NuGeniusXE




EP300 Power
Supply



Mini/Midi Hor-
izontal Gel Elec-
trophoresis



10103001 Mini
Pro 4



10110001 easy-
PRO4



10104001 Mini
Vertical Blot

Model	Description	Price (RM)
10105001	Basic Electrophoresis Power Supply, 300V, 400mA, 75W, as standard	3,911.00
10101001	WIX-midiDNA Multipurpose Horizontal Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	2,100.00
10102001	WIX-miniDNA Mini Horizontal Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	1,600.00
10103001	WIX-miniPRO4 Mini Vertical electrophoresis cell, comes complete with standard lid/bottom/cable/accessory	5,570.00
10103002	WIX-miniPRO2 Mini Vertical electrophoresis cell, comes complete with standard lid/bottom/cable/accessory	3,630.00
10110001	WIX-easyPRO4 Mini Easy Vertical Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	5,090.00
10110002	WIX-easyPRO2 Mini Easy Vertical Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	3,350.00
10111001	WIX-multiPRO4 Precast Gel Vertical Electrophoresis Cell, comes complete with standard lid/bottom/cable/accessory	4,360.00
10111002	WIX-multiPRO2 Precast Gel Vertical Electrophoresis Cell	3,125.00
10104001	WIX-miniBLOT Mini Vertical Blot, Full Set (including standard accessory)	2,910.00
10119001	WIX-miniBLOT4 Mini Vertical Blot, Full Set (including standard accessory)	6,100.00
10112001	WIX-fastBLOT Fast Semi-Dry Blot, Full Set (including standard accessory)	30,530.00

Education



AR251



AR503

Model	Description	Price (RM)
AR251	Injection, Venepuncture, Cannulation and Infusion Arm, White : - Administering IV injections and infusions - Intravenous cannulation - on the back of the hand or forearm - Setting up and monitoring infusions including application of dressings to secure cannula in place - Withdrawal of blood using syringe or vacutainer	7,350.00
AR503	Enhanced Digital Eye Examination/ Retinopathy Trainer, Light	18,375.00
AR502	Enhanced Digital Ear Examination Trainer, Light	18,375.00

BQ



Model	Description	Price (RM)
11000 Mobile Lab Basic	Water Analysis Equipment Kit includes: - Battery-powered Fluorometer - Thermometer (2) sample racks - Timer - Travel case - User certification training flash drive - Scale - Flask for ethanol - Adapters for direct sampling from outlet Portable equipment exclusively for use with water outlet adapters or manual syringe driven sampling. Suitable for field use even under rugged conditions. Case is waterproof, chock resistant (IP67, ATA 300) Includes basic software. Baseline and calculation. APP - supported analysis	39,900.00



BactiQuant All-Round 50 assays	Equipment supports the use of: - Bactiquant® - Water - Bactiquant® - Acido - Bactiquant® - FungiCount Applications include but are not limited to: - Drinking water - Oil & Gas - Industrial water - Aquaculture - Cooling systems - Wastewater	Included
--------------------------------	---	----------



BD 600 BOD Meter



TC 135S Incubator



TB 211IR Turbidity Meter

Model	Description	Price (RM)
MD50	COD Determination Set	10,500.00
BD600	BOD Measurement System	15,435.00
TC 135S	Thermostatically Controlled Incubator, 135L, Solid Door	14,910.00
TC 140G	Thermostatically Controlled Incubator, 140L, Glass Door	17,220.00
MD 600	Multi parameters photometer for water testing (Reagents not included)	8,295.00
TB 211IR	Turbidity Photometer with infra-red light source (EN ISO 7027)	5,880.00
TB 350IR	Turbidimeter with new Multipath 90° BLAC® sensor technology, 0.01 – 4,000 NTU	13,125.00
SDPH10	Pocket tester, PH 0-14	890.00
SD30EL	Pocket tester, cond. 0.01-20.000 mslcm, salinity 0.01-10g/l, TDS0.01 - 20.00ppt	890.00



Model	Description	Price (RM)
MEBTO-2780001	MINITOC2 BASIC MODEL CONFIGURATION TOC analyser online & offline mode TOC range 0.5 – 1500 ppb conductivity measurement *autosampler available as option	Please enquire for price



Lovibond® Water Testing

Tintometer® Group



MD 200 COD VARIO

- ST-COD sealed tubes ready for use
- Suppression of chloride interference
up to 1000 mg/l (LR & MR)
up to 10000 mg/l (HR)
- Mercury free tube tests,
in absence of chloride interference
- 3 ranges:
Low range:
0 - 150 mg/l, meets ISO 15705:2002
Middle range:
0 - 1500 mg/l, meets ISO 15705:2002
High range:
0 - 15000 mg/l

www.lovibond.com



Upstream Process & Biomanufacturing

Model	Description	Price (RM)
28988000	ReadyToProcess™ WAVE 25 Rocker - Integrated temperature sensors and load cells, designed for convenient handling and control of cell cultures up to 25 L - Minimal footprint facilitates placement when space is limited - Operation in single or dual culture mode - Adjustable rocking parameters are speed, angle, and motion	Please enquire for price
29722350	Xcellerex™ X-platform bioreactor - Available in two vessel sizes: 50L or 200L maximum working volume or 10L or 40L minimum working volume - Both are designed with a 5:1 turndown ratio - Runs on Figurate™ automation - Application-ready bag designs for easier process optimization	
Allegro	Allegro™ single-use mixer - Designed for high performance, ease of use, and manual to fully automated solution preparation - Standard/Jacketed option - Low-volume mixing down to 2 L and up to 50 L - Bigger sizes available - Can incorporate sensors (pH, conductivity and temperature) for on-line monitoring and control	
Wand Mixer	Wand Mixer small scale mixing system - Choice of floor-based or bench-top - Simplest and most affordable single-use mixing systems - Fits into product development and cGMP environments - Scalable from 5 - 200 L - Application includes suspension / re-suspension, final formulation, media and buffer preparation	
LevMixer	LevMixer™ single-use mixer - For shear-sensitive, scalable mixing with automation and data tracking - Tank sizes from 50 to 1600 L - Utilizes a proprietary levitating impeller that gently mixes shear-sensitive products	



ReadyToProcess™
Wave 25



Xcellerex™ X-platform
bioreactor



Allegro™ 50L stan-
dard mixer & weight
platform



Wand Mixer



LevMixer™ Single-Use
Mixer

Filter Integrity Test

Model	Description	Price (RM)
FFS05	Palltronic® Flowstar V Integrity Test Instrument - Comes with eIQOQ Protocol, eIQOQ execution - Direct flow measurement technology - Faster testing, high accuracy of test results, calibration based on traceable flow references - Reduced test time under stable test conditions - Robust and easy to clean	Please enquire for price
FFS-TC	Optional: Transportation Case with Wheels	
FFS-PRNT	Optional: Flowstar V Thermal Printer	



Palltronic® Flowstar V FIT

Bioprocess Sterile Filters

Model	Description	Price (RM)
KA1PFRP1	Emflon™ PFR membrane in Kleenpak™ capsule, 0.2 µm, 400 cm² EFA, 1½ inch	893.00
KA2PFRP1	Emflon™ PFR membrane in Kleenpak™ capsule, 0.2 µm, 800 cm² EFA, 1½ inch	1,260.00
MCY4440P-FRPH4	Junior Emflon™ PFR membrane filter cartridge, 4.2-inch	1,523.00
C3PFRP1A	Emflon™ PFR membrane in Novasip™ capsule, 0.2 µm, 2300 cm² EFA	2,100.00
AB05PFR2PVH4	Emflon PFR membrane filter cartridge, 0.2 µm, 5-inch	2,258.00
AB1PFR7PVH4	Emflon PFR membrane filter cartridge, 0.2 µm, 10-inch	1,995.00
AB1DFL7PH4	Fluorodyne™ II DFL membrane filter cartridge, 0.2 µm removal rating, 10-in. length,	2,310.00



C3PFRP1



Junior Emflon Filter



10" Air or Liquid Filters

Tangential Flow Filtration

Model	Description	Price (RM)
29038438	ÄKTA™ Flux tangential flow filtration system - Semi-automated tangential flow filtration/cross flow filtration system for concentration and diafiltration as well as cell harvest and clarification.	Please enquire for price
29151000	ÄKTA Readyflux™ automated tangential flow filtration system - Single-use filtration at multiple scales	
28906261	ÄKTA Ready™ or ÄKTA Ready™ variable UV chromatography system - Isocratic or gradient configuration - Typical applications: mAbs and recombinant protein purifications - UV system has three-wavelength variable UV sensor (206-700 nm) for separation of full and empty adeno-associated virus (AAV) capsids, and nucleic acids such as plasmids and mRNA.	
29726519	ÄKTA Ready™ 450 single-use chromatography system - For low flow rate and hold-up volume. Purify small quantities efficiently in a GMP environment. - Supports closed processing to reduce contamination risk - Pair the system with ReadyToProcess™ chromatography columns and a tangential flow filtration system for a successful purification using single-use strategy - Up to 5 to 450mL/min	
29274325	ÄKTA pilot™ 600 chromatography system - Compact bench-top chromatography system intended for both non-GMP and GMP environments - Up to 600mL/min on one pump and up to 1.2L/min on two pumps	
29729595	ÄKTA process™ automated liquid chromatography system - Designed for process scale-up and large-scale biopharmaceutical manufacturing - Choose from over a million possible configurations and add pumps, sensors, or inline dilution functionality as your process needs evolve - Up to 4 to 2000L/hr	



ÄKTA™ Flux TFF



ÄKTA Readyflux™ TFF



ÄKTA Ready™



ÄKTA Ready™ 450



ÄKTA pilot™ 600



ÄKTA process™

Model	Description	Price (RM)
Bagmixer 400P	Lab blender for 50ml and 400ml bags (stainless steel door)	11,500.00
Bagmixer 400W	Lab blender for 50ml and 400ml bags (window door)	15,100.00
BagFilter 400P	Bag filter for 400ml, 190×300mm (pk of 25) (500 per box), 111425	1,900.00
Baglight 400	Plain sterile bags. Sterile packs of 25, 400ml 175×300mm (500 per box), 132025	510.00
BagPage Plus400	400ml Bags with full-page filter sterile packs of 25 (500 per box), 122025	1,910.00

Manufactured under ISO 9001-2008, all Interscience bags are food compatible, radio-sterilized and compatible with any blender.




BagMixer® 400 P



BagMixer® 400 W

BagLight® 400ml




BagPage® + 400ml



DEPYR601



STERY-LC



FSP05



RS1-LAB

Model	Description	Price (RM)
DEPYR601	Depyrogenation Tunnels for ampoules and vials for Small Volume Parenteral (SVP).	Please enquire for price
STERY-LC	Filling and stoppering machines for liquid or lyo products, suitable for filling vials for Small Volume Parenteral (SVP) in an aseptic process with complete or partial closure using rubber stoppers.	
FSP05	Automatic machines for filling and stoppering of RTU Syringes (glass/plastic), Cartridges and Vials in nest.	
RS1-LAB	Inspection & leak test. RS-LAB Series were designed to combine CMP's know-how and experience in camera visual inspection with HVLD (High Voltage Leak Detection) system.	




Model	Description	Price (RM)
2600992	LabStart	14,175.00
2600177	LabSwift	25,725.00
2601917	LabTouch CM-3	49,140.00
2601500	LabMaster neo ENS	81,900.00
2601700	LabMaster neo ELS	83,895.00



Model	Description	Price (RM)
TABTESET-101	Tablet Hardness Tester- Handheld, Instruments inclusive of battery charger , safety cover and waste tablet collector	8,925.00
FTV-201	Tablet Friability Tester, Inclusive of 2 Roche Drums with build in mini dot matrix printer	14,595.00
BCT-201	Bottle Cap Torque Tester, with build in printer	15,750.00
TD-101	Tap Density Meter, Cylinder 100 & 250ml [1each], Cylinder Holders for 100 & 250m+B86l [1 each]	14,595.00
LT-201	LEAK TESTER - LT 201 - 12 inch desiccator, Printer attachment facility	17,325.00
PI - TT3PD - 500 - E	ezTab - 300 Hardness Tester with 500N Capacity, Built in mini dot matrix printer	28,350.00



TABTEST-101



FTV-201



BCT-201



ezTab- 300



LT-201



TD-101

Monitoring System



Model	Description	Price (RM)
Wireless Temperature Monitoring System Package price (two recorders)		
11711	Nano SPY LINK Ethernet VDC	6,150.00
12090	JRI MySirius Initial up to 10 recorders (1 year subscription fee - yearly payment to be made after 1 st year)	
11567 Ex	Nano SPY T1 Ambient temperature sensor (-40+85°C) (2 pcs)	
For other temperature range, please request for more information		

Medical

Safe+Mask® Premier Earloop Mask

Description	Pcs pack	Carton pack	Price per carton (RM)
Safe+Mask® Premier Ear Loop Mask, Blue (ASTM F2100 Level 1)	50 pcs/box	10 boxes/ carton	16.00
Safe+Mask® Premier Ear Loop Mask, Blue (ASTM F2100 Level 1)	50 pcs/box	1 box	18.00



Model	Description	Price (RM)
Vacuclave 123	Class B, Table-Top Autoclave. 23L chamber volume and Ø 250mm x 450mm chamber dimensions. Manual filling, complete with Mounting Rack and Trays.	35,700.00
Vacuclave 118	Class B, Table-Top Autoclave. 17L chamber volume and Ø 250mm x 350mm chamber dimensions. Manual filling, complete with Mounting Rack and Trays.	30,450.00
Vacuclave 323	Class B, Table-Top Autoclave with DRYtelligence features for optimum drying results and reduction drying time. 23L chamber volume and Ø 250mm x 450mm chamber dimensions. Manual filling, complete with Mounting Rack and Trays.	40,700.00




Vacuclave 123



Vacuclave 118



Vacuclave 323



Mount A (long)



Mount A (short)

LINET

Model	Description	Price (RM)
ELEGANZA 4 (Ex Stock)	Intensive care bed with integrated weigh scale	37,800.00
SPRINT 100	Premium Transport Stretcher with X-ray translucent mattress platform, complete with oxygen cylinder holder, passive mattress	29,400.00
Graciela	Gynaecological examination chair complete with Leg support - electric positioning	33,600.00



SPRINT 100



ELEGANZA 4



Graciela

For enquiries or placing of order, please contact :

Shah Alam Office:

Tel : +60 3 7802 9060

Fax : +60 3 7802 9061

Email : info@its-interscience.com

Johor Bahru Office:

Tel : +60 7 332 6277

Fax : +60 7 331 9357

Email : jbe@its-interscience.com

GET IN TOUCH

Whether you have a product enquiry, need service support, or want to explore a partnership, our teams across Southeast Asia are ready to help.

ITS SCIENCE & MEDICAL GROUP

219 Henderson Road, #08-02

Singapore 159556

Group enquiries: info@one-its.com | www.one-its.com

Regional Contact

ITS SCIENCE & MEDICAL PTE LTD (HQ) : info@its-sciencemedical.com | www.its-sciencemedical.com

INTERSCIENCE SDN. BHD. : info@its-interscience.com | www.its-interscience.com

ITS (THAILAND) CO., LTD. : info@its-thailand.com | www.its-thailand.com

VAN NAM INTEGRATE TECHNOLOGY SCIENCE CO., LTD. : info@its-vn.com | www.its-vietnam.com

PT. ITS SCIENCE INDONESIA : info@its-indonesia.com | www.its-indonesia.com

ITS SCIENCE PHILS., INC. : info@its-sciencephils.com | www.its-sciencephils.com

I T S C CO., LTD. : info@its-cambodia.com | www.its-cambodia.com